FISH TERMINOLOGIES

Building Materials Thesaurus

Report Format:	Hierarchical listing - alpha
Notes:	Main construction material types for indexing monuments.
Date:	January 2016



ABERDEEN GRANITE

- UF Balmoral Granite Rubislaw Granite
- SN Medium grained, dark bluish-grey stone. Quarried mainly from the Rubislaw Quarry.
- CL STONE
- BT GRANITE

Adamelite

USE SHAP GRANITE

ALABASTER

- SN Fine grained, w hitish, granular variety of Gypsum. Suitable for carving.
- CL STONE
- RT MARBLE

Alps Grey Granite

USE GNEISS

Alta Quartzite

USE SCHIST

Altazite

USE SCHIST

ALUMINIUM

- UF Corrugated Aluminium
- SN Lightw eight, strong metal with good corrosive
- resistance, normally used as an alloy. CL METAL
- NT ANODIZED ALUMINIUM

Amberley Stone

USE CHALK

Ammonite

USE FOSSIL

Ancaster Stone

USE LINCOLNSHIRE LIMESTONE

ANIMAL

- SN Pertaining to or deriving from a living organism. See ANIMAL Class list for narrow terms.
- CL ANIMAL
- NT BONE
 - FOSSIL LEATHER
 - SHELL

ANODIZED ALUMINIUM

- SN Aluminium coated by a protective film of oxides created by electrolysis.
- CL METAL
- BT ALUMINIUM

Anston Stone

USE MAGNESIAN LIMESTONE

Arabescato Marble

USE CARRARA MARBLE

ARTIFICIAL SLATE

- UF Asbestos Slate
- SN A rectangular sheet of roofing material created by a man made process (eg. asbestos cement slate) and made to look like, and used in the same w ay as, natural slate.
- CL MATERIAL <BY FORM>

ARTIFICIAL STONE

- UF Bradstone Empire Stone Imitation Stone
- SN Synthetically manufactured stone made from natural stone aggregate or reconstituted ceramics or clay, and made to appear natural. Used as solid stone for masonry or for sculptural and architectural ornament.
- CL MAN MADE MATERIAL
- NT COADE STONE
- PULHAMITE STONE RT SCAGLIOLA STONE

ARTIFICIAL TIMBER

- SN Synthetic fibres and reconstituted materials imitating, or in the form of, timber created by a man-made process. Use carefully - do not confuse w ith mock and sham timber w ork.
- CL MAN MADE MATERIAL

ASBESTOS

- UF Asbestos Slate
 - Corrugated Asbestos
- SN A mineral crystal of thin, tough fibres which can be w oven. Used for high temperature insulation or as reinforcement in asbestos cement building board and corrugated roofing. If used to imitate slate, use artificial slate also.
- CL MAN MADE MATERIAL

Asbestos Slate

- USE ARTIFICIAL SLATE ASBESTOS
- Ashburton Marble
 - USE DEVONIAN LIMESTONE MARBLE
 - SN Use both terms.

ASHLAR

- SN A square, hew n or w orked, high class freestone w hich can be 'freely' cut and is laid in horizontal courses w ith vertical joints.
- CL MATERIAL <BY FORM>

ASPHALT

- SN Solid or viscous bituminous pitch of natural occurrence, or produced from petroleum mixed with sand or other aggregate filler, for use in roads or as a covering material
- CL MAN MADE MATERIAL
- BT BITUMEN

Auchinlea Stone

USE SANDSTONE

Australian Marble

USE MARBLE

BAKELITE

- SN Thermosetting plastic commonly used for its properties of electrical insulation.
- CL MAN MADE MATERIAL
- BT PLASTIC

USE SCOTTISH SLATE

Balmoral Granite

USE ABERDEEN GRANITE

BAMBOO

- SN Tropical giant grass with hollow stem used structurally or as a covering material.
- CL VEGETAL
- BT WOOD

Bardiglio Marble

USE CARRARA MARBLE

BARGATE STONE

- UF Burgate Stone
- SN Hard, coarse grained, calcareous sandstone, coloured by iron oxide. Quarried in the Guildford and Godalming area of the South East.
- CL STONE
- BT SANDSTONE

Barge Quartzite

USE SCHIST

Barnack Stone

USE LINCOLNSHIRE LIMESTONE

BASALT

- UF Hurdwick Stone Killerton Stone Volcanic Stone Volcanic Trap
- SN Basic, black coloured, fine grained, igneous rock.
- CL STONE
- RT GREENSTONE RHY OLITE SERPENTINE WHINSTONE

Base Bed

USE PORTLAND STONE

Basebed

USE PORTLAND STONE

BATH STONE

- UF Box Ground Box Rubblestone Bradford Stone Combe Dow n Stone Corsham Stone Hartham Park Stone Hazlebury Stone Monks Park Stone St Aldhelm Stone Stoke Ground Stone Westw ood Stone Winsley Ground
- SN Even grained, poorly fossiliferous, light brow n/cream coloured, oolitic limestone. Quarried in the Bath area.
- CL STONE
- BT OOLITIC LIMESTONE

Battscombe Stone

USE CARBONIFEROUS LIMESTONE

Baveno Granite

USE GRANITE

BEER STONE

- SN Coarse, hard Chalkstone, light grey to white coloured, containing shell fragments.
- CL STONE
- BT CHALK

BEMBRIDGE LIMESTONE

- UF Bembridge Stone Binstead Stone Isle Of Wight Stone
- Quarr Stone SN Generic name for the hard, w hite/cream coloured, freshw ater limestone. Quarried on the Isle of Wight.
- CL STONE
- BT TERTIARY LIMESTONE

Bembridge Stone

- USE BEMBRIDGE LIMESTONE
- Berw yn Slate
 - USE WELSH SLATE
- Bethersden Marble

USE CRETACEOUS LIMESTONE MARBLE

SN Use both terms.

Binstead Stone

- USE BEMBRIDGE LIMESTONE
- Biotite Granite
- USE GRANITE
- Birchover Stone
 - USE GRITSTONE (SANDSTONE)
- Birshover Gritstone
 - USE GRITSTONE (SANDSTONE)

BITUMEN

- SN A semi solid mixture of complex hydrocarbons derived from coal or petroleum. Used as a w aterproof binder or protective coating.
- CL MAN MADE MATERIAL
- NT ASPHALT
 - TAR TARMACADAM

BITUMINOUS FELT

- UF Roofing Felt
- SN A material made of felted fibres bonded by
- bitumen. Often used as a roofing material.
- CL MAN MADE MATERIAL

Black Granite

USE DIORITE

- Bladon Cotsw old Stone
 - USE COTSWOLD STONE
- Blaxter Stone
- USE SANDSTONE

Bletchingdon Marble

USE JURASSIC LIMESTONE MARBLE

Blue Grey Slate

USE WELSH SLATE

BLUE LIAS

- SN Hard w hite/grey coloured liassic limestone. Quarried on the Devon-Dorset border.
- CL STONE
- BT LIAS
- NT KEINTON STONE

Blue Peterhead Granite

USE PETERHEAD GRANITE

Blue Welsh Slate

USE WELSH SLATE

Bluestone

USE WEST COUNTRY SLATE

Bognor Rock

USE SUSSEX STONE

Bolsover Moor

USE MAGNESIAN LIMESTONE

Bolton Wood Stone

USE YORK STONE

Bon Accord Red Granite

USE GRANITE

BONE

SN Any of the pieces of hard tissue consisting largely of calcium phosphate that make up the skeleton of a vertebrate animal.

CL ANIMAL

Borrow dale Slate

USE LAKE DISTRICT SLATE

Box Ground

USE BATH STONE

Box Rubblestone

USE BATH STONE

Bradford Stone

USE BATH STONE

Bradstone

USE ARTIFICIAL STONE

Bramley Fall Stone

USE SANDSTONE

Brandon Hill Grit Rubble

USE CONGLOMERATE

BRASS

- SN Easily formed metal alloy composed of copper and zinc.
- CL METAL

Brathay Slate

USE LAKE DISTRICT SLATE

BRECCIA

SN Sedimentary rock consisting of angular fragments naturally cemented together.

- CL STONE
- RT CONGLOMERATE HERTFORDSHIRE PUDDINGSTONE PUDDINGSTONE

Breche Rose

USE MARBLE

BREEZE BLOCK

- UF Thermalite
- SN Lightw eight building block traditionally made with coke breeze from gas w orks combined with sand and cement. Use this term generally to denote a light, modern concrete building block with man made characteristics.
- CL MAN MADE MATERIAL
- BT CONCRETE
- RT RESIDUE

BRICK

- UF Fletton Brick Flint Lime Brick Malm (Brick) Ruabon Brick Staffordshire Blue Brick Vitrified Brick
- SN Standard rectangular block or tablet bonded on mortar joints in a regular arrangement or pattern for strength or decoration. Made from clay or brick earth w hich may contain varying quantities of chalk, lime or iron oxide w hich effect colour or density.
- CL MATERIAL <BY FORM>
- NT ENGINEERING BRICK
- RT CLAY MATHEMATICAL TILE PEAT

BRICKEARTH

- SN An unconsolidated geological deposit sometimes iused as a bonding material in stone w alls.
- CL EARTH MIX

Britannia Stone

USE SANDSTONE

BRONZE

- SN Hard, corrosive resistant alloy of copper and tin.
- CL METAL
- RT COPPER TIN

Broughton Moor Slate

USE LAKE DISTRICT SLATE

BUNGAROOSH

- UF Bungeroosh
- SN Composed of a wide variety of substances and materials such as whole or broken bricks, cobblestones, flints, pebbles and sand which are set into hydraulic lime. Used most often to form external w alls and is commonly found in the Brighton/Lew es region.
- CL MAN MADE MATERIAL
- BT CEMENT MIX

Bungeroosh

USE BUNGAROOSH

Bunter Stone

USE SANDSTONE

Burgate Stone

USE BARGATE STONE

Burlington Blue Grey

USE LAKE DISTRICT SLATE

Burlington Slate

USE LAKE DISTRICT SLATE

Bursting Stone

USE LAKE DISTRICT SLATE

Burw ell Stone

USE CLUNCH

Buttermere Slate

USE LAKE DISTRICT SLATE

CAEN STONE

- SN Fine grained limestone, yellow or yellow /w hite in colour. Imported from France, mainly for ecclesiastical use.
- CL STONE
- BT CRETACEOUS LIMESTONE

Caerbw dy Stone

USE SANDSTONE

Caithness Flagstone

USE SANDSTONE

Calcareous Spar

USE LIMESTONE

Calverley Stone

USE SUSSEX STONE

CAMPAN MARBLE

- UF Campan Melange Campan Rose
- Campan Vert
- SN White coloured marble. Imported from France.
- CL STONE
- BT MARBLE

Campan Melange

USE CAMPAN MARBLE

Campan Rose

USE CAMPAN MARBLE

Campan Vert

USE CAMPAN MARBLE

Campden Stone

USE OOLITIC LIMESTONE

CANVAS

- SN An unbleached cloth of hemp, flax or other coarse yarn.
- CL MATERIAL <BY FORM>

Car Stone

USE CARSTONE

CARBONIFEROUS LIMESTONE

UF Battscombe Stone Cheddar Stone

- Deepdale Fossil Derbydene Derbyshire Fossil Dukes Red Limestone Frosterley Marble Hadene Stone Hoptons Wood Stone Orton Scar Limestone Penmon Limestone Pennon Marble Salterw ath
- Sw aledale Fossil
- SN Limestones formed during the Carboniferous period. Many are cut, polished and used as marble.
- CL STONE
- BT LIMESTONE RT MARBIE
 - T MARBLE SANDSTONE SHALE

Cardeston Stone

USE SANDSTONE

CARRARA MARBLE

- UF Arabescato Marble Bardiglio Marble Cipollino Marble
 - Pavonazzo
- SN Imported Italian marble varying in colour from green, blue, purple to w hite.
- CL STONE
- BT MARBLE

CARSTONE

- UF Car Stone
- Ginger Bread Stone SN Coarse hard sandstone of
- SN Coarse hard sandstone often coloured with iron oxide creating its characteristic brow n shades.
- CL STONE
- BT SANDSTONE
- RT IRONSTONE

Cary Stone

USE OOLITIC LIMESTONE

CAST IRON

- SN Dating from the 15th century, it is a hard alloy of iron and carbon, melted and shaped into various moulded forms.
- CL METAL
- BT IRON

Casterton Stone

USE LINCOLNSHIRE LIMESTONE

Catacleuse

USE ELVAN

CEDAR

- SN Durable w ood from a non-native, evergreen conifer.
- CL VEGETAL
- BT WOOD

CEMENT

UF Cement Render Cement Tile Whitby Cement

elange

- SN Originally obtained by burning limestone to produce quicklime. Now a fine grey pow der made from a mixture of limestone and clay used with w ater and sand to make mortar or w ith w ater, sand and aggregate to make concrete.
- CL MAN MADE MATERIAL
- BT CEMENT MIX
- NT PORTLAND CEMENT
- RT CONCRETE
 - LIME MORTAR
 - SAND
 - SLURRY
 - WOODWOOL SLAB

CEMENT MIX

- SN A binder combined with various aggregates which sets and holds together into a mass which then hardens and gains strength.
- CL MAN MADE MATERIAL
- NT BUNGAROOSH CEMENT CONCRETE MORTAR ROMAN CEMENT SLURRY

Cement Render

USE	CEMENT
	RENDER

SN Use both terms.

Cement Tile

- USE CEMENT
- TILE
- SN Use both terms.

CERAMIC

- SN Designating or pertaining to hard, brittle substances produced by strong heating of clay.
- CL MAN MADE MATERIAL
- NT MAJOLICA
- **TERRACOTTA**
- RT CLAY
- I

CHALK

- UF Amberley Stone
- SN A soft, porous, w hite to light grey coloured
- limestone.
- CL STONE
- BT CRETACEOUS LIMESTONE
- NT BEER STONE CLUNCH

Channel Isle Granite

USE GRANITE

Charlbury Stone

USE OOLITIC LIMESTONE

Charlw ood Stone

USE CRETACEOUS LIMESTONE MARBLE

SN Use both terms.

Charnw ood Stone

USE FOREST STONE (LEICESTERSHIRE)

Chatw ell Stone

- USE SANDSTONE
- Cheddar Stone

USE CARBONIFEROUS LIMESTONE

CHERT

- UF Knapped Chert
- Lyddite
- SN A hard, silica rich rock, black or brow n coloured, commonly found in nodular form.
- CL STONE
- NT FLINT

Chilmark Stone

- USE PORTLAND STONE
- Chinley Moor Stone
 - USE GRITSTONE (SANDSTONE)

Chudleigh Stone

- USE DEVONIAN LIMESTONE
- Cipollino Marble
 - USE CARRARA MARBLE

Clashach Stone

USE SANDSTONE

CLAY

- UF Clay Tile
- SN A fine grained earth w hich becomes more plastic w hen w ater is added and can be moulded and dried to make bricks, tile, pottery, etc.
- CL EARTH MIX
- RT BRICK CERAMIC LIAS
 - PANTILE TILE

CLAY LUMP

- SN Large, moulded, unburnt blocks of clay type soil laid in a similar way to brick, but bedded in lime and clay 'mortar'. The walls produced are characteristically thinner than those of cob and pise.
- CL EARTH MIX

Clay Tile

- USE CLAY
- TILE
- SN Use both terms.

CLINKER

- SN Fused ash from furnaces used as aggregate.
- CL MAN MADE MATERIAL
- BT RESIDUE

Clipsham Stone

USE LINCOLNSHIRE LIMESTONE

Clob

USE COB

CLUNCH

- UF Burw ell Stone
 - Totternhoe Stone
- SN A hard, gritty, grey/green coloured form of chalk.
- CL STONE

rley Stone

BT CHALK

COADE STONE

- SN Durable artificial stone consisting of china clay, sand and finely ground stonew are cast from moulds and fired in a kiln. Commonly used for architectural ornament and facings.
- CL MAN MADE MATERIAL
- BT ARTIFICIAL STONE

сов

- UF Clob
- SN Walls composed of clay, earth, straw, lime and sand, mixed with water. Constructed without shutters in layers upon a stone or brick plinth and usually covered with protective limew ash.
- CL EARTH MIX
- NT WICHERT

COBBLE

- SN Naturally occurring glacial rock fragments (diameter 64-256mm) larger than pebble and smaller than boulder.
- CL MATERIAL <BY FORM>
- RT STONE

Cobble Stone

USE LAKE DISTRICT SLATE

Collyw eston Slate

USE LINCOLNSHIRE LIMESTONE

Combe Dow n Stone

USE BATH STONE

COMBED WHEAT REED

- SN A form of thatching straw composed of stems that have been combed mechanically to remove grain and extraneous w aste material w ithout crushing the stem.
- CL VEGETAL
- BT STRAW

CONCRETE

- UF Concrete Block Concrete Tile Granolithic Concrete
- SN Composed of sand, stones or other aggregate and cement mixed with water which sets in a hard mass. The material is usually associated with modern building but was developed by Romans where cement was obtained from guicklime.
- CL MAN MADE MATERIAL
- BT CEMENT MIX
- NT BREEZE BLOCK LIGHTWEIGHT CONCRETE PRESTRESSED CONCRETE REINFORCED CONCRETE
- RT CEMENT PANTILE SAND TILE

Concrete Block

USE CONCRETE

Concrete Tile

USE CONCRETE

TILE

SN Use both terms.

CONGLOMERATE

- UF Brandon Hill Grit Rubble Dolomitic Conglomerate
- SN Sedimentary rock consisting of rounded pebbles naturally cemented together.
- CL STONE
- NT PUDDINGSTONE
- SEPTA RIA
- RT BRECCIA

CONNEMARA MARBLE

- SN One of only three 'true' British marbles, green and white in colour, predominantly used in large public buildings.
- CL STONE
- BT MARBLE
- RT SERPENTINE

COPPER

- SN Metal used primarily for roofing and ornamental purposes, being lighter and stronger than lead.
- CL METAL
- RT BRONZE
- Cor Ten Steel
 - USE WEATHERING STEEL
- Coral Rag Limestone
 - USE OOLITIC LIMESTONE
- Coralline Crag
 - USE TERTIARY LIMESTONE
- Corfe Stone
 - USE PURBECK STONE

CORK

- SN Buoyant, light material obtained from the cork tree.
- CL VEGETAL
- BT WOOD

Cornbrash Limestone

- USE OOLITIC LIMESTONE
- Cornish Granite
- USE GRANITE
- Cornish Rustic
 - USE WEST COUNTRY SLATE
- Cornish Slate
 - USE WEST COUNTRY SLATE
- Correnie Granite
- USE GRANITE
- Corrugated Aluminium
 - USE ALUMINIUM
- Corrugated Asbestos
- USE ASBESTOS

Corrugated Iron USE IRON

Corsehill	Stone	RT	LATH
USE S	SANDSTONE		LIME
Corsham	Stone		PLASTER
USE I	BATH STONE		WATTLE
Cosgrove	e Stone		Blocks Stone
•	LINCOLNSHIRE LIMESTONE	USE	SANDSTONE
Cotsw old		Deal	
	COTSWOLD STONE	USE	TIMBER
		DECOR	ATIVE PLASTER
		SN	Ornate or patterned decoration, carved into or
	Bladon Cotsw old Stone Cotsw old Slate	C	moulded from plaster. MATERIAL <by form=""></by>
	Guiting Stone	CL CL	MAN MADE MATERIAL
	Stanw ay Stone	BT	PLASTER
	Sandy, light brow n (cream to golden) coloured limestone, easily w orked and readily available.	NT	PARGETING
	STONE		SCAGLIOLA
BT (OOLITIC LIMESTONE	Deepda	le Fossil
Coxbencl	h Sandstone	USE	CARBONIFEROUS LIMESTONE
USE \$	SANDSTONE	Delabol	e Slate
Craigleith	Stone	USE	WEST COUNTRY SLATE
•	SANDSTONE	Delph S	Stone
CRETAC	EOUS LIMESTONE	USE	SANDSTONE
	Bethersden Marble	Derbyd	ene
	Charlw ood Stone	USE	CARBONIFEROUS LIMESTONE
	Istrian Stone	Derbvs	hire Fossil
	Large Paludina Marble Laughton Marble		CARBONIFEROUS LIMESTONE
	Laughton Stone		hire Grit Stone
	Petw orth Marble		GRITSTONE (SANDSTONE)
	Small Paludina Marble Sussex Marble		
	Limestone formed during the Cretaceous period.		hire Stone SANDSTONE
	STONE		
	LIMESTONE CA EN STONE	Devon	
	CHALK	USE	GRANITE
	KENTISH RAGSTONE	Devon I	Marble
RT S	SUSSEX STONE	USE	
Crosland	Hill Stone	SN	MARBLE Use both terms.
USE	YORK STONE	Devon	Slate
Culm Mea	asures Stone		
USE \$	SANDSTONE		IIAN LIMESTONE
Culm Stor	ne	UF	Ashburton Marble
USE \$	SANDSTONE	UF	Chudleigh Stone
Cumberla	and Stone		Plymouth Limestone
USE \$	SANDSTONE		Plymouth Stone
Darley Da	ale Stone		Torquay Limestone Torquay Marble
	GRITSTONE (SANDSTONE)	SN	Limestone formed during the Devonian period,
Darney S			and found predominantly between the Exe and
•	SANDSTONE		Tamar rivers in Devon. Varying in colour from black/grey to pink/w hite it w as often polished to
			imitate, and be used as, marble.
DAUB	Application of containing definition to the state	CL	STONE
	Application of earth based plaster to a backing of lath or w attle used in internal or external w alls.	BT	LIMESTONE
	Composite mixture w hich may include clay soil,	Diaman	
	dung, straw , lime putty, sand or horsehair. EARTH MIX	USE	QUARTZITE

DIORITE

- UF Black Granite
- SN Coarse grained, dark coloured, igneous rock.
- CL STONE

Doddington Stone

USE SANDSTONE

DOLERITE

- SN Medium grained, intrusive, black or dark green coloured, ianeous rock.
- CL STONE
- RT GREENSTONE **RHYOLITE** WHINSTONE

DOLOMITE

- UF **Dolomitic Conglomerate**
- SN Soft, often white, but may be transparent. Dolomite can be found on its ow n, but may also occur as a replacement mineral found in some rocks, particularly limestone, formed after action by magnesium-rich fluids.
- CL MINERAL
- RT MAGNESIAN LIMESTONE

Dolomitic Conglomerate

- USE CONGLOMERATE DOI OMITE
- SN Use both terms.

DOUBLE ROMAN TILE

- SN A large rectangle roof tile with an upstand on one side, a roll in the centre and another roll on the other side, which fits over the upstand of the adjacent tile. The name does not denote a relationship with the Roman period.
- CI MATERIAL <BY FORM>
- ΒT TILE

Doulting Stone

USE OOLITIC LIMESTONE

Drew steignston Stone

USE GRANITE

Dukes Red Limestone

USE CARBONIFEROUS LIMESTONE

Dundee Marble

USE GRANITE

MARBLE Use both terms. SN

Dundry Stone

USE OOLITIC LIMESTONE

Dunhouse Stone

USE SANDSTONE

Dunleary Stone

USE GRANITE

Dunston Stone

USE SANDSTONE

EARTH

SN Combination of organic and inorganic material cohered to form a hard solid w all or covering. Use for structures created by the excavation and piling up of earth, such as ice houses. Earth may be used in combination with other materials.

- CL EARTH MIX
- RT PEAT
- TURF

EARTH MIX

- Unbaked clays and/or soil material often mixed SN with, or performing the function of an aggregate or binder. See EARTH MIX Class List for narrow terms.
- CL EARTH MIX
- NIT BRICKEARTH CLAY CLAY LUMP COB DAUB EARTH MARL MUD PISE SAND

Efte Foil

USE ETHYLTETRAFLUOROETHYLENE FOIL

Elland Edge Flagrock

USE YORK STONE

Elland Edge Stone

USE YORK STONE

FI M

- SN Deciduous wood from the native elm tree, commonly used for framing or cladding of lesser timber framed structures due to its poorer w eathering qualities as compared to oak.
- CI VEGETAL WOOD вT
- Elterw ater Slate
- USE LAKE DISTRICT SLATE

ELVAN

- UF Catacleuse
 - Grow an
 - Pentew an Stone
 - **Trerice Porphry**
 - **Trerice Stone**
- SN Miner's term for fine grained, often light grey/faw n coloured porphyritic rocks. Commonly found in Devon and Cornw all.
- CL STONE
- **PORPHY RY** BT
- RT GRANITE

Ematita Granite

USE GNEISS

Empire Stone

USE ARTIFICIAL STONE

ENCAUSTIC TILE

- SN Glazed and decorated, patterned earthenw are tile combining different coloured clays which are inlaid and burnt in. Mainly used for flooring and external decoration.
- CL MATERIAL <BY FORM>
- ΒT TILE

ENGINEERING BRICK

- A dense, high strength, low absorption brick of SN uniform size, employed predominantly in industrial structures such as railway viaducts.
- CL MATERIAL <BY FORM>
- ΒT BRICK

ETHYLTETRAFLUOROETHYLENE FOIL

- UF Efte Foil
- Extremely thin foil made out of SN ethyltetraflouroethylene, a modified copolymer which is extruded into a thin film and which is related to Teflon. It has a very high level of light transmission in visible and ultra violet range. Used instead of glass.
- MAN MADE MATERIAL CL

Fabric

USE TEXTILE

FAIENCE

- UF Marmo
- SN Solid masonry slabs (tiles) of terracotta which are usually used as a cladding by bedding in concrete. Faience also refers to decorative glazed units.
- MAN MADE MATERIAL CI
- RΤ TERRACOTTA
- RT TILE

FELDSPAR

- SN Hard, often coloured, can be transparent. Found on its own as crystals and veins but also as a major constituent of all three geological rock types.
- MINERAL CL

FFI T

- SN Fabric of fibrous materials consolidated by heat and mechanical action so that the fibres are matted together.
- CL TEXTILE

FIBREBOARD

I IF Hardboard Medium Board Medium Density Fibreboard

- SN A sheet formed from wood which has been separated into its fibrous elements and reconstituted under pressure. The natural fibres produce resins which act as adhesive, but often additional adhesives are used.
- CL MAN MADE MATERIAL
- ΒT PANEL BOARD
- RT WOOD

FIBREGLASS

- Any material consisting of glass filaments woven SN into textiles, paper or board.
- MAN MADE MATERIAL CL

FIRESTONE

- Soft sandstone stained by iron oxide often used SN in the Surrey area.
- CL STONE
- SANDSTONE BT
- RT IRONSTONE

Fletton Brick

USE BRICK

FLINT

UF **Knapped Flint**

- SN Hard, durable, dark grey stone, the purest native form of silica, which can either be used decoratively or as a main material. Predominantly found in East Anglia and the South East.
- CL STONE
- вT CHERT

Flint Lime Brick

USE BRICK

FLUORITE

- UF Fluorspar
- SN Soft mineral, colour varying from black/purple to yellow/green. Commonly found as a mineral vein.
- MINERAL CI

Fluorspar

- USE FLUORITE
- Forest Marble

USE JURASSIC LIMESTONE MARBLE

SN Use both terms.

Forest Of Dean Stone

- USE SANDSTONE
- Forest Stone (Gloucestershire)

USE SANDSTONE

FOREST STONE (LEICESTERSHIRE)

- UF Charnw ood Stone Sw ithland Slate
- SN Collective name for a series of rocks (granite, syenite, porphry and slate) found in the Charnwood Forest of Leicestershire. Index with specific stone type where given.
- CL STONE
- RT **PORPHY RY** SCOTTISH SLATE SLATE SYENITE

FOSSIL

- UF Ammonite
- SN The remains of living organisms preserved in stone over a long time period. This may be the internal or external moulds of, usually, the hard parts of an organism (shells, bones, etc.).
- CI ANIMAL
- RT MINERAL
- STONE

Foxs Wood Rubble

USE SANDSTONE

Freebed

USE LINCOLNSHIRE LIMESTONE

FREESTONE

- UF Hard York Freestone Langton Freestone Yorkshire Freestone
- SN Stonemason's term for any easily worked

sedimentary rock. Index with specific stone type where given.

CL STONE

Frosterley Marble

USE CARBONIFEROUS LIMESTONE MARBLE

Use both terms. SN

Gaisby Stone

USE STONE

Galvanised Iron

USE GALVANIZED IRON

Galvanised Steel

USE GALVANIZED STEEL

GALVANIZED IRON

- UF Galvanised Iron
- SN Iron coated in zinc, giving good protection against w eathering.
- CL METAL
- IRON BT

GALVANIZED STEEL

- UF Galvanised Steel
- SN Steel coated in zinc, giving good protection against w eathering.
- CL METAL
- BT STEEL

Gatton Stone

USE REIGATE STONE

Ginger Bread Stone

USE CARSTONE

GLASS

- SN Transparent, hard substance made by fusing soda-silica which solidifies from a molten state.
- CL MAN MADE MATERIAL
- NT SOLAR CONTROL GLASS

GNEISS

- UF Alps Grey Granite Ematita Granite Madreperla
- SN Coarse grained, metamorphic rock in which the colour is dependent upon the predominant mineral.
- CL
- RT GRANITE

Godstone Stone

USE REIGATE STONE

GOLD

- SN A precious metal characterised by its yellow colour and resistance to tarnishing.
- CL METAL

GORSE

- SN A spiny evergreen shrub of the pea family which can be utilized as a roof covering in areas of its predominance, eg. heathland.
- CL VEGETAL
- PLANT ΒT
- RT THATCH

GRANITE

- UF **Baveno Granite**
 - **Biotite Granite** Bon Accord Red Granite
 - Channel Isle Granite
 - Cornish Granite Correnie Granite
 - Devon Granite
 - Drew steignston Stone **Dundee Marble**
 - **Dunleary Stone** Granolithic Concrete
 - Graphic Granite
 - Grey Royal Granite Hornblende Granite
 - Imperial Mahogany
 - Isle Of Man Granite Kemnay Granite
 - Muscovite Granite New ham Stone
 - Pink Granite
 - Raddon Stone Rose Swede Granite
 - Ross Of Mull Granite
 - Scotch Granite Scottish Granite
 - Virgo Granite
- SN A hard, coarse grained, durable igneous rock. Can be used decoratively or as a main material. Found throughout the country.
- CL STONE
- NT **ABERDEEN GRANITE** MOORSTONE MOUNTSORREL GRANITE PETERHEAD GRANITE SHAP GRANITE
- RT ELVAN GNEISS GREENSTONE **PORPHY RY**

Granolithic Concrete

- USE CONCRETE GRANITE
- SN Use both terms.
- Graphic Granite
- USE GRANITE

GRASS

- SN Ground-covering herbage, some varieties of which can be used, especially when dried and in large quantities, as a construction material.
- CL VEGETAL
- BT PLANT

GRAVEL

- SN Grains of rock fragment larger than coarse sand and finer than pebbles (diameter 2-4mm).
- CL MATERIAL <BY FORM>
- RT SAND STONE

Green Brae Stone

USE SANDSTONE

- Verde Ematita
- STONE

Green Ventnor Stone

USE MALMSTONE

Greenmoor Stone

USE YORK STONE

Greensand Stone

USE SANDSTONE

Greenslate

USE LAKE DISTRICT SLATE

GREENSTONE

- SN Geologist's term for any dark coloured, slightly metamorphosed igneous rock. Index with specific stone type w here given.
- CL STONE
- RT BASALT DOLERITE GRANITE

Grey Royal Granite

USE GRANITE

Greyw eathers

USE SARSEN STONE

Grinshill Stone

USE SANDSTONE

GRITSTONE (LIMESTONE)

- SN Specific English quarryman's term for any limestone abundant in shell fragments. Use this term w ith care. When only Gritstone is mentioned, unless otherw ise specified, assume it to be Gritstone (Sandstone), since this is the most common usage.
- CL STONE
- BT JURASSIC LIMESTONE

GRITSTONE (SANDSTONE)

- UF Birchover Stone Birshover Gritstone Chinley Moor Stone Darley Dale Stone Derbyshire Grit Stone Hall Dale Stone Matlock Stone Millstone Grit Revidge Grit Stancliffe Stone Watts Cliff Stone Wattscliff e Stone Whatstandw ell Stone
- SN Carboniferous sandstone varying in grain size from coarse to fine and in colour from w hite, yellow, pink to brow n. When only Gritstone is mentioned, unless otherw ise specified, assume it to be Gritstone (Sandstone), as this is the more common usage.
- CL STONE
- BT SANDSTONE

Grow an

- USE ELVAN
- Guiting Stone
- USE COTSWOLD STONE

Hadene Stone

USE CARBONIFEROUS LIMESTONE

Hailes Stone

USE SANDSTONE

```
Hall Dale Stone
```

USE GRITSTONE (SANDSTONE)

HAM HILL STONE

- UF Ham Stone
- SN Shelly, gold/brow n, coloured liassic limestone containing large quantities of crystalline calcite.
- CL STONE BT LIAS
- 21 2010

Ham Stone

USE HAM HILL STONE

Hard Rock

- USE YORK STONE
- Hard York
 - USE YORK STONE
- Hard York Freestone
 - USE FREESTONE YORK STONE
 - SN Use both terms.
- Hardboard
 - USE FIBREBOARD
- Hardw hite
- USE LINCOLNSHIRE LIMESTONE
- Hartham Park Stone
- USE BATH STONE
- Hatherleigh Stone
 - USE SANDSTONE
- Hazlebury Stone

USE BATH STONE

Headington Stone

USE OOLITIC LIMESTONE

HEATHER

- SN A dwarf shrub of the heath family used as an alternative to straw as a roof covering in moorland regions. Cut w hile in bloom and laid w ith the roots carefully entw ined. The covering turns a characteristic black colour w ith age.
- CL VEGETAL
- BT PLANT
- RT THATCH

Heathstone

- USE SARSEN STONE
- Heavitree Stone
- USE SANDSTONE

HERTFORDSHIRE PUDDINGSTONE

SN A conglomerate rock comprising well rounded flint pebbles in a very hard matrix of fine pale coloured sand, bound together by hard natural silica cement. The pebbles are usually coloured ochre or red and have black rims.

DLERITE

- CL STONE
- BT PUDDINGSTONE
- RT BRECCIA

HIGH TENSILE STEEL

- SN A strong alloy of steel.
- CL METAL
- BT STEEL

Hollington Stone

USE SANDSTONE

Hoptons Wood Stone

USE CARBONIFEROUS LIMESTONE

HORNBLENDE

- SN Medium hard, green/black coloured. Found in many igneous and metamorphic rocks.
- CL MINERAL

Hornblende Granite

USE GRANITE

HORNTON STONE

- SN Compact grained, brow n/yellow /green/grey blue, coloured liassic limestone.
- CL STONE
- BT LIAS

Horsham Slab

USE HORSHAM STONE

HORSHAM STONE

- UF Horsham Slab
- SN Hard, fissile sandstone w hich w eathers to a dark brow n colour. Mainly used as a stone roofing material (stone slate) throughout Sussex and Surrey.
- CL STONE
- BT SUSSEX STONE

Hovingham Stone

USE JURASSIC LIMESTONE

Huddlestone Stone

USE MAGNESIAN LIMESTONE

Hurdw ick Stone

USE BASALT

Imitation Stone

USE ARTIFICIAL STONE

Imperial Mahogany

USE GRANITE

Industrial Waste

USE RESIDUE

IONA MARBLE

- SN One of only three 'true' British marbles, pale green and w hite in colour.
- CL STONE
- BT MARBLE

IRON

- UF Corrugated Iron
- SN A malleable, ductile ferromagnetic metal widely used for structural and decorative purposes.
- CL METAL

NT CAST IRON GALVANIZED IRON WROUGHT IRON

IRONSTONE

- UF Northamptonshire Stone
- SN Collective name for any stone that has become impregnated with iron oxide. Index with specific stone type w here given.
- CL STONE
- RT CARSTONE FIRESTONE LIAS MALMSTONE MARLSTONE OOLITIC LIMESTONE SANDSTONE

Isle Of Man Granite

- USE GRANITE
- Isle Of Wight Stone
 - USE BEMBRIDGE LIMESTONE
- Istrian Stone
 - USE CRETACEOUS LIMESTONE
 - MARBLE
 - SN Use all terms.
- Italian Quartzite
- USF SCHIST
- Jaune Lamartine
- USE MARBLE

JURASSIC LIMESTONE

- UF Bletchingdon Marble
 - Forest Marble
 - Hovingham Stone Pink Verona Marble
 - Verde Fraye
 - Verona Marble
 - Walling Stone
 - Yeovil Marble
- SN Limestone formed during the Jurassic period. Provides many widely used building stones.
- CL STONE
- BT LIMESTONE
- NT GRITSTONE (LIMESTONE) LIAS
 - OOLITIC LIMESTONE

KEINTON STONE

- SN Hard, w hite/grey coloured liassic limestone. Quarried near Somerton in Somerset.
- CL STONE
- BT BLUE LIAS

Kemnay Granite

USE GRANITE

Kentish Rag

USE KENTISH RAGSTONE

KENTISH RAGSTONE

- UF Kentish Rag Tonbridge Stone
- SN Sandy, rough blue to green/grey coloured

limestone. Quarried in Kent and widely used throughout the South East.

- CL STONE
- RΤ CRETACEOUS LIMESTONE

Kerridge Stone

USE SANDSTONE

Ketton Stone

USE LINCOLNSHIRE LIMESTONE

Keuper Stone

USE SANDSTONE

KILLAS

- SN Cornish miner's term for slates formed during the Carboniferous and Devonian periods.
- CL STONE SLATE BT
- Killerton Stone

USE BASALT

Kirkstone Green

USE LAKE DISTRICT SLATE

Knapped Chert

USE CHERT

Knapped Flint

USE FLINT

Ladycross Stone

USE SANDSTONE

LAKE DISTRICT SLATE

- UF Borrow dale Slate **Brathay Slate** Broughton Moor Slate Burlington Blue Grey **Burlington Slate Bursting Stone** Buttermere Slate Cobble Stone Elterw ater Slate Greenslate Kirkstone Green Lakeland Green Moss Rigg Slate Skiddaw Slate Spoutcrag Westmoorland Green Westmoorland Slate
- Collective term for the Burlington (Silurian period) SN and Borrow dale (Ordovician period) groups of slates from the Lake District and parts of Cumbria, Lancashire. Hard, fine grained metamorphic rock, varying in colour from green/olive to black/blue black.
- CL STONE
- ΒT SLATE
- RT SHALE

Lakeland Green

USE LAKE DISTRICT SLATE

Lane Head Stone

USE SANDSTONE

Langton Freestone

USE FREESTONE PURBECK STONE

SN Use both terms.

Large Paludina Marble

- USE CRETACEOUS LIMESTONE MARBLE
- SN Use both terms.

LATH

- Narrow strips of wood which can form the SN groundwork for slates, panels or plaster work.
- CL MATERIAL <BY FORM>
- TIMBER ΒT
- DAUB RT
 - PLASTER

Laughton Marble

- USE CRETACEOUS LIMESTONE MARBLE
- SN Use both terms.

Laughton Stone

- USE CRETACEOUS LIMESTONE
- Lazonby Red Sandstone
 - USE SANDSTONE

LEAD

- SN Metal used primarily for roof coverings and window fittings. It is easy to work, can be w orked cold and does not rust w hich makes it suitable for holding or repelling water.
- CL METAL
- NT SHEET LEAD

LEATHER

- SN Animal skin that has been hardened or treated by a tanning process.
- CL ANIMAL

LIAS

- UF Stow ev Stone
- Collective term for the building limestones formed SN during the Low er Jurassic period.
- CL STONE
- JURASSIC LIMESTONE RΤ
- NT **BLUE LIAS** HAM HILL STONE HORNTON STONE MARLSTONE RT CLAY
- IRONSTONE SANDSTONE

LIGHTWEIGHT CONCRETE

- SN A concrete which is either aerated or made from lightw eight aggregate.
- CL MAN MADE MATERIAL
- CONCRETE ΒT

LIME

- UF Lime Mortar
- SN Calcium Oxide obtained by heating limestone in a kiln. Used as a constituent of modern mortar, or as slaked (non-hydraulic) lime in lime putty, daub, limew ash and traditional lime plaster, mortar and renders

- CL MAN MADE MATERIAL
- BT RESIDUE
- RT CEMENT DA UB MORTA R PLA STER ROMA NCEMENT

Lime Mortar

- USE LIME MORTAR
- SN Use both terms.

LIMESTONE

- UF Calcareous Spar Devon Marble Membury Stone Moolham Stone Todber Stone
- SN Sedimentary rock consisting mainly of calcium carbonate. Varying in grain size, colour and hardness, quarried and used throughout the country.
- CL STONE
- NT CARBONIFEROUS LIMESTONE CRETACEOUS LIMESTONE DEVONIAN LIMESTONE JURASSIC LIMESTONE MAGNESIAN LIMESTONE TERTIARY LIMESTONE TUFACEOUS LIMESTONE
- RT MALMSTONE MARBLE REIGATE STONE SHALE

LINCOLNSHIRE LIMESTONE

- UF Ancaster Stone Barnack Stone Casterton Stone Clipsham Stone Collyw eston Slate Cosgrove Stone Freebed Hardw hite Ketton Stone Stamford Stone Weatherbed Weldon Stone
- SN Generic term for the oolitic limestones quarried in Northamptonshire, Lincolnshire and Rutland. Varying in grain size from medium to coarse, and colour from cream to pale brow n.
- CL STONE
- BT OOLITIC LIMESTONE

Locharbriggs Stone

USE SANDSTONE

LONG STRAW

- SN Composed of loose uncombed lengths of harvested w heat w hich are formed into bundles for laying. Distinctive appearance w ith both ears and butts visible on the surface traditionally using hazel spars w hich hold the straw in place.
- CL VEGETAL
- BT STRAW
- RT THATCH

- Longford Rustic Slate
 - USE SLATE

Low er Greensand

- USE SANDSTONE
- Lyddite
- USE CHERT
- Madreperla
 - USE GNEISS

MAGNESIAN LIMESTONE

- UF Anston Stone Bolsover Moor Huddlestone Stone Mansfield Woodhouse Stone Roche Abbey Stone Steetly Stone Tadcaster Stone
- SN Permian limestones w hich have had their chemical composition naturally altered w ith the calcium content being replaced by magnesium. Fine grained and varying from yellow /brow n to cream in colour, although they w eather to a dark grey.
- CL STONE
- BT LIMESTONE
- RT DOLOMITE

MAJOLICA

- SN Fine earthenw are with raised patterns of coloured decoration in the form of an enamel or coloured opaque glaze. Use for decorative w all facings.
- CL MAN MADE MATERIAL
- BT CERAMIC
- Malm (Brick)
 - USE BRICK

Malm (Stone)

USE MALMSTONE

MALMSTONE

- UF Green Ventnor Stone Malm (Stone)
- SN A soft, grey to w hite coloured, sandstone formed during the Cretaceous period, w hose sand grains are cemented together w ith lime.
- CL STONE
- BT SANDSTONE
- RT IRONSTONE LIMESTONE

MAN MADE MATERIAL

- SN A material or combination of materials manufactured by human effort, or fashioned into shape by man or a man made industrial process (excluding metal). See MAN MADE MATERIAL Class List for narrow terms.
- CL MAN MADE MATERIAL
- NT ARTIFICIAL STONE ARTIFICIAL TIMBER ASBESTOS BITUMEN BITUMINOUS FELT CEMENT MIX CERAMIC

ETHY LTETRA FLUOROETHY LENE FOIL FIBREGLASS GLASS PANEL BOARD PAPER PLASTIC RENDER RESIDUE RUBBER

Mansfield Stone

USE SANDSTONE

Mansfield Woodhouse Stone

USE MAGNESIAN LIMESTONE

MARBLE

UF Ashburton Marble Australian Marble Bethersden Marble Bletchingdon Marble Breche Rose Charlw ood Stone Devon Marble **Dundee Marble** Forest Marble Frosterley Marble Istrian Stone Jaune Lamartine Large Paludina Marble Laughton Marble Parian Marble Pennon Marble Pentelic Marble Petw orth Marble Pink Verona Marble Purbeck Marble Sicilian Marble Skyros Marble Small Paludina Marble Sussex Marble Teesdale Marble Tinos **Torquay Marble** Travertine Verde Antico Verde Frave Verona Marble Yeovil Marble

SN Collective name for, in a true geological sense, a metamorphosed limestone, eg. Carrara marble, and, in the British sense any decorative stone that will take a polish, eg. Purbeck marble. In the latter's case index with specific stone type where given.

CL STONE

CAMPAN MARBLE NT CARRARA MARBLE CONNEMARA MARBLE IONA MARBLE SKYE MARBLE RT ALABASTER CARBONIFEROUS LIMESTONE LIMESTONE **POLY PHANT**

PURBECK STONE

SCAGLIOLA

SN

MARI

- A mixed earthy substance consisting principally of clay mixed with calcium carbonate and sand in very variable proportions. CL EARTH MIX

MARLSTONE

- UF Uppingham Stone
- SN Fine grained, iron rich, liassic limestone, found in Dorset, Somerset, Oxfordshire, Northamptonshire, Leicestershire and Rutland.
- CL STONE
- ΒT LIAS
- RT IRONSTONE **SEPTARIA**

Marmo

USE FAIENCE

- MATERIAL <BY FORM>
 - SN A raw material determined by its form or a finished product material characterised by its end shape or form. See MATERIAL <BY FORM> Class List for narrow terms.
 - MATERIAL <BY FORM> CI
 - ARTIFICIAL SLATE NT
 - ASHLAR BRICK CANVAS COBBLE **DECORATIVE PLASTER** GRAVEL PEBBLE RUBBLE TESSERA THATCH TILE TIMBER

MATHEMATICAL TILE

- SN Tile nailed externally to a wall and usually laid in mortar designed to present a brick-like appearance.
- CL MATERIAL <BY FORM>
- ΒT TILE
- RT BRICK

Matlock Stone

- USE GRITSTONE (SANDSTONE)
- Medium Board
 - USE FIBREBOARD
- Medium Density Fibreboard
- USE FIBREBOARD
- Membury Stone
 - USE LIMESTONE

Merstham Stone

USE REIGATE STONE

METAL

SN Class of elements and alloys that are characteristically lustrous, ductile, fusible and malleable. These are extracted from ore minerals originally existing in nature and processed before becoming a recognisable metal. See METAL Class List for narrow terms

CL METAL

NT

ALUMINIUM BRASS BRONZE COPPER GOLD IRON LEAD SILVER STEEL TIN ZINC PLYMETAL

Metamorphic Stone

USE STONE

Midhurst Stone

USE SUSSEX STONE

Mill Hill Slate

RT

USE WEST COUNTRY SLATE

Millstone Grit

USE GRITSTONE (SANDSTONE)

MINERAL

- SN Natural inorganic substance possessing a definite chemical composition in a crystalline form. See MINERAL Class Listnfor narrow terms.
- CL MINERAL NT DOLOMIT
- NT DOLOMITE FELDSPA R FLUORITE HORNBLENDE QUA RTZ RT FOSSIL

Monks Park Stone

USE BATH STONE

Moolham Stone

USE LIMESTONE

MOORSTONE

- SN Stonemason's name for granite found lying upon the moorland surface, as opposed to having been quarried, in the West Country and the Lake District. Used, as found, since prehistoric times, in later years was often dressed and shaped.
- CL STONE
- BT GRANITE
- RT SARSEN STONE

MORTAR

- UF Lime Mortar
- SN A mixture of lime or more recently cement with sand and water used for bonding stones or bricks.
- CL MAN MADE MATERIAL
- BT CEMENT MIX RT CEMENT
- RT CEMENT
 - SAND

Mosaic

USE TESSERA

Moss Rigg Slate

USE LAKE DISTRICT SLATE

Moulton Stone

USE SANDSTONE

Mount Sorrel Granite

USE MOUNTSORREL GRANITE

MOUNTSORREL GRANITE

- UF Mount Sorrel Granite Mountsorrel Stone
- SN Very hard, rough medium/coarse grained, pink to grey coloured granite. Usually found and quarried in Leicestershire.
- CL STONE
- BT GRANITE

Mountsorrel Stone

USE MOUNTSORREL GRANITE

MUD

- SN Wet soil, sand or other earthy matter combined with ballast and bonded with straw or other binding material. Walls are built in the absence of shuttering by the simple process of pitching in layers.
- CL EARTH MIX

Mudstone

USE SHALE

- Muscovite Granite
 - USE GRANITE
- New ham Stone
 - USE GRANITE

Northamptonshire Stone

USE IRONSTONE

OAK

- SN A native hardw ood of the Beech family with hard and durable characteristics which traditionally made it appropriate for structural w ork.
- CL VEGETAL
- BT WOOD

Oolite

USE OOLITIC LIMESTONE

OOLITIC LIMESTONE

- UF Campden Stone Cary Stone Charlbury Stone Coral Rag Limestone Cornbrash Limestone Doulting Stone Dundry Stone Headington Stone Oolite Oxford Stone Painsw ick Stone Stonesfield Slate Taynton Stone Wheatley Stone
- SN Limestone formed during the Jurassic period. Composed of ooliths, literally small rock particles with the appearance of fish roe.

- CL STONE
- BT JURASSIC LIMESTONE
- NT BATH STONE COTSWOLD STONE LINCOLNSHIRE LIMESTONE PORTLAND STONE RT IRONSTONE

Orton Scar Limestone

USE CARBONIFEROUS LIMESTONE

Otta Slate

USE SCHIST

Oxford Stone

USE OOLITIC LIMESTONE

Painsw ick Stone

USE OOLITIC LIMESTONE

PAINTED PLASTER

- UF Painted Wall Plaster
- SN Plaster which has been painted either for decorative purposes or to protect it.
- CL MAN MADE MATERIAL
- BT PLASTER

Painted Wall Plaster

USE PAINTED PLASTER

PANEL BOARD

- SN Large board used for covering the internal surfaces of a building, ie. floors, walls and ceilings. Some forms can be used as external cladding.
- CL MAN MADE MATERIAL
- NT FIBREBOARD PLYMETAL PLYWOOD WOODWOOL SLAB

PANTILE

- SN Curved, interlocking roof tile of S-shaped section usually made of clay or concrete.
- CL MATERIAL <BY FORM>
- BT TILE
- RT CLAY
 - CONCRETE

PAPER

- SN Thin flexible sheets made from the pulp of w ood or other fibrous matter.
- CL MAN MADE MATERIAL
- RT WOOD

PARGETING

- UF Pargetting
- SN External decorative plasterw ork often incised or modelled with ornamental patterns. Usually applied to timber-framed houses, especially during 16th and 17th centuries.
- CL MAN MADE MATERIAL
- BT DECORATIVE PLASTER
- CL MATERIAL <BY FORM>
- BT DECORATIVE PLASTER

Pargetting

USE PARGETING

Parian Marble

USE MARBLE

Pavonazzo

USE CARRARA MARBLE

PEAT

- UF Peat Brick
- SN Part-decomposed vegetable matter formed under w aterlogged conditions into a firm, brow n deposit resembling soil. Used as a brick for infilling in timber framed w alls.
- CL VEGETAL
- RT BRICK EARTH

Peat Brick

USE PEAT

PEBBLE

- SN Rock fragment (diameter 4-64mm) larger than gravel and smaller than cobble, combined with other material e.g. flint, for decorative effect.
- CL MATERIAL <BY FORM>
- RT PEBBLEDASH STONE

PEBBLEDASH

- SN A render with small w ashed stones added as aggregate. Popular in the early 20th century.
- CL MAN MADE MATERIAL
- BT RENDER
- RT PEBBLE

Pencaemaur Stone

USE SANDSTONE

Penmon Limestone

USE CARBONIFEROUS LIMESTONE

PENNANT STONE

- SN Hard, fine grained, blue/grey coloured sandstone. Quarried in South Wales and the Bristol area and commonly used, throughout the country, as a stone roofing material (stone slate).
- CL STONE BT SANDSTONE

Pennon Marble

- USE CARBONIFEROUS LIMESTONE MARBLE
- SN Use both terms.

Penrhyn Slate

```
USE WELSH SLATE
```

- Penrith Red Sandstone
 - USE SANDSTONE
- Penshaw Sandstone USE SANDSTONE
- Pentelic Marble

USE MARBLE

Pentew an Stone

USE ELVAN

Permian Sandstone

USE SANDSTONE

PETERHEAD GRANITE

- UF Blue Peterhead Granite
- SN Coarse grained, dark coloured granite, quarried in the Peterhead and Cairngall areas of Scotland, but used throughout the North.
- CL STONE
- BT GRANITE

Petw orth Marble

- USE CRETACEOUS LIMESTONE MARBLE
- SN Use both terms.

Pillaguri Slate

USE SCHIST

PINE

- SN Wood of a coniferous tree native to Scotland and Scandinavia
- CI VEGETAI
- BT WOOD
- BI WOOD

Pink Granite

USE GRANITE

Pink Verona Marble

- USE JURASSIC LIMESTONE MARBLE
- SN Use both terms.

PISE

- UF Pise De Terre
- SN Rammed earth or clay of a low moisture content used to make floors or w alls, or found betw een shuttering.
- CL EARTH MIX

Pise De Terre

USE PISE

PLANT

- SN Any tree, shrub or herb of cellulose form, normally subsisting in soil and producing its food through photosynthesis.
- CL VEGETAL
- NT GORSE GRASS
- HEATHER
 - REED
 - SEAWEED
 - STRAW

PLASTER

- SN Lime plaster, consisting of lime and sand, is the oldest type of render. Applied externally to walls or onto laths for infill panels and usually limew ashed.
- CL MAN MADE MATERIAL
- BT RENDER
- NT DECORATIVE PLASTER
- PAINTED PLASTER
- RT DAUB
 - LATH LIME

PLASTIC

SN Any of large class of polymers based on synthetic resins or modified natural polymers w hich may be moulded, extruded or cast w hile soft or liquid, w hich then set rigidly or slightly elastic in form.

- CL MAN MADE MATERIAL
- NT BAKELITE POLY CARBONATE POLY VINY L CHLORIDE
- RT RUBBER

Plymax

USE PLYMETAL

PLYMETAL

- UF Plymax
- SN Structural board comprising a core of thin layers of w ood bonded together, w hich is faced on one or both sides w ith a sheet of metal, usually galvanised steel or aluminium. Mainly used for external w all cladding.
- CL MAN MADE MATERIAL
- BT PANEL BOARD
- RT METAL
- WOOD

Plymouth Limestone

USE DEVONIAN LIMESTONE

Plymouth Stone

USE DEVONIAN LIMESTONE

PLYWOOD

- SN Thin layers of w ood, bonded together to form a structural board. The grain of the adjacent layers lie across one another to give structural strength. Produced since mid 19th century for use in interior joinery, since 1930's for exterior use.
- CL MAN MADE MATERIAL
- BT PANEL BOARD
- RT WOOD

POLYCARBONATE

- SN Very tough transparent sheeting often used for security glazing.
- CL MAN MADE MATERIAL
- BT PLASTIC

POLYPHANT

- SN Compact, grey/green/brow n/w hite-speckled coloured igneous rock, peculiar to Cornw all. It is easy to carve and readily takes a polish, hence its similarity to British marbles.
- CL STONE
- RT MARBLE
 - SERPENTINE

POLYVINYL CHLORIDE

- SN A type of thermoplastic polymer w hich is versatile and cheap, often referred to as PVC. This includes plasticized PVC and unplasticized PVC (uPVC).
- CL MAN MADE MATERIAL
- BT PLASTIC

PORPHYRY

- SN Traditional term for any fine to medium grained igneous rock, containing large crystal fragments.
- CL STONE
- NT ELVAN
- RT FOREST STONE (LEICESTERSHIRE)

E hterms.

GRANITE

PORTLAND CEMENT

- SN A form of cement originally named since it was said to be like Portland Stone in appearance.
- CL MAN MADE MATERIAL
- BT CEMENT

Portland Roach

IF

USE PORTLAND STONE

PORTLAND STONE

Base Bed Basebed Chilmark Stone Portland Roach Ridgew ay Stone Roach Stone Tisbury Stone Whit Bed Whitbed

- SN Fine to coarse grained, cream to green/grey coloured oolitic limestone. Quarried since Roman times, it is one of Britain's best building stones, hence its use throughout the country.
- CL STONE
- BT OOLITIC LIMESTONE
- NT PURBECK STONE

PRESTRESSED CONCRETE

- SN Concrete, containing bars or wires, which is compressed to greatly increase its strength.
- CL MAN MADE MATERIAL
- BT CONCRETE
- Prudham Stone

USE SANDSTONE

PUDDINGSTONE

- SN Conglomerate consisting of rounded flint pebbles held together in a natural silica and sand cement.
- CL STONE BT CONGLOMERATE
- NT HERTFORDSHIRE PUDDINGSTONE
- RT BRECCIA

Pulborough Stone

USE SUSSEX STONE

PULHAMITE STONE

- SN A patented manmade rock invented by James Pulham and Son of Broxbourne. Pulhamite w as used to join natural rocks together or crafted to simulate natural stone features. It is an artificial form of sandstone.
- CL MAN MADE MATERIAL
- BT ARTIFICIAL STONE

Purbeck Marble

- USE MARBLE PURBECK STONE
- SN Use both terms.

Purbeck Portland

USE PURBECK STONE

PURBECK STONE

UF Corfe Stone Langton Freestone Purbeck Marble Purbeck Portland Sw anage Stone

- SN Collective name for the oolitic limestone quarried in the Isle of Purbeck region, geologically classified into tw o main groups. Firstly, a fine grained w hitish variety, Purbeck Portland, secondly a fossil-rich cream/gold to grey variety, Sw anage Stone etc
- CL STONE
- BT PORTLAND STONE
- RT MARBLE

Quarr Stone

USE BEMBRIDGE LIMESTONE

QUARTZ

- SN Hard, transparent, often coloured mineral. Can be found on its ow n as crystals and veins but also as a major constituent of rocks such as granite. Often used decoratively.
- CL MINERAL
- RT QUARTZITE

QUARTZITE

- UF Diamanzite
- Safari Quartzite
- SN Medium grained, hard, w hite/grey coloured stone consisting of quartz and often silica, produced by the metamorphosis of sandstone.
- CL STONE
- RT QUARTZ

Raddon Stone

USE GRANITE

Rag

- USE RAGSTONE
- Rag Slate
 - USE SLATE

RAGSTONE

- UF Rag
- SN Stonemason's term for any coarse/hard stone that is not easily w orked. Index w ith specific stone type w here given. Not to be confused w ith Kentish Ragstone.
- CL STONE

Rainhill Stone

USE SANDSTONE

Rainow Stone

- USE SANDSTONE
- Rassau Stone
 - USE SANDSTONE
- Red Wilderness Stone

USE SANDSTONE

REED

- UF Water Reed
- SN The tall, straight stalks or stems formed by plants found in the wetland areas, particularly The Fens. Used as a roofing material, the reed is laid with the ends forming the exposed covering surface.
- CL VEGETAL

ATE IRE PUDDINGSTONE

- BT PLANT
- RT THATCH

REIGATE STONE

- UF Gatton Stone Godstone Stone Merstham Stone
- SN Soft, medium grained, green/grey coloured, highly calcareous, cretaceous sandstone. Mined (more frequently than quarried) since pre-Norman times from the Reigate area of Surrey.
- CL STONE
- BT SANDSTONE
- RT LIMESTONE

REINFORCED CONCRETE

- SN Aggregate, cement and mortar combined with structural elements of iron or steel mesh or rod reinforcement to form stonelike masses for load bearing, structural building w ork.
- CL MAN MADE MATERIAL
- BT CONCRETE
- RT STEEL

Rembrandt Stone

USE SCHIST

RENDER

- UF Cement Render Tyrolean
- SN A general term for the w eatherproof coat on the external w alls of a building.
- CL MAN MADE MATERIAL
- NT PEBBLEDASH PLASTER ROUGHCAST STUCCO

RESIDUE

- UF Industrial Waste
- SN By-product or waste, resulting from an industrial process.
- CL MAN MADE MATERIAL
- NT CLINKER LIME
 - SLAG
- RT BREEZE BLOCK
- Revidge Grit

USE GRITSTONE (SANDSTONE)

RHYOLITE

- SN Fine grained, acidic, light-grey/w hite/ brow n/redcoloured igneous rock.
- CL STONE
- RT BASALT DOLERITE SERPENTINE SYENITE

Ridgew ay Stone

USE PORTLAND STONE

Ringby Stone

USE SANDSTONE

Riven Slate

USE SLATE

Roach Stone

USE PORTLAND STONE

Roche Abbey Stone

USE MAGNESIAN LIMESTONE

ROMAN CEMENT

- SN Technically a quick setting hydraulic cement or lime,but term has been adapted to denote cement made from burning lumps of marl found in London clay,a technique adopted for C19th building w ork. Name not intended to denote a relationship w ith Roman period
- CL MAN MADE MATERIAL
- BT CEMENT MIX
- RT LIME
 - SEPTARIA

ROMAN TILE

- UF Single Roman Tile
- SN Single lap regular shaped roof covering which can have one or more water channels. Typically made of clay or concrete. The name does not denote a relationship with the Roman period.
- CL MATERIAL <BY FORM> BT TILE
- - - -

Roofing Felt

USE BITUMINOUS FELT

Rose Brae Stone

- USE SANDSTONE
- Rose Swede Granite
 - USE GRANITE
- Ross Of Mull Granite
 - USE GRANITE

ROUGHCAST

- SN A render including an aggregate of gravel or stone chipping throw n rather than trow elled onto an external w all.
- CL MAN MADE MATERIAL
- BT RENDER

Ruabon Brick

- USE BRICK
- TERRACOTTA
- SN Use both terms.

RUBBER

- SN Flexible, synthetic, polymeric organic material formed by chemical synthesis usually in imitation of a natural substance. It can be moulded to shape, extruded or formed into a sheet from solid or foam material.
- CL MAN MADE MATERIAL
- RT PLASTIC

RUBBLE

- SN Rough, unhew n, undressed building stones with irregular faces, generally not laid in regular courses. Index with type of stone if specified.
- CL MATERIAL <BY FORM>
- RT STONE

Rubislaw Granite

USE ABERDEEN GRANITE

n T

USE QUARTZITE

Salcombe Stone

USE SANDSTONE

Salterw ath

USE CARBONIFEROUS LIMESTONE

SAND

- SN Granular material consisting of small eroded fragments of rock or mineral grains, finer than gravel used as an ingredient in mortar and other traditional building materials.
- CL EARTH MIX
- RT CEMENT CONCRETE GRAVEL MORTAR

SANDSTONE

UF

Auchinlea Stone Blaxter Stone Bramlev Fall Stone Britannia Stone Bunter Stone Caerbw dv Stone Caithness Flagstone Cardeston Stone Chatw ell Stone Clashach Stone Corsehill Stone Coxbench Sandstone Craigleith Stone Culm Measures Stone Culm Stone **Cumberland Stone** Darney Stone Davie Blocks Stone **Delph Stone** Derbyshire Stone **Doddington Stone** Dunhouse Stone **Dunston Stone** Forest Of Dean Stone Forest Stone (Gloucestershire) Foxs Wood Rubble Green Brae Stone Greensand Stone Grinshill Stone Hailes Stone Hatherleigh Stone Heavitree Stone Hollington Stone Kerridge Stone Keuper Stone Ladycross Stone Lane Head Stone Lazonby Red Sandstone Locharbriggs Stone Low er Greensand Mansfield Stone Moulton Stone Pencaemaur Stone Penrith Red Sandstone Penshaw Sandstone Permian Sandstone Prudham Stone

Rainhill Stone Rainow Stone Rassau Stone Red Wilderness Stone **Ringby Stone** Rose Brae Stone Salcombe Stone Soudley Stone Spinkw ell Stone Springw ell Stone Spynie Stone St Bees Stone St Boniface Stone Stainton Stone Swindon Stone Thorverton Stone Tixall Stone Waterholes Sandstone Wellfield Stone Whitby Stone Windy Hill Stone Woolton Stone Yorkshire Delph

- SN Geologically sandstone consists of particles of quartz naturally cemented together by either silica, calcium or iron. It is this geological composition that accounts for the varying colours and grain sizes found in the many building sandstones.
- CL STONE
- BARGATE STONE NT CARSTONE FIRESTONE GRITSTONE (SANDSTONE) MALMSTONE PENNANT STONE REIGATE STONE SARSEN STONE SUSSEX STONE YORK STONE RT CARBONIFEROUS LIMESTONE **IRONSTONE** IAS SHALE
- Sanfront Stone

USE SCHIST

SARSEN STONE

- UF Greyw eathers
 - Heathstone
- SN Extremely hard, fine grained, grey to brow n silica rich sandstone. It is often found on the surface of the South Dow ns and has been used, as found, since prehistoric times.
- CL STONE
- BT SANDSTONE
- RT MOORSTONE

SCAGLIOLA

- UF Stucco Lustro
- SN Composite substance of plaster formed by gypsum, sand and lime and coloured with pigments, fixed under heat and highly polished. Used to imitate marble and popular in the 17th and 18th centuries for architectural features.
- CL MAN MADE MATERIAL
- BT DECORATIVE PLASTER

- CL MATERIAL <BY FORM>
- BT DECORATIVE PLASTER
- RT ARTIFICIAL STONE
- MARBLE

SCHIST

- UF Alta Quartzite Altazite Barge Quartzite Italian Quartzite Otta Slate Pillaguri Slate Rembrandt Stone Sanfront Stone
- SN Medium to coarse grained metamorphic rock, colour being determined by its dominant mineral. Often used for floor and w all cladding.
- CL STONE

Scotch Granite

USE GRANITE

Scotch Slate

USE SCOTTISH SLATE

Scottish Granite

USE GRANITE

SCOTTISH SLATE

- UF Ballachulish Slate Scotch Slate
- Stoten State SN Collective term for the Scottish Slates including the Aberdeen/Baniff and Ballachulish/Easdale groups. Fine grained, varying in colour from brow n to dark grey/blue. Geologically different from Lake District, Welsh and West Country
- groups of slate.
- CL STONE
- BT SLATE
- RT FOREST STONE (LEICESTERSHIRE)

SEAWEED

- SN Multicellular marine alga, w hich grow s on the seashore, in salt marshes, in brackish w ater or submerged in the ocean.
- CL VEGETAL
- BT PLANT

SEPTARIA

- SN Conglomerate consisting of nodules of calcium rich clay (marl). Used as a building stone from Roman times and as a key ingredient in Parker's Roman Cement, betw een 1796 and circa 1850.
- CL STONE
- BT CONGLOMERATE
- RT MARLSTONE
 - ROMAN CEMENT

SERPENTINE

- UF Serpentinite Tinos Verde Antico
- SN Medium to coarse grained, green to dark red/black coloured igneous rock, mainly found on The Lizard, South West Cornw all. Due to its fragmentary structure, Serpentine is mainly used for decorative and ornamental purposes.
- CL STONE
- RT BASALT

CONNEMARA MARBLE POLYPHANT RHYOLITE SYENITE

Serpentinite

USE SERPENTINE

SHALE

- UF Mudstone
- SN Soft, very fine grained, dark coloured, sedimentary rock w hich splits easily.
- CL STONE
- RT CARBONIFEROUS LIMESTONE LAKE DISTRICT SLATE LIMESTONE SANDSTONE SILTSTONE SLATE WELSH SLATE WEST COUNTRY SLATE

SHAP GRANITE

- UF Adamelite
- SN Hard, coarse grained, grey to red/brow n coloured granite. Used predominantly for tombstones becasuse of its ability to take a polish, but it is also in demand for underw ater construction.
- CL STONE
- BT GRANITE

SHEET LEAD

- SN Lead which has been rolled into a sheet and often used as a roof covering.
- CL METAL
- BT LEAD

SHELL

- SN Hard, protective covering made largely of calcium salts secreted by soft bodied invertebrate animals.
- CL ANIMAL

SHINGLE

- SN Wooden roof tile (traditionally oak) w hich is riven or saw n from good quality timber to a regular size and used as a roof and/or w all covering. Index with type of w ood if know n.
- CL MATERIAL <BY FORM>
- BT TIMBER
- TILE
- RT TILE
- TIMBER

Sicilian Marble

USE MARBLE

SILTSTONE

- SN Fine grained, yellow /buff to grey/black coloured sedimentary rock.
- CL STONE
- RT SHALE

SILVER

- SN A precious metal of lustrous w hite colour w ith great malleability and ductility.
- CL METAL

USE ROMAN TILE

Skiddaw Slate

USE LAKE DISTRICT SLATE

SKYE MARBLE

- SN One of only three 'true' British marbles, white in colour, predominantly used for sculptures and statues.
- STONE CI
- MARBLE ΒT

Skyros Marble

USE MARBLE

SLAG

- SN Waste material or dross separated from metals during smelting or refining.
- CL MAN MADE MATERIAL
- RESIDUE ΒT

SLATE

- UF Longford Rustic Slate Rag Slate **Riven Slate** Sw ithland Slate
- SN Collective term for a hard, fine grained, dark coloured metamorphic rock, which splits easily; hence its common use as a roofing and flooring material, and a functional description for any rectangular, sheet, roofing material.
- CI STONE NT KILLAS
- LAKE DISTRICT SLATE SCOTTISH SLATE WELSH SLATE WEST COUNTRY SLATE FOREST STONE (LEICESTERSHIRE) RT
- SHALE

SLURRY

- SN Cement/w ater mix often used as covering. Use this for entries including slurrying and slurried.
- CL MAN MADE MATERIAL
- BT CEMENT MIX
- RT CEMENT

Small Paludina Marble

USE CRETACEOUS LIMESTONE MARBLE

SN Use both terms.

SOLAR CONTROL GLASS

- SN Glass to control or reduce the effects of the sun, includes both reflective and absorpative types of glass. MAN MADE MATERIAL CI
- GLASS BT

Soudley Stone

USE SANDSTONE

SPANISH TILE

SN Single lap roof covering made of clay. Half cylinder in profile although one end is slightly wider than the other. A Spanish tile roof covering comprises under-tiles and over-tiles, the two have the same shape, but the under-tile is slightly

larger. CL MATERIAL <BY FORM> BT TILE Spinkw ell Stone USE SANDSTONE Spoutcrag USE LAKE DISTRICT SLATE Springw ell Stone USE SANDSTONE Spynie Stone USE SANDSTONE St Aldhelm Stone USE BATH STONE St Bees Stone USE SANDSTONE St Boniface Stone USE SANDSTONE Staffordshire Blue Brick USE BRICK Stainless Steel USE STEEL Stainton Stone USE SANDSTONE Stamford Stone USE LINCOLNSHIRE LIMESTONE Stancliffe Stone

USE GRITSTONE (SANDSTONE)

Stanw ay Stone

USE COTSWOLD STONE

STEEL

- UF Stainless Steel
- SN An alloy of iron and carbon, its strength makes it suitable for load bearing purposes. It is primarily used in structural steelw ork and concrete reinforcement.
- CL METAL
- GALVANIZED STEEL NIT HIGH TENSILE STEEL WEATHERING STEEL REINFORCED CONCRETE RT

Steetly Stone

USE MAGNESIAN LIMESTONE

Stoke Ground Stone

USE BATH STONE

STONE

- UF Gaisby Stone Metamorphic Stone
- SN Rock of definite form and size, usually artificially shaped. See STONE CLass List for narrow terms.
- STONE CI
- ALABASTER NT
- BASALT

BRECCIA CHERT CONGLOMERATE DIORITE DOLERITE FOREST STONE (LEICESTERSHIRE) FREESTONE GNFISS GRANITE GREENSTONE **IRONSTONE** LIMESTONE MARBLE POLYPHANT **PORPHY RY** QUARTZITE RAGSTONE RHY OLITE SANDSTONE SCHIST SERPENTINE SHALE SILTSTONE SLATE SYENITE TUFF WHINSTONE RT ARTIFICIAL STONE COBBLE FOSSIL

GRAVEL PEBBLE RUBBLE

Stonesfield Slate

USE OOLITIC LIMESTONE

Stow ey Stone

USE LIAS

STRAW

- SN Roofing material consisting of stems or stalks of w heat, rye, oats or barley separated from grain and laid flat in 'yealms' which form an overlapping surface which sheds water.
- CI VEGETAL
- RΤ PLANT
- COMBED WHEAT REED NT
- LONG STRAW
- RT THATCH

STUCCO

- SN Smooth rendering applied to the exterior of buildings which may be incised to suggest coursed masonry. Made of lime and sand or brick dust, and more recently, cement.
- CI MAN MADE MATERIAL
- RENDER BT

Stucco Lustro

USE SCAGLIOLA

Sussex Marble

- USE CRETACEOUS LIMESTONE MARBLE
- Use both terms. SN

SUSSEX STONE

- UF Bognor Rock **Calverley Stone** Midhurst Stone **Pulborough Stone** Tunbridge Wells Stone
- SN Fine grained, buff, brown to green coloured Cretaceous sandstone. Quarried at various locations in Sussex. Not to be confused with Sussex marble which is a cretaceous limestone.
- STONE CL
- SANDSTONE BT HORSHAM STONE NT
- WEALDEN STONE RT
- CRETACEOUS LIMESTONE
- Sw aledale Fossil
 - USE CARBONIFEROUS LIMESTONE
- Sw anage Stone
- USE PURBECK STONE
- Sw edish Green Granite
- USE SYENITE
- Sw indon Stone
 - USE SANDSTONE

Sw ithland Slate

- USE FOREST STONE (LEICESTERSHIRE) SLATE SN
- Use both terms.

SYENITE

- UF Sw edish Green Granite
- SN Hard, coarse grained, green to pink coloured igneous rock. Commonly used as a polished cladding.
- CL STONE
- FOREST STONE (LEICESTERSHIRE) RT **RHYOLITE** SERPENTINE

Tadcaster Stone

USE MAGNESIAN LIMESTONE

TAR

- SN Thick, viscid liquid, obtained by the distillation of wood, coal or other organic substances, chemically a mixture of hydrocarbons with resins.
- CL MAN MADE MATERIAL ΒT BITUMEN

- TARMACADAM
 - SN Road or paving material combining crushed stone, rolled and mixed with bitumen type mixer.
 - CL MAN MADE MATERIAL
 - ΒT BITUMEN

Tavnton Stone

USE OOLITIC LIMESTONE

Teesdale Marble

USE MARBLE

TERRACOTTA

- UF **Ruabon Brick**
- SN Hard, unglazed, brow n, versatile earthenw are

which can be used as a tile or moulded into statuary. Used in a structural or semi-structural context as a moulded hollow block.

- CL MAN MADE MATERIAL
- ΒT CERAMIC
- NT **FAIENCE**
- RT TILE

TERTIARY LIMESTONE

- UF **Coralline** Crag Istrian Stone
- SN Hard, fossil rich, white to deep red coloured limestone, laid down during the Tertiary period. Used since Roman times because of its good durability and weathering properties.
- CL STONE
- BT LIMESTONE
- NT **BEMBRIDGE LIMESTONE**

TESSERA

- UF Mosaic
- SN Squared block of glass, tile, stone or marble used in mosaic.
- MATERIAL <BY FORM> CL

TEXTILE

- UF Fabric
- SN A woven or bonded fabric or cloth. See TEXTILE Class List for narrow terms.
- CL TEXTILE
- NT FELT

THATCH

- SN Traditional roof covering consisting of materials such as reed, straw or heather layered and fastened together onto roof to form a run off to prevent water penetration.
- CI MATERIAL <BY FORM>
- GORSE RT **HEATHER** LONG STRAW REED STRAW

Thermalite

USE BREEZE BLOCK

Thorverton Stone

USE SANDSTONE

TILE

- UF Cement Tile Clay Tile Concrete Tile SN Tablet of a uniform shape. Used as finishing or covering materials which fit together in a regular format. CL MATERIAL <BY FORM>
- NT DOUBLE ROMAN TILE ENCAUSTIC TILE MATHEMATICAL TILE PANTILE ROMAN TILE SHINGLE SPANISH TILE
- RT CERAMIC CLAY
 - CONCRETE

FAIENCE SHINGLE **TERRACOTTA**

TIMBER

```
UF
      Deal
```

- SN Wood, cut and seasoned so forming or capable of forming any part of a structure. May be treated with preservative before use.
- CL MATERIAL <BY FORM>
- NT LATH SHINGLE WATTLE
- **WEATHERBOARD**
- RT SHINGLE
- WOOD

TIN

- SN Malleable metal used for roofing and for alloys such as bronze.
- CL METAL
- RT BRONZE

Tinos

USE MARBLE SERPENTINE SN Use both terms.

Tintagel Stone

- USE WEST COUNTRY SLATE
- **Tisbury Stone**
- USE PORTLAND STONE
- **Tixall Stone**
- USE SANDSTONE
- **Todber Stone**
- USE LIMESTONE
- **Tonbridge Stone**
 - USE KENTISH RAGSTONE
- **Torquay Limestone**
- USE DEVONIAN LIMESTONE
- **Torquay Marble**
 - USE DEVONIAN LIMESTONE MARBLE
 - Use both terms. SN
- Totternhoe Stone
 - USE CLUNCH
- Travertine
 - USE MARBLE **TUFACEOUS LIMESTONE** SN Use both terms.
- Trebarw ith Rustic Slate
 - USE WEST COUNTRY SLATE
- Trecarne Rustic Slate USE WEST COUNTRY SLATE
- Tredinnick Rustic Slate USE WEST COUNTRY SLATE **Trerice Porphry**

USE ELVAN

USE ELVAN

Tufa

USE TUFACEOUS LIMESTONE

TUFACEOUS LIMESTONE

UF Travertine Tufa

- SN Very light, depositional limestone formed by the precipitation of calcium carbonate rich w ater (Tufa). The more dense and compact form, Travertine, is formed in a similar w ay.
- CL STONE
- BT LIMESTONE

TUFF

- SN A light porous cellular rock, consisting of consolidated volcanic ash ejected from vents during a volcanic eruption.
- CL STONE

Tunbridge Wells Stone

USE SUSSEX STONE

TURF

- SN Layer of grass with earth and matted roots cut from the ground and used for earth buildings and as a covering material.
- CL VEGETAL
- RT EARTH

Tyrolean

USE RENDER

Uppingham Stone

USE MARLSTONE

VEGETAL

- SN Pertaining to or deriving from a botanical living organism. See VEGETAL Class List for narrow terms.
- CL VEGETAL
- NT PEAT PLANT TURF WOOD

Verde Antico

USE MARBLE

- SERPENTINE
- SN Use both terms.

Verde Ematita

USE GNEISS

Verde Fraye

- USE JURASSIC LIMESTONE MARBLE
- SN Use both terms.

Verona Marble

- USE JURASSIC LIMESTONE
- MARBLE SN Use both terms.

Virgo Granite

USE GRANITE

Vitrified Brick

USE BRICK

Volcanic Stone

USE BASALT

Volcanic Trap

USE BASALT

Walling Stone

USE JURASSIC LIMESTONE

Water Reed

USE REED

Waterholes Sandstone

USE SANDSTONE

WATTLE

- SN Wooden rods or stakes w hich can be interlaced with tw igs or branches to make w alls or fences, or more commonly, to form the basis of panels in traditional timber framed buildings w hich are then covered w ith daub.
- CL MATERIAL <BY FORM>
- BT TIMBER
- RT DAUB

Watts Cliff Stone

USE GRITSTONE (SANDSTONE)

Wattscliffe Stone

USE GRITSTONE (SANDSTONE)

Weald Stone

USE WEALDEN STONE

WEALDEN STONE

- UF Weald Stone
- SN Fine grained, brow n/yellow to dark grey coloured cretaceous sandstone. It is a particularly good freestone and w as often used for ashlar finishes.
- CL STONE
- BT SUSSEX STONE

Weatherbed

USE LINCOLNSHIRE LIMESTONE

WEATHERBOARD

- SN Length of timber boarding (usually elm, now pine) fixed horizontally or vertically to the exterior of a structure w hich may be 'tongue and grooved' or 'feathered' to provide external protection.
- CL MATERIAL <BY FORM>
- BT TIMBER
- RT WOOD

WEATHERING STEEL

- UF Cor Ten Steel
- SN An alloy of steel.
- CL METAL
- BT STEEL

Weldon Stone

USE LINCOLNSHIRE LIMESTONE

Wellfield Stone

USE SANDSTONE

WELSH SLATE

UF	Berw yn Slate Blue Grey Slate
	Blue Welsh Slate
	Penrhyn Slate
CNI	Calle athreaterne fair the Martha

- SN Collective term for the North and South Wales groups of slate. Hard, fine grained, metamorphic rock, with varying dark shades.
- CL STONE
- BT SLATE
- RT SHALE

UF

WEST COUNTRY SLATE

Bluestone Cornish Rustic Cornish Slate Delabole Slate Devon Slate Mill Hill Slate Tintagel Stone Trebarw ith Rustic Slate Trecarne Rustic Slate Tredinnick Rustic Slate Collective term for the slates from Devon and

- SN Collective term for the slates from Devon and Cornw all. Hard, fine grained metamorphic rock. Varying in colour from dark grey/green to blueish/grey. West Country Slate is geologically different from both Lake District and Welsh Slate.
- CL STONE
- BT SLATE
- RT SHALE

Westmoorland Green

USE LAKE DISTRICT SLATE

Westmoorland Slate

USE LAKE DISTRICT SLATE

Westw ood Stone

USE BATH STONE

Whatstandw ell Stone

USE GRITSTONE (SANDSTONE)

Wheatley Stone

USE OOLITIC LIMESTONE

WHINSTONE

- SN Northern quarryman's name for any fine grained, dark grey/black to green coloured igneous rock. Index with specific stone type where given.
- CL STONE
- RT BASALT
 - DOLERITE

Whit Bed

USE PORTLAND STONE

Whitbed

USE PORTLAND STONE

Whitby Cement

USE CEMENT

Whitby Stone

USE SANDSTONE

WICHERT

SN Cob type construction typical to Buckinghamshire

using a local clay with a high chalk content to produce walls of notable inherent stability.

- CL EARTH MIX
- BT COB
- Windy Hill Stone

USE SANDSTONE

Winsley Ground

USE BATH STONE

WOOD

- SN Hard, compact, unprocessed, fibrous cellulose substance. The roots, trunks and branches of trees and shrubs consist of this tissue.
- CL VEGETAL
- NT BAMBOO CEDAR CORK ELM OAK PINE RT FIBREBOARD PAPER
 - PLY METAL PLY WOOD TIMBER WEA THERBOARD WOODWOOL SLAB

Woodkirk Stone

USE YORK STONE

WOODWOOL SLAB

- SN A sheet or board made from a mixture of thin strips of w ood and cement w hich are bound together through compression w ithin a mould. Woodw ool slabs are used for roof or w all cladding, providing fire resistance, and heat and sound insulation.
- CL MAN MADE MATERIAL
- BT PANEL BOARD
- RT CEMENT WOOD

Woolton Stone

USE SANDSTONE

WROUGHT IRON

- SN The oldest form of iron, it is a tough, pure form of iron that can be fashioned into decorative items or shapes by hammering, squeezing or rolling.
- CL METAL

BT IRON

Yeovil Marble

- USE JURASSIC LIMESTONE MARBLE
- SN Use both terms.

YORK STONE

UF Bolton Wood Stone Crosland Hill Stone Elland Edge Flagrock Elland Edge Stone Greenmoor Stone Hard Rock Hard York Hard York Freestone

Woodkirk Stone Yorkshire Flagstone Yorkshire Stone

- SN Generic name for the fine grained, brow n coloured carboniferous sandstone, quarried in the Leeds, Bradford and Halifax area.
- CL STONE

BT SANDSTONE

Yorkshire Delph

USE SANDSTONE

Yorkshire Flagstone

USE YORK STONE

Yorkshire Freestone

USE FREESTONE

Yorkshire Stone

USE YORK STONE

ZINC

- SN A hard and lustrous metallic element, used for roofing, galvanising iron and a component of alloys such as brass.
- CL METAL