FISH TERMINOLOGIES

Components Thesaurus

Report Format: Hierarchical listing - alpha

Notes: A thesaurus for the recording of the component parts of a

monument.

Date: January 2016



A FRAME STEAM ENGINE

- SN A simple, single cylinder vertical steam engine with its cylinder mounted directly on a baseplate, driving an overhead crankshaft which is supported by two A-shaped frames
- CL MA CHINERY
- BT STEAM ENGINE

A STRUT

- SN A strut with a reflecting counterpart that forms the letter A on either side of a king post.
- CL STRUCTURAL COMPONENT
- BT STRUT
- NT SPANDREL STRUT

ABACUS

- SN The flat slab at the top of a capital.
- CL STRUCTURAL COMPONENT
- BT CAPITAL

ABUTMENT

- UF Butment
- SN Solid masonry placed to counteract the lateral thrust of a vault or arch.
- CL STRUCTURAL COMPONENT

ACANTHUS

- SN A long much indented leaf usually curled over at the tip w hich is a standard form of foliage in classical decoration.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

ACHIEVEMENT OF ARMS

UF Arms

Coat Of Arms

- SN A display or depiction of authorised armorial bearings, such as the elements of a coat of arms, livery and personal badges and flags, mottoes etc..
- CL DECORATIVE FEATURES
- NT ESCUTCHEON HATCHMENT

ACROTERION

- SN A plinth or pedestal, sometimes decorated, and sometimes supporting statuary, placed at the apex and low er extremity of a pediment.
- CL STRUCTURAL COMPONENT
- BT PEDESTAL
- RT PEDIMENT

ADIT

- SN A passage, usually horizontal, leading into a mine to allow for access or drainage.
- CL AREAS AND SPACES
- BT ENTRANCE

ADMINISTRATION BLOCK

- SN A part of a building or complex where administrative duties are undertaken.
- CL BUILDING COMPONENT

Adyton

USE ADYTUM

ADYTUM

- UF Adyton
- SN Originally, the inner sanctuary of a Greek temple

- from where the oracle was delivered. Now used for any private chamber or sanctuary.
- CL AREAS AND SPACES
- BT ROOM

AEDICULE (FRAME)

- SN The framing of a door or window with two columns piers or pilasters which support a lintel, entablature etc.
- CL STRUCTURAL COMPONENT
- RT DOOR NICHE WINDOW

AEDICULE (SHRINE)

- SN An opening or shrine, usually containing a statue, framed by a pair of pilasters or columns supporting an entablature and pediment.
- CL FIXTURES AND FITTINGS
- BT SHRINE

AGED MENS WARD

- SN Series of rooms within a workhouse where elderly men were housed.
- CL BUILDING COMPONENT

AGIASTERIUM

- SN The area of the Basilica, especially in the early church, in w hich the altar resides.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

AGRAFE

- UF Agraffe
- SN A keystone decorated with a relief sculpture, usually a cartouche
- CL STRUCTURAL COMPONENT
- BT KEYSTONE

Agraffe

USE AGRAFE

AILERON

- SN A half gable or half pediment concealing the leanto roof of an aisle.
- CL STRUCTURAL COMPONENT
- BT PEDIMENT GABLE

AIR PUMP

- SN A pump for removing condensed steam from the condenser of a steam raising plant.
- CL MACHINERY
- BT PUMP

Air Shaft

USE VENTILATION SHAFT

Airing Yard

USE EXERCISE YARD

AISLE

- SN The side compartment of a building, usually a church, hall or barn, separated from the main body of the building by an arcade; or a passage allowing access to rows of seats in an auditorium or church.
- L AREAS AND SPACES
- BT PASSAGE

CL STRUCTURAL COMPONENT
NT AMBULATORY (INTERIOR)
CARREL (AISLE)
PASSAGE AISLE

AISLE PLATE

SN A horizontal member along the length of an aisle w all to receive the ends of rafters.

CL STRUCTURAL COMPONENT

BT WALL PLATE

AISLE TRUSS

SN A roof truss supported by arcade posts in an aisled building.

CL STRUCTURAL COMPONENT

BT TRUSS

Alatoria

USE COVERED WAY

Alatorium

USE COVERED WAY

ALCOVE

SN A recess within a wall or room.
CL STRUCTURAL COMPONENT

Aleois

USE LOOPHOLE

Allure

USE ALURE

Almery

USE AUMBRY

ALMONRY

SN A room in a monastery from which alms were distributed; or the residence of an almoner.

CL AREAS AND SPACES

BT ROOM

Alorium

USE COVERED WAY

ALTAR

UF Communion Table

SN An elevated table or podium on w hich to place, or sacrifice, offerings to a god or gods.

CL FIXTURES AND FITTINGS

RT ALTAR RAIL

ALTAR RAIL

UF Communion Rail

SN A rail or balustrade that separates the altar from the rest of the church.

CL FIXTURES AND FITTINGS

RT ALTAR

ALTAR SCREEN

SN A partition or w all behind an altar, often separating the choir and altar from the ambulatory and east chapel.

CL STRUCTURAL COMPONENT

BT SCREEN

RT AMBULATORY (INTERIOR)

CHOIR

Alura

USE ALURE

ALURE

UF Allure Alura

SN A walkway around the parapets of a castle or the roof of a church.

CL BUILDING COMPONENT

AMBITUS

SN The consecrated ground immediately surrounding a tomb or grave.

CL AREAS AND SPACES

BT EXTERNAL AREA OR SPACE INTERNAL AREA OR SPACE

RT TOMB

AMBO

SN A reading desk usually placed near the west end of the choir.

CL FIXTURES AND FITTINGS

Ambry

USE AUMBRY

AMBULATORY (EXTERNAL)

UF Deambulatory

SN A path or area for exercise, usually taken in the form of w alking. Can be partially or totally covered.

CL AREAS AND SPACES

BT EXTERNAL AREA OR SPACE

NT CLOISTER

AMBULATORY (INTERIOR)

SN An aisle w ithin a chancel providing access to, and around, the High Altar and surrounding cells.

CL STRUCTURAL COMPONENT

BT AISLE

CL AREAS AND SPACES

BT AISLE

RT ALTAR SCREEN

CHEVET

AMORINO

SN A representation of a winged boy who represents Cupid or Love.

CL DECORATIVE FEATURES

BT HUMAN FIGURE

Analemma

USE BUTTRESS

WALL

SN Use appropriate term.

ANCHOR AND COLLAR HINGE

SN A simple type of hinge used for large gates.

CL STRUCTURAL COMPONENT

BT HINGE

ANCHOR BEAM

SN A beam the end of w hich is fixed beyond the upright it passes through.

CL STRUCTURAL COMPONENT

BT BEAM

ANCHORAGE

SN A room over the vestry of a church, often thought to have been where anchorets lived.

CL AREAS AND SPACES

BT ROOM

ANCONE (CONSTRUCTION)

- SN A projection left on a stone block to allow it to be hoisted into position.
- CL STRUCTURAL COMPONENT

ANCONE (STRUCTURAL)

- SN An ornamental bracket on either side of a doorw ay supporting a cornice.
- CL STRUCTURAL COMPONENT

ANGLE BAR

- SN The corner upright bar of a polygonal sash.
- CL STRUCTURAL COMPONENT

Angle Bead

USE ANGLE STAFF

ANGLE BOB

- SN A mechanical component or device that can change the direction of motion of a pump rod from the vertical to the horizontal plane and vice versa.
- CL MACHINERY

Angle Brace

USE BRACE

ANGLE BRACKET

- SN A bracket that is shaped to form an angle.
- CL STRUCTURAL COMPONENT
- BT BRACKET

ANGLE BUTTRESS

- SN Two buttresses which meet at a right angle at the corner of the structure they are supporting.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS

ANGLE CAPITAL

- UF Corner Capital
- SN A capital at the corner of a colonade or portico in the lonic Order in which the volutes are splayed outwards at 45 degrees.
- CL ORDER
- BT IONIC CAPITAL
- CL STRUCTURAL COMPONENT
- BT IONIC CAPITAL

ANGLE CHIMNEY

- SN A chimney placed at an angle with the walls so that there is an obtuse angle with each wall.
- CL STRUCTURAL COMPONENT
- BT CHIMNEY

ANGLE COLUMN

- UF Angular Column
- SN A column at the corner of a structure.
- CL STRUCTURAL COMPONENT
- BT COLUMN

ANGLE MODILLION

- SN A diagonally set modillion placed at a cornice's external corner.
- CL STRUCTURAL COMPONENT
- BT MODILLION

ANGLE RAFTER

SN A principal rafter below a hip rafter that supports

- the ends of purlins under a hip.
- CL STRUCTURAL COMPONENT
- BT PRINCIPAL RAFTER

ANGLE RIB

- SN A rib placed at an angle to support timbers.
- CL STRUCTURAL COMPONENT
- BT RIB

ANGLE STAFF

- UF Angle Bead
- SN A vertical piece of w ood fixed on corners of w alls to help the fixing of plaster and to protect against damage to the plaster.
- CL STRUCTURAL COMPONENT

Angle Stone

USE QUOIN

ANGLE STRUT

- SN A strut w hich is at an angle betw een the principal rafter and tiebeam.
- CL STRUCTURAL COMPONENT
- BT STRUT

ANGLE TOWER

- SN A projection from the inner angle of a building around a court or with advancing wings, usually containing a staircase and often crowned above the roof line with an ogee dome.
- CL BUILDING COMPONENT
- BT TOWER

ANGULAR CAPITAL

- SN A type of lonic diagonal capital w here all four sides are the same and w ith therefore eight volutes.
- CL ORDER
- BT IONIC CAPITAL
- CL STRUCTURAL COMPONENT
- BT IONIC CAPITAL

Angular Column

USE ANGLE COLUMN

ANGULAR NICHE

- SN A niche in the corner of a structure.
- CL STRUCTURAL COMPONENT
- BT NICHE

ANIMAL FIGURE

- SN A sculptural or decorative representation of an animal. Includes mythical and fantastical animals such as dragons, centaurs etc.
- CL DECORATIVE FEATURES
- NT BUCRANIUM GARGOYLE GROTESQUE

ANNEX

- SN A structure, or building, forming a supplementary and subsidiary part of a main complex.
- CL BUILDING COMPONENT

ANNULAR MOULDING

- SN A circular moulding.
- CL DECORATIVE FEATURES
- BT MOULDING

ANNULAR VAULT

- SN A term used to describe a vaulted roof where the vault goes from either the new el of a staircase to a wall or from one wall to another where the walls are circular in plan.
- CL STRUCTURAL COMPONENT
- BT VAULT

ANNULATED COLUMN

- SN A column joined to another by a band or ring.
- CL STRUCTURAL COMPONENT
- BT COLUMN

ANNULET

- SN A small, flat band or fillet around a shaft or column.
- CL STRUCTURAL COMPONENT
- BT COLUMN

Anse De Panier

USE BASKET ARCH

ANTA

- SN A pilaster terminating the side w alls of a temple w hose capital and base differ from those of its associated columns. Such an arrangement, w here the columns do not project beyond the faces of the antae, is said to be 'in antis'.
- CL STRUCTURAL COMPONENT
- BT PILASTER

Antechamber

USE ANTEROOM

ANTECHAPEL

- SN The partially enclosed w estern part of a chapel, leading to the chapel proper.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

ANTECHOIR

- UF Forechoir
- SN Part of a church in front of the choir and usually enclosed by tombs, screens etc.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

ANTECHURCH

- UF Forechurch
- SN An addition to the west end of a church which is similar to a porch or narthex but usually consists of a nave and aisles.
- CL BUILDING COMPONENT
- NT NARTHEX (MEDIEVAL)

ANTECOURT

- SN The first court w hich is before the principal court.
- CL AREAS AND SPACES
- BT COURTY ARD

ANTEFIX

- SN A decorative tile on the end of the cornice or eaves of a building to conceal the ends of tiles.
- CL DECORATIVE FEATURES

ANTEHALL

- SN The hall before a great hall.
- CL AREAS AND SPACES
- BT ROOM

Antepagmenta

USE ARCHITRAVE

ANTEPORTICO

- SN A porch in front of the solid wall of a cloister.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE
- RT CLOISTER

ANTEROOM

- UF Antechamber
- SN A room before a larger room w hich is often used as a w aiting room.
- CL AREAS AND SPACES
- BT ROOM

ANTHEMION

- SN A stylised, leafy decorative feature reminiscent of, and sometimes referred to as, honeysuckle
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

APARTMENT

- SN A room or group of rooms in a building.
- CL AREAS AND SPACES
- BT ROOM

APEX STONE

- UF Saddle Stone
- SN The top stone in a gable end.
- CL STRUCTURAL COMPONENT
- RT GABLE

APODYTERIUM

- SN The undressing room in a bath house or similar.
- CL AREAS AND SPACES
- BT ROOM

APOPHYGE

- SN The outward curve at the top or bottom of a column where it joins the base or capital.
- CL STRUCTURAL COMPONENT
- BT COLUMN

APOTHECA

- SN A storeroom for valuable goods, such as wine, oil and spices.
- CL AREAS AND SPACES
- BT STOREROOM

Apothecarerium

USE INFIRMARY

APOTHESIS

- SN Found in early churches this was a part of a church on the south side of the chancel where there were bookshelves and storage for vestments.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

APPLIED BEAM

- SN A beam that has been applied to a wall face.
- CL STRUCTURAL COMPONENT
- BT BEAM

APPLIED COLUMN

SN An engaged column, that is one attached to a w all.

CL STRUCTURAL COMPONENT

BT COLUMN

RT ENGAGED COLUMN

APPLIED ORDER

SN A classical order in w hich the columns or pilasters are applied to a w all.

CL ORDER

APRON

SN A shaped or decorated raised panel below the sill of a window or a niche.

CL STRUCTURAL COMPONENT

RT NICHE WINDOW

APSE

SN A polygonal or semicircular recess projecting from an external w all, often w ith a rounded vault.

CL STRUCTURAL COMPONENT

NT A PSIDIOLE COUNTER A PSE

RT CHEVET EXEDRA

APSE CHAPEL

SN A chapel that radiates from an apsidal end of a cathedral or church.

CL AREAS AND SPACES

BT CHAPEL

APSIDIOLE

SN A small apse.

CL STRUCTURAL COMPONENT

BT APSE

AQUA THRUSTER PUMP

SN A type of water pump used in the Wigan coalfields in the late 18th and 19th centuries.

CL MACHINERY

BT WATER PUMP

ARABESQUE

SN A style of decorative design consisting of intertw ined, geommetrical patterns of leaves, branches, tendrils etc. Often defined as being devoid of human or animal figures.

CL DECORATIVE FEATURES

BT FLORAL FEATURE

ARCADE

SN A series of arches.

CL STRUCTURAL COMPONENT

NT BLIND ARCADE INTERLACING ARCADE

ARCADE PLATE

SN A timber running above vertical posts, in the place of a w all-plate, w ithin a timber-framed building.

CL STRUCTURAL COMPONENT

BT PLATE

ARCH

SN A curved construction, spanning an opening, formed from w edge-shaped blocks supported by mutual pressure; they can also be formed from moulded concrete and cast metal.

CL STRUCTURAL COMPONENT

ARCH BAND
ARCH BRICK
BASKET ARCH
CHANCEL ARCH
ELLIPTICAL ARCH
EQUILATERAL ARCH

EXTRADOS FALSE ARCH FLAT ARCH

FOUR CENTRED A RCH HORSESHOE A RCH

IMPOST
INTRA DOS
POINTED A RCH
PROSCENIUM A RCH
RELIEVING A RCH
SEGMENTAL A RCH
SHOULDERED A RCH
SKEW A RCH
SPLA Y ED A RCH
SQUINCH
STILTED A RCH
STRA INER A RCH
THREE CENTRED A RCH

TWO CENTRED ARCH

TUSCAN ARCH

RT ARCHWAY CENTERING

ARCH BAND

SN The part of a rib or arch visible below the general surface of the vault.

CL STRUCTURAL COMPONENT

BT ARCH

ARCH BRACE

SN A curving, upright timber brace used in roof construction, found in pairs, forming an arch.

CL STRUCTURAL COMPONENT

BT BRACE

ARCH BRICK

SN A w edge shaped brick used to construct arches.

CL STRUCTURAL COMPONENT

BT ARCH

NT KEYSTONE

ARCH BUTTRESS

SN A buttress shaped like an arch and springing from a pier in arched form to the w all.

L STRUCTURAL COMPONENT

BT BUTTRESS

RT FLYING BUTTRESS

ARCHAEOLOGICAL FEATURE

SN A feature found during an archaeological investigation w hich implies the presence of a monument, building, structure or human activity.

CL IMPLIED FEATURE

ARCHITRAVE

UF Antepagmenta Epistyle

SN The low est of the three main parts of an entablature. Also the lintels, jambs and mouldings surrounding a door, window, panels or niche; or the ornamental mouldings around the exterior curve of an arch. CL STRUCTURAL COMPONENT

BT ENTABLATURE

NT FASCIA

GIBBS SURROUND

ARCHIVOLT

SN A series of concentric mouldings decorating the curved face of an arch.

CL DECORATIVE FEATURES

RT MOULDING

ARCHWAY

SN An opening in a structure which is arched.

CL STRUCTURAL COMPONENT

RT ARCH

ARCOSOLIUM

SN An arched or vaulted recess, within a tomb or catacomb, intended to contain a coffin or sarcophagus.

CL AREAS AND SPACES

BT CRYPT

AREAS AND SPACES

SN Areas and spaces within a monument or site.

CL AREAS AND SPACES

NT CHAPEL

DANCE FLOOR

ENTRANCE

EXTERNAL AREA OR SPACE

INTERNAL AREA OR SPACE

LAVATORIUM

NEST HOLE

PAVILION WARD BLOCK

STAGE

ARENA

SN The body of a church or chapel as opposed to galleries.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

ARK

UF Aron Hakodesh Aron Kodesh

SN A cupboard set into the eastern wall of a synagogue, facing Jerusalem. The Torah scrolls are kept in the Ark.

CL FIXTURES AND FITTINGS

BT RELIGIOUS ELEMENTS

ARMILLA

SN A metal binding or ring fastened around the top of a pile to stop splitting.

CL STRUCTURAL COMPONENT

BT FASTENING

ARMOURY

SN A room where weapons and armour are stored.

CL AREAS AND SPACES

BT STOREROOM

Arms

USE ACHIEVEMENT OF ARMS

Aron Hakodesh

USE ARK

Aron Kodesh

USE ARK

ARRIS FILLET

SN A triangular piece of w ood used to raise slates next to a w all or similar.

CL STRUCTURAL COMPONENT

ARRIS GUTTER

SN A V-shaped gutter.

CL STRUCTURAL COMPONENT

BT GUTTER

ARTISTS STUDIO

SN A w orkroom or apartment, often w ith a northlight, used for the creation of artw ork by painters, sculptors etc.

CL AREAS AND SPACES

BT ROOM

ASHLAR PIECE

UF Ashlar Post

SN An inclined timber running from a rafter to the inner face of a w all, forming a triangle.

CL STRUCTURAL COMPONENT

BT ASHLARING

Ashlar Post

USE ASHLAR PIECE

ASHLARING

SN Short vertical timbers w hich go from the rafters to the inner plate on a thick w all.

CL STRUCTURAL COMPONENT

NT ASHLAR PIECE

ASIATIC BASE

SN An lonic base with a low er disc with horizontal fluting or reeding, above which is a torus, also reeded.

CL STRUCTURAL COMPONENT

BT BASE

CL ORDER

BT IONIC ORDER

ASSEMBLY ROOM

SN A large room for large numbers of people, eg for balls, meetings etc.

CL AREAS AND SPACES

BT MEETING ROOM

NT CHAPTER HOUSE

ASTRAGAL

SN A moulding w hich is small, convex and circular.

CL DECORATIVE FEATURES

BT MOULDING

NT BEAD AND REEL

RT BEAD

ASTYLAR

SN Describes a Classical interior, exterior or facade w ithout pilasters or columns.

CL STRUCTURAL COMPONENT

BT FACADE

ATLANTIS

UF Atlas

Telamone

SN A whole male figure used in place of a column to

support an entablature.

- CL STRUCTURAL COMPONENT
- BT COLUMN
- CL DECORATIVE FEATURES
- BT HUMAN FIGURE

Atlas

USE ATLANTIS

ATMOSPHERIC ENGINE

- UF Vacuum Engine
- SN An early steam engine using steam at atmospheric pressure. Chiefly employed in mine pumping, sometimes known as a vacuum engine.
- CL MACHINERY
- BT STEAM ENGINE

ATRIUM (ECCLESIASTICAL)

- SN A court in front of a church, usually open.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE

ATRIUM (SECULAR)

- SN A central area within a building.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

Attached Column

USE ENGAGED COLUMN

ATTIC

- UF Attic Storey
- SN An area partly or fully w ithin the roof space of a building.
- CL AREAS AND SPACES
- BT STOREY
- NT GARRET
 - LOFT

ATTIC BASE

- SN A column base featuring a hollow, concave or scotia - moulding betw een tw o tori, w hich are projecting, convex mouldings.
- CL ORDER
- BT IONIC ORDER
 - CORINTHIAN ORDER
- CL STRUCTURAL COMPONENT
- BT BASE

ATTIC COLUMN

- SN A square pillar.
- CL STRUCTURAL COMPONENT
- BT COLUMN

Attic Storey

USE ATTIC

AUCTION ROOM

- SN A room in w hich public or private auctions are held.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

AUDIENCE CHAMBER

- UF Presence Chamber
- SN A room w here a monarch or similar w ould meet people, usually in a palace or similar building.
- CL AREAS AND SPACES
- BT MEETING ROOM

AUDITORIUM

- SN A room or hall designed for an audience to listen and view, as in a theatre, concert hall, lecture hall etc..
- CL AREAS AND SPACES
- BT ROOM
- NT CONFERENCE ROOM LECTURE THEATRE

AUMBRY

- JF Almery
 - Ambry
 - Aumery
- SN A recess or cupboard w ithin a church, usually positioned near the altar, used for the storage of sacred vessels.
- CL STRUCTURAL COMPONENT
- BT CUPBOARD
- CL FIXTURES AND FITTINGS
- BT CUPBOARD

Aumery

USE AUMBRY

AUREOLE

- UF Glory
- SN Circular or almond-shaped halo surrounding the figure of Christ, the Virgin or a saint.
- CL DECORATIVE FEATURES

AUXILIARY RAFTER

- SN In a truss, a rafter used to stiffen the principal rafter by doubling it.
- CL STRUCTURAL COMPONENT
- BT RAFTER

AXIAL BEAM

- SN A ceiling beam aligned with the length of a
- CL STRUCTURAL COMPONENT
- BT BEAM

AXIAL CHIMNEY PLAN

- UF Central Chimney Plan
- SN A plan of a building w hich consists of two or more cells w here the chimney is placed on the axis of the building betw een two rooms and midw ay betw een the lateral w alls.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

Back Choir

USE RETROCHOIR

BACK PURLIN

- SN A purlin that is joined to the back of a principal rafter.
- CL STRUCTURAL COMPONENT
- BT THROUGH PURLIN

BACK STAIRCASE

- SN A staircase for the use of servants, tradesmen or individuals not permitted to use the main part of a building or establishment.
- CL BUILDING COMPONENT
- BT STAIRCASE

BACKWASHING MACHINE

- SN A machine used in the worsted industry for cleaning woollen slivers after gilling and cording.
- CL MACHINERY

BAFFLE ENTRY PLAN

- SN A plan featuring a doorless entry to a lobby in front of an axial chimney-stack.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN
- RT LOBBY ENTRY PLAN

Bag Hoist

USE SACK HOIST

BAGNETTE

- SN A small semicircular moulding.
- CL DECORATIVE FEATURES
- BT MOULDING
- RT BEAD

BAILEY

- SN Defences or an external w all surrounding a castle's motte or keep. Also a castle's outer court, or a court w ithin a castle's w alls.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE
- NT INNER BAILEY
 OUTER BAILEY

BAKERY

- SN A room for baking.
- CL AREAS AND SPACES
- BT FOOD PREPARATION ROOM

BALANCE BOB

- SN A counter balance designed to support the excess w eight of a mineshaft's w ooden beams.
- CL MACHINERY

BALCONY

- SN A platform projecting from the surface of a wall of a building carried on brackets, consoles or columns, usually placed before windows or openings, and protected by a railing or balustrade. It can also be a gallery in an auditorium.
- CL BUILDING COMPONENT

BALDACCHINO

- UF Baldachin Baldaquin
- SN A canopy suspended, or on pillars, over a throne or altar.
- CL STRUCTURAL COMPONENT

Baldachin

USE BALDACCHINO

Baldaquin

USE BALDACCHINO

Balistraria

USE LOOPHOLE

Balk

USE HAYLOFT

BALL FINIAL

SN A decorative ball usually used to ornament a

- bench end, canopy, gable, pinnacle or spire.
- CL DECORATIVE FEATURES
- BT FINIAL

BALL FLOWER

- SN Decorative ornamentation in the form of a ball enclosed w ithin petals.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

BALL MILL

- SN A cylindrical device using ceramic or metallic balls to grind materials like ores, chemicals, ceramic raw materials and paints
- CL MACHINERY

BALL WINDING MACHINE

- SN A hand operated machine for winding cotton and linen thread into balls invented in 1802.
- CL MACHINERY

BALLROOM

- SN A room for holding receptions particularly balls.
- CL AREAS AND SPACES
- BT ROOM

BALUSTER

- SN An upright member supporting a coping or handrail in a balustrade or staircase.
- CL STRUCTURAL COMPONENT
- BT BALUSTRADE
- NT SPLIT BALUSTER
 TURNED BALUSTER
 TWIST BALUSTER

BALUSTRADE

- SN The structure consisting of a series of balusters supporting a rail or coping, and sometimes a base and pedestal, on a parapet, balcony or staircase.
- CL STRUCTURAL COMPONENT
- NT BALUSTER

BAND (MOULDING)

- SN A continuous series of ornaments within a horizontal moulding.
- CL DECORATIVE FEATURES
- BT MOULDING
- NT BANDEROLLE FRET BAND
 - GUILLOCHE

BAND (STRUCTURAL)

- SN A flat, horizontal strip, block or moulding, sometimes decorated, on a facade or interrupting an architectural feature such as a column.
- CL STRUCTURAL COMPONENT

BANDED COLUMN

- SN A column in w hich the shaft is interrupted by stone bands.
- CL STRUCTURAL COMPONENT
- BT COLUMN

BANDEROLLE

- UF Bannerolle
- SN A flat band carrying a motto.
- CL DECORATIVE FEATURES
- BT BAND (MOULDING)

BANKING HALL

- SN An open area w ithin a bank w here financial transactions take place.
- CL AREAS AND SPACES
- BT ROOM

Bannerolle

USE BANDEROLLE

BANQUETING HALL

- UF Banqueting Room
- SN A hall normally reserved for holding feasts on special occasions.
- CL AREAS AND SPACES
- BT DINING ROOM

Banqueting Room

USE BANQUETING HALL

BANQUETTE

- SN A firing step from which standing defenders could fire over the crest of a high parapet.
- CL STRUCTURAL COMPONENT
- BT FIRING STEP
- RT PARAPET

BAPTISTERY

- SN A building, or part of a church, used for baptismal rites, usually containing a font.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

BAR

- SN A counter from w hich beverages are served in a bar room.
- CL FIXTURES AND FITTINGS
- BT COUNTER
- RT BAR ROOM

BAR ROOM

- SN A room in a public house, hotel, club etc. containing a bar from w hich alcoholic drinks are served
- CL AREAS AND SPACES
- BT ROOM
- RT BAR

BARE FACED DOVETAIL JOINT

- SN A joint in which a dovetailed timber's surface is proud of the receiving member on one side.
- CL STRUCTURAL COMPONENT
- BT JOINT

BARE FACED TENON JOINT

- SN A joint in w hich the tenon retains one or more of the original sides of the timber.
- CL STRUCTURAL COMPONENT
- BT JOINT

BARGE BOARD

- SN A board fixed at the gable end to purlins, often decorated.
- CL STRUCTURAL COMPONENT

Barrel Roof

USE WAGON ROOF

BARREL VAULT

UF Tunnel Vault Wagon Vault

- SN A semi-circular or pointed vault uninterrupted by cross vaults, the ceiling bearing a resemblence to a tunnel or the inside of a barrel.
- CL STRUCTURAL COMPONENT
- BT VAULT

BARRING ENGINE

- SN A small auxiliary engine to help start up a large steam engine invented 1866.
- CL MACHINERY
- BT ENGINE

Bartisan

USE BARTIZAN

BARTIZAN

- UF Bartisan
- SN A small turret that projects from the top of a tow er or parapet.
- CL BUILDING COMPONENT
- BT TURRET

BASE

- SN The low est part of a structure, such as a pier, or the section of an order on w hich the shaft of a column sits.
- CL STRUCTURAL COMPONENT
- NT ASIATIC BASE

ATTIC BASE

COMPOSITE BASE

CORINTHIAN BASE

DORIC BASE

IONIC BASE

TUSCAN BASE

BASE COURT

- SN A small outer courtyard, or service-yard.
- CL AREAS AND SPACES
- BT COURTY ARD

BASE CRUCK

- SN A cruck, forming the main upright of a wall but whose blades are truncated by a transverse member.
- CL STRUCTURAL COMPONENT
- BT CRUCK

BASEMENT

- SN The bottom storey of a building, often below or partially below ground level.
- CL AREAS AND SPACES
- BT STOREY

BASILICA PLAN

- SN A plan type, usually for a church, having a rectangular core w ith one apsidal end w all.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

BASKET ARCH

- UF Anse De Panier
- SN An arch consisting of a segment of a circle connected to other segments with smaller radii.
- CL STRUCTURAL COMPONENT
- BT ARCH

BASKET CAPITAL

SN A Byzantine bell-type capital, ornamented with carving resembling wicker-work or basket-

w eave.

- CL STRUCTURAL COMPONENT
- BT CAPITAL

BASTION

- SN An outward projection from a defensive wall allowing the defenders to attack the flanks of any force attacking the wall.
- CL BUILDING COMPONENT

BATH

- SN A container for holding water in which to bathe.
- CL FIXTURES AND FITTINGS

BATHROOM

- SN A room intended to contain a bath and often other toilet facilities
- CL AREAS AND SPACES
- BT WASHING ROOM

BATTEN

- UF Cover Slip
- SN A small timber fixed to a w all to support items such as cladding. Also a strip of timber fixed across two or more parallel boards to join them together or conceal their join.
- CL STRUCTURAL COMPONENT

BATTENED DOOR

- SN A door with a planked outer face and spaced horizontal members such as battens or ledges on the inner face.
- CL STRUCTURAL COMPONENT
- BT DOOR

BATTLEMENT

- UF Embattlement
- SN An indented parapet consisting of raised parts, called merlons, separated by gaps, or crenelles.
- CL STRUCTURAL COMPONENT
- BT PARAPET
- NT CRENELLATION
 - **MACHICOLATION**
 - MERLON

BAY

- SN A regular structural subdivision or compartment within a building, defined by dividing walls or the positions of the principal supporting members.
- CL PLANS AND DIVISIONS
- BT PLAN COMPONENT
- NT HALF BAY
 - SMOKE BAY
- RT CELL

BAY LEAF

- SN Bay-leaf shaped decorative ornamentation, usually adorning mouldings or friezes, often depicted in a garland arrangement.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

BAY WINDOW

- SN A window that forms a projection from the body of a building, extending down to ground level, forming a bay in the wall's interior.
- CL STRUCTURAL COMPONENT
- BT WINDOW
- RT ORIEL WINDOW

BEAD

- SN A small convex moulding, often decorated with beads and reels.
- CL DECORATIVE FEATURES
- BT MOULDING
- RT ASTRAGAL BAGNETTE

Bead And Berry

USE BEAD AND REEL

BEAD AND REEL

- JF Bead And Berry Paternoster
 - Pearl And Olive
- SN Decorative ornamentation consisting of alternating bead shapes with small, elliptical
 - forms resembling reels
 DECORATIVE FEATURES
- BT ASTRAGAL

CL

BEAK HEAD MOULDING

- UF Birds Head Moulding
- SN A decorative moulding depicting an animal or bird head with a tongue or beak that overlaps the moulding set below it.
- CL DECORATIVE FEATURES
- BT MOULDING
- RT CATS HEAD MOULDING

Beaked Ionic Capital

USE IONIC CAPITAL

BEAM

- SN A main load-bearing horizontal member.
- CL STRUCTURAL COMPONENT
- NT ANCHOR BEAM
 - APPLIED BEAM
 - AXIAL BEAM
 - **BRESSUMMER**
 - DAIS BEAM
 - DRAGON BEAM
 - FALSE HAMMER BEAM
 - FLITCHED BEAM
 - GIRDING BEAM
 - HALF BEAM
 - HAMMER BEAM
 - ROOD BEAM
 - STRAINER BEAM
 - TIEBEAM
 - TRANSVERSE BEAM

Beam Engine

USE BEAM STEAM ENGINE

BEAM SLOT

- SN A slot, usually in a w all, into w hich a beam w as placed.
- L IMPLIED FEATURE

BEAM STEAM ENGINE

- UF Beam Engine
- SN An engine w hich operates machinery via a pivoted, horizontal beam w ith a piston located at one end and a reciprocating pump beneath the other, resulting in a rocking, seesaw-like motion. Variations featured the steam piston placed above the beam.

CL MACHINERY

BT STEAM ENGINE

NT COMPOUND STEAM ENGINE

CORNISH ENGINE

NEWCOMEN ATMOSPHERIC ENGINE

ROTATIVE BEAM ENGINE SIDE LEVER ENGINE

SIMS COMPOUND ENGINE

Bed Chamber

USE BEDROOM

BED MOULDING

- SN A moulding on an entablature that is between the frieze and the corona.
- CL DECORATIVE FEATURES
- BT MOULDING

BED NOOK

- UF Bed Recess
- SN A small projection designed to allow space for a bed.
- CL STRUCTURAL COMPONENT

Bed Recess

USE BED NOOK

BEDROOM

- UF Bed Chamber
- SN A room intended to contain a bed.
- CL AREAS AND SPACES
- BT RETIREMENT ROOM
- NT CAMERA (BEDROOM)

BEETLE

- SN A float or pontoon supporting a flexible steel roadw ay as part of a Mulberry Harbour.
- CL STRUCTURAL COMPONENT

Belfast Roof

USE BELFAST TRUSS ROOF

BELFAST TRUSS

- SN A bow string truss with the space between its members filled by a lattice of crossing diagonal rods.
- CL STRUCTURAL COMPONENT
- BT BOWSTRING TRUSS
- RT BELFAST TRUSS ROOF

BELFAST TRUSS ROOF

- UF Belfast Roof
- SN A roof with a bow-shaped, segmental timber truss which has the space between its members filled by a lattice of crossing diagonal rods.
- CL STRUCTURAL COMPONENT
- BT BOWSTRING ROOF
- RT BELFAST TRUSS

BELFRY

- SN The tow er, generally attached to a church or other building but sometimes separate, where bells are hung and from which sound is emitted. Also applied to the upper chamber where bells are hung, or the wooden structure supporting them.
- CL AREAS AND SPACES
- BT ROOM

BELL

- SN The core of a capital.
- CL STRUCTURAL COMPONENT
- BT CAPITAL

BELL CAPITAL

- SN A capital which is circular and has several mouldings but no foliage.
- CL STRUCTURAL COMPONENT
- BT CAPITAL

BELL FRAME

- SN A timber frame placed in the bell chamber of a church tower or belfry designed to hold the bells.
- L STRUCTURAL COMPONENT

Bell Gable

USE BELLCOTE

BELL TOWER

- UF Bell Turret
- SN A high tow er, attached to or detached from a building such as a church, with a belfry stage containing bells.
- CL BUILDING COMPONENT
- BT TOWER
- RT RINGING CHAMBER

Bell Turret

USE BELL TOWER

BELLCOTE

- UF Bell Gable
 - Sanctus Bell Cote
- SN A housing for one or more bells, usually gabled or roofed.
- CL STRUCTURAL COMPONENT

BELVEDERE

- SN A turret on the side of a house providing views across the surrounding countryside.
- CL BUILDING COMPONENT
- BT TURRET

BENCH PEW

- CL FIXTURES AND FITTINGS
- BT PEW

BILLET FRIEZE

- SN A series of billet mouldings forming a decorative band of small, regularly placed squared or rounded blocks.
- CL DECORATIVE FEATURES
- BT BILLET MOULDING

BILLET MOULDING

- SN An ornamental moulding consisting of a series of small, regularly placed squared or rounded blocks
- CL DECORATIVE FEATURES
- BT MOULDING
- NT BILLET FRIEZE

BILLIARD ROOM

- SN A room intended for the placement and use of a billiard table.
- CL AREAS AND SPACES
- BT GAMESROOM

BIMAH

- SN An elevated area or platform in a synagogue where the person reading aloud from the Torah stands
- CL FIXTURES AND FITTINGS
- BT RELIGIOUS ELEMENTS

BIRDMOUTHED JOINT

- SN A joint in w hich the end of one timber is cut in Vform and rests on the edge of another timber, frequently found betw een common rafters and w all plates.
- CL STRUCTURAL COMPONENT
- BT JOINT

Birds Head Moulding

USE BEAK HEAD MOULDING

BLADE

- SN A principal member in a cruck truss.
- CL STRUCTURAL COMPONENT
- BT CRUCK

BLEEDING ROOM

- SN A room dedicated to the drawing or letting of blood, a procedure once thought to possess medicinal properties.
- CL AREAS AND SPACES
- BT ROOM

BLIND ARCADE

- UF Wall Arcade
- SN A succession of arches on shafts with no openings, attached to and used to enliven a w all.
- CL STRUCTURAL COMPONENT
- BT ARCADE
- RT TRIFORIUM

BLIND COLONNADE

- SN A series of columns in a straight line supporting an entablature with no openings or glazing.
- CL STRUCTURAL COMPONENT
- BT COLONNADE

BLOCK

- SN A small piece of timber occupying the angle between two other timbers.
- CL STRUCTURAL COMPONENT

Block Capital

USE CUSHION CAPITAL

BLOCK CORNICE

- SN An Italian cornice consisting of a bed moulding, a row of plain block corbels or modillions, and a corona or cornice.
- CL STRUCTURAL COMPONENT
- BT CORNICE

BLOCKED COLUMN

- SN A column whose shaft is interrupted by square blocks
- CL STRUCTURAL COMPONENT
- BT COLUMN

BLOCKING COURSE

SN A plain stone course, sometimes projecting, above a cornice and counterbalancing the cantilevered sections of stone, or at the base of a building.

CL STRUCTURAL COMPONENT

BLOWING ENGINE

- SN A steam engine driving a reciprocating air pump to provide air for a blast furnace.
- CL MACHINERY
- BT ENGINE

Board Room

USE BOARDROOM

BOARDROOM

- UF Board Room
- SN A meeting room intended specifically for the use of a board of directors or governors of an organization or company..
- CL AREAS AND SPACES
- BT MEETING ROOM

BOATING POOL

- SN Manmade feature to contain w ater for the purpose of floating miniature boats in it. Different to BOATING LAKE as lake can be naturally occuring park feature and can be used for full sized boats.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE

BOILER

- SN A steam generator comprising a pressure vessel, and/or rows of tubes arranged to receive heat from a firegrate.
- CL MACHINERY

BOILER ROOM

- SN A room, usually at ground level or below, housing the tank in w hich w ater is heated as part of a building's heating system.
- CL AREAS AND SPACES
- BT ROOM

BOLECTION MOULDING

- SN A moulding w hich projects beyond the face of a panel or frame, usually found in panelling or in doors.
- CL DECORATIVE FEATURES
- BT MOULDING

BOLSTER

- SN One of the rolls forming the sides of an ionic capital, joining the volutes of the front and rear faces.
- CL STRUCTURAL COMPONENT

Bolter

USE SIFTER

BOOT SCRAPER

- SN A device, usually cast iron and often decorative in design, placed upon, embedded in or built into a doostep facilitating the removal of mud, dirt, manure etc. from footw ear before entering a building.
- CL FIXTURES AND FITTINGS

BOSS

- UF Roof Boss
- SN A carved, convex block, often richly decorated,

at the intersections of vault-ribs, beam-junctions or terminations of mouldings.

CL STRUCTURAL COMPONENT

BOUDOIR

SN A small, finely-furnished room, traditionally where a lady could retire to be alone or entertain intimate friends.

CL AREAS AND SPACES

BT RETIREMENT ROOM

BOW WINDOW

SN A w indow set w ithin a curved projection from the face of a w all.

CL STRUCTURAL COMPONENT

BT WINDOW

BOWER

UF Bow re

SN A private room or parlour usually at the same level as the hall.

CL AREAS AND SPACES

BT PRIVATE ROOM

Bow re

USE BOWER

BOWSTRING ROOF

SN A roof constructed of horizontal tiebeams and curved trusses.

CL STRUCTURAL COMPONENT

BT ROOF

NT BELFAST TRUSS ROOF

RT BOWSTRING TRUSS

BOWSTRING TRUSS

SN An arched, or bow-shaped, segmental timber truss with its ends tied together by a straight or cambered member.

CL STRUCTURAL COMPONENT

BT TRUSS

NT BELFAST TRUSS

RT BOWSTRING ROOF

BOX FRAME

UF Post And Truss Frame

SN Timber framed construction where a box of horizontal and vertical members is created to support the roof.

CL STRUCTURAL COMPONENT

BOX FRAMED TRUSS

SN A complete cross-frame from ground level to ridge in a box-framed building.

CL STRUCTURAL COMPONENT

BT TRUSS

BOX OFFICE

SN A ticket booth in a theatre or cinema.

CL AREAS AND SPACES

BT ROOM

BOX PEW

SN An enclosed, high-sided seat, sometimes entered through a door, usually found in churches as one of a series of box-like compartments.

CL FIXTURES AND FITTINGS

BT PEW

RT PEW PLATFORM

BRACE

UF Angle Brace

SN An inclined timber used to support and provide rigidity to roofs, partitions etc.

CL STRUCTURAL COMPONENT

BT FASTENING

NT ARCH BRACE

CONCEALED BRACE

CORNER BRACE

DOWNWARD BRACE

DRA GON TIE

KNEE BRACE

OGEE BRACE

PARALLEL BRACE

DA COINO DO A CE

PASSING BRACE

PASSING WINDBRACE

RAFTER BRACE

SCISSOR BRACES

SLING BRACE

UPWARD BRACE

BRACKET

SN A small support designed to help support a weight, such as that of a projecting member.

CL STRUCTURAL COMPONENT

NT ANGLE BRACKET

CONSOLE

MODILLION

BRACKET MOULDING

SN A decorative moulding cosisting of two ogeeforms with joined faces.

CL DECORATIVE FEATURES

BT MOULDING

BRAKE WHEEL

SN The main gear w heel, w hich is engaged by a brake to halt or slow the machinery, mounted on the w indshaft of a w indmill.

CL STRUCTURAL COMPONENT

BREAD ROOM

SN A room for the storage of bread, biscuits, flour etc. Often part of a buttery in medieval times.

CL AREAS AND SPACES

BT FOOD PREPARATION ROOM

BREAKFAST ROOM

SN A room w here meals, particularly breakfast are partaken.

CL AREAS AND SPACES

BT DINING ROOM

BREASTSHOT WHEEL

SN A waterwheel in which the incoming water is directed onto the periphery at approximately the same level as the axle, the water being kept in contact with the floats, or buckets, by breastwork of masonry, timber or iron.

CL MACHINERY

BT WATERWHEEL

Breastsummer

USE BRESSUMMER

BRESSUMMER

UF Breastsummer Brest Summer Chimney Bar SN A horizontal, supporting beam set above an opening in an external w all, a fireplace opening or in timber framed construction set forward from the lower part of a building to support a jettied w all.

CL STRUCTURAL COMPONENT

BT BEAM

Brest Summer

USE BRESSUMMER

BRICKWORK

SN A structure, part of a structure or area constructed from plain bricks.

CL STRUCTURAL COMPONENT

BRIDGE TREE

SN An adjustable, horizontal beam, supporting the vertical stone spindle in a water or windmill, which allows the gap between the grinding stones to be varied.

CL STRUCTURAL COMPONENT

BRIDLED JOINT

SN A joint consisting of a projecting tongue fitting into an open housing in a scarf joint or the apex of a rafter.

CL STRUCTURAL COMPONENT

BT JOINT

BRINE TANK

SN A tank within a salt w orks used for storing brine after is has been pumped from underground. The brine is then fed by gravity into the evaporating pans in the Pan House.

CL MACHINERY

BROACH SPIRE

SN An octagonal spire atop a square tow er, the transition betw een structures effected by partially pyramidical masonry forms called broaches.

CL STRUCTURAL COMPONENT

BT SPIRE

BROKEN PEDIMENT

SN A pediment with a gap at the centre of its base.

CL STRUCTURAL COMPONENT

BT PEDIMENT

RT OPEN PEDIMENT

BUCRANIUM

SN Decorative motif in the form of an ox skull.

CL DECORATIVE FEATURES

BT ANIMAL FIGURE

BUILDING COMPONENT

SN A feature w hich forms part of a building and has a specific functional usage or decorative form.

CL BUILDING COMPONENT

NT ADMINISTRATION BLOCK

AGED MENS WARD

ALURE

ANNEX

ANTECHURCH

BALCONY

BASTION

CAPONIER

CHILDRENS BLOCK

CONSERVATORY COUNTERSCARP BANK

CUPOLA DOVECOTE EARTH CLOSET EASTER SEPULCHRE ENTRANCE BLOCK

GALLERY (ECCLESIASTICAL)

GARDEROBE (TOILET) HOSPITAL BLOCK HYPOCAUST LANDING LANTERN

LIFT LOGGIA

LOGGIA

NARTHEX (CLASSICAL)

NEST HOLE OUTSHOT PAVILION

PENTHOUSE (A PARTMENT)

PERGOLA PORCH

RECEIVING BLOCK ROOD LOFT SERVICE BLOCK STAIRCASE STEEPLE

SUPERVISORY HUB SWIMMING POOL

TOMB TOWER

VENTILATION SHAFT

VERANDA WESTWORK

BULL ENGINE

SN An early type of steam engine, similar to a Cornish Engine, designed by Edw ard Bull.

CL MA CHINERY BT STEAM ENGINE

BULLSEYE WINDOW

UF Oeil De Boeuf

SN An oval w indow placed w ith its long axis horizontal. The term is often applied to similar round w indows.

CL STRUCTURAL COMPONENT

BT WINDOW

BURIAL PIT

SN The pit in w hich human or animal remains are placed for interment,w hich may be either an inhumation or cremation.

CL UNASSIGNED

BURSARY

SN A treasury, often the bursar's room in a college or university.

CL AREAS AND SPACES

BT ROOM

Business Room

USE OFFICE

Butment

USE ABUTMENT

Butt Purlin

USE TENONED PURLIN

BUTTERFLY PLAN

- UF Double Suntrap Plan
- SN A nineteenth century plan w here two or four wings of a house are constructed at an angle to the core, usually at approximately 45 degrees to the wall of the core building.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

BUTTERY

- SN A room for the storage of food and drink.
- CL AREAS AND SPACES
- BT FOOD PREPARATION ROOM

BUTTRESS

- UF Analemma
- SN A mass of stone or brick built against or as part of a w all to provide additional strength to it.
- CL STRUCTURAL COMPONENT
- NT ANGLE BUTTRESS

ARCH BUTTRESS

CLASPING BUTTRESS

DIA GONAL BUTTRESS

FLYING BUTTRESS

HANGING BUTTRESS

LATERAL BUTTRESS

PIER BUTTRESS

SETBACK BUTTRESS

CABINET

- SN A small room used as a study for the preservation of papers etc. Generally use for any small room appended to a larger one.
- CL AREAS AND SPACES
- BT ROOM

CABLE MOULDING

- SN A decorative moulding shaped to resemble a length of cable or twisted rope.
- CL DECORATIVE FEATURES
- BT MOULDING

CALDARIUM

- UF Hot Bath
- SN The hot room in a Roman baths.
- CL AREAS AND SPACES
- BT ROOM
- RT FRIGIDA RIUM

PALAESTRA

TEPIDA RIUM

Calefactory

USE WARMING ROOM

CALVARY

- SN A representation of the crucifixion of Christ or related scenes as a sculpture, etc.
- CL DECORATIVE FEATURES
- BT SCULPTURE

CAMBA

- SN A place in which brewing and sometimes baking took place.
- CL AREAS AND SPACES
- BT FOOD PREPARATION ROOM

CAME

- SN An H-sectioned strip of lead used to hold panes of glass in position in stained-glass w indows or other leaded lights.
- CL STRUCTURAL COMPONENT
- RT SADDLE BAR STANCHION WINDOW

CAMERA (BEDROOM)

- SN A private bed sitting room.
- CL AREAS AND SPACES
- BT BEDROOM

CAMERA (CEILING)

- SN A ceiling that is curved or vaulted, sometimes employed to give a space the appearance of a vault.
- CL STRUCTURAL COMPONENT
- BT CEILING

Camera (Generic)

USE ROOM

CAMERA (SUITE)

- SN A suite of rooms.
- CL AREAS AND SPACES
- BT ROOM

CAMOUFLAGE

- SN The application of colour and other materials to a structure to either conceal it from identification or to make it look like something else.
- CL DECORATIVE FEATURES

CANAL INCLINED PLANE

- SN A slope, usually w ith rails, by w hich a boat can be transferred from one level of w aterw ay to another.
- CL MACHINERY
- BT INCLINED PLANE

CANEPHORA

- SN A sculpted female figure carrying a basket on her head.
- CL DECORATIVE FEATURES
- BT HUMAN FIGURE

CANTEEN

- SN A room intended for the taking of refreshments, usually containing a counter from which they are served.
- CL AREAS AND SPACES
- BT DINING ROOM

CAP

- SN The rotating top section of a tow er or smock mill.
- CL STRUCTURAL COMPONENT

CAPITAL

- SN The top part of a column, often decorated.
- CL STRUCTURAL COMPONENT
- NT ABACUS

BASKET CAPITAL

BELL

BELL CAPITAL

COMPOSITE CAPITAL

CORINTHIAN CAPITAL

CROCKET CAPITAL

CUSHION CAPITAL
DORIC CAPITAL
IONIC CAPITAL
PROTOMA CAPITAL
STIFF LEAF CAPITAL
TUSCAN CAPITAL
WATER LEAF CAPITAL

CAPONIER

- SN An enclosed, defensible passagew ay, equipped with gun ports, extending into or traversing a dry ditch.
- CL BUILDING COMPONENT

CAPSTONE

- SN A large stone laid horizontally to form the roof of a chamber.
- CL STRUCTURAL COMPONENT

CARREL (AISLE)

- SN An aisle divided into chapels. This term is sometimes applied to the screens dividing the aisle, or the chapels themselves.
- CL STRUCTURAL COMPONENT
- BT AISLE
- CL AREAS AND SPACES
- BT AISLE

CARREL (NICHE)

- SN An enclosure or niche in a library or cloister used for study.
- CL STRUCTURAL COMPONENT
- BT NICHE

CARRIAGE ENTRANCE

- SN An entrance large enough for carriages and vehicles leading through a building or wall into an inner courtyard.
- CL AREAS AND SPACES
- BT ENTRANCE
- RT PORTE COCHERE

CARTOUCHE

- SN A decorative, framed tablet, usually bearing an inscription or coat of arms, in the form of a scroll or curving piece of parchment.
- CL DECORATIVE FEATURES

CARYATID

- SN A female figure used instead of a column, usually supporting an entablature.
- CL STRUCTURAL COMPONENT
- BT COLUMN
- CL DECORATIVE FEATURES
- BT HUMAN FIGURE

CASEMATE

- SN A chamber built into a wall in a defensive structure.
- CL AREAS AND SPACES
- BT ROOM

CASEMENT

- SN A hollow moulding, often enriched, similar to a scotia or cavetto, used in Gothic jambs and cornices.
- CL DECORATIVE FEATURES
- BT MOULDING

CASEMENT WINDOW

- SN A window where the sash is hung vertically and the window opens outwards or inwards.
- CL STRUCTURAL COMPONENT
- BT WINDOW
- NT FRENCH WINDOW

Casual Ward

USE VAGRANTS WARD

SN Use VAGRANTS WARD as it is meant to shelter wandering vagrants overnight rather than the permanent inhabitants of a workhouse.

CATS HEAD MOULDING

- SN A decorative moulding depicting an animal or bird head, similar to a beak head moulding but with a shorter, cone-like tongue or beak overlapping the moulding set beneath it.
- CL DECORATIVE FEATURES
- BT MOULDING
- RT BEAK HEAD MOULDING

CATSLIDE ROOF

- SN A roof with one side longer than the other, continuing at the same pitch over an extension to a building. Commonly found in New England Colonial architecture.
- CL STRUCTURAL COMPONENT
- BT PENT ROOF

CAULICOLI

- SN The lesser stalks springing from the principal stalks, or caules, w ithin the decoration on a Corinthian capital.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

CAVETTO

- SN A concave moulding where the profile is a quarter of a circle.
- CL DECORATIVE FEATURES
- BT MOULDING

CEILING

- SN The surface of a room w hich conceals overhead structural members.
- CL STRUCTURAL COMPONENT
- NT CAMERA (CEILING)

CEILING PAINTING

- SN A two dimensional image using paint applied to the surface of a ceiling.
- CL DECORATIVE FEATURES
- RT WALL PAINTING

CELL

- SN Term used to indicate the basic unit of accommodation in the plan of a building. It does not necessarily relate to the structural divisions within a building.
- CL AREAS AND SPACES
- BT ROOM
- RT BAY

CELLAR

- UF Cellarium
- SN A room that is underground or partially underground. Primarily used for storage.
- CL AREAS AND SPACES

BT STOREROOM

Cellarium

USE CELLAR

CENTERING

- SN A temporary support placed under a vault or arch to support them during construction.
- CL STRUCTURAL COMPONENT
- RT ARCH

Central Chimney Plan

USE AXIAL CHIMNEY PLAN

SN see axial chimney plan

CENTRAL FIREPLACE PLAN

- SN A plan in w hich a chimney containing back-toback fireplaces heats two rooms simultaneously by being placed w ithin the dividing w all.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

CENTRAL STAIRCASE PLAN

- SN A plan in w hich the staircase is placed at the centre of the building.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

Centre Valve Steam Engine

USE WILLANS CENTRE VALVE STEAM ENGINE

CHAIN MOULDING

- SN A decorative moulding in the form of a chain.
- CL DECORATIVE FEATURES
- BT MOULDING

CHAIN PUMP

- UF Rag And Chain Pump
- SN An early design of pump featuring a series of pistons, or sometimes bundles of rags, passing through a barrel on a continuous chain, forcing w ater upw ards.
- CL MA CHINERY
- BT PUMP

Chamber

USE ROOM

CHAMBER BLOCK

- SN An area of several rooms in a medieval house or building. Probably for domestic use.
- CL PLANS AND DIVISIONS
- BT WING
- RT ROOM
 - SOLAR

CHANCEL

- SN The choir and sanctuary in the liturgical eastern part of a church appropriated for those who officiate during services.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

CHANCEL ARCH

- SN An arch at the liturgical east of the nave, carrying a gabled wall above, separating nave from chancel.
- CL STRUCTURAL COMPONENT
- BT ARCH

Chancel Screen

USE ROOD SCREEN

CHANDELIER

- SN A branched, hanging light fitting, often ornate in design, provifding illumination from a number of candles or lightbulbs.
- CL FIXTURES AND FITTINGS

CHANGING ROOM

- SN A room w ithin a building, such as a shop or leisure complex, sometimes equipped w ith cubicles or screens to allow a degree of privacy, w here clothing can be tried on or changed.
- CL AREAS AND SPACES
- BT ROOM
- RT DRESSING ROOM

Chantry

USE CHANTRY CHAPEL

CHANTRY CHAPEL

- UF Chantry
- SN A chapel, often attached to or screened off inside a church, endow ed for the celebration of masses principally for the repose of the founder?s soul.
- CL AREAS AND SPACES
- BT CHAPEL

CHAPEL

- SN A building, room or area, often within or attached to a church or other building, serving as a place of worship. Where a monument, use the Thesaurus of Monument Types.
- CL AREAS AND SPACES
- NT APSE CHAPEL

CHANTRY CHAPEL

GALILEE

LADY CHAPEL

RADIATING CHAPEL

RT CHEVET

CHAPTER HOUSE

- SN A building, sometimes polygonal in plan, attached to a cathedral, church, abbey etc. and used for the assembly of chapter or brethren, often to address official business.
- CL AREAS AND SPACES
- BT ASSEMBLY ROOM

CHEESE PRESS

- SN A device used in the production of hard cheeses that exerts pressure upon fresh curds in order to remove and drain away excess w hey.
- CL MACHINERY

CHEVET

- SN The area that contains the ambulatory, apse and chapels. Usually found in larger churches, monasteries and cathedrals.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE
- RT AMBULATORY (INTERIOR) APSE
 - CHA PEL

CHEVRON MOULDING

UF Zigzag Moulding

- SN A three-dimensional decorative ornamentation composed of a series of Vs forming a zigzag.
- CL DECORATIVE FEATURES
- BT MOULDING

CHILDRENS BLOCK

- SN Series of rooms in a workhouse complex where children were housed and looked after.
- CL BUILDING COMPONENT

CHIMNEY

- SN The flue or channel that funnels smoke from a fire.
- CL STRUCTURAL COMPONENT
- NT ANGLE CHIMNEY

CHIMNEY BREAST

CHIMNEY COWL

CHIMNEY POT

CHIMNEY SHAFT

CHIMNEY STACK

Chimney Back

USE FIREBACK

Chimney Bar

USE BRESSUMMER

CHIMNEY BREAST

- SN A stone or brick structure that projects into, or out of, a room and contains the flue.
- CL STRUCTURAL COMPONENT
- BT CHIMNEY

CHIMNEY COWL

- SN A covering of metal, stone or pottery set on a chimney breast above a fire to prevent smoke entering the room and instead directing it up the chimney
- CL STRUCTURAL COMPONENT
- BT CHIMNEY

Chimney Piece

USE MANTELPIECE

CHIMNEY POT

- SN A cylindrical, polygonal, or square element of brick, metal or terracotta fixed on top of a chimney stack to extend the flue and improve the extraction of smoke.
- CL STRUCTURAL COMPONENT
- BT CHIMNEY

CHIMNEY SHAFT

- SN A very high chimney, though more often a chimney stack containing only one flue.
- CL STRUCTURAL COMPONENT
- BT CHIMNEY

CHIMNEY STACK

- SN A masonry or brickwork structure projecting above a roof and containing several flues.
- CL STRUCTURAL COMPONENT
- BT CHIMNEY

CHINESE ROOM

- SN A room decorated, and furnished, in the style of the Chinese.
- CL AREAS AND SPACES
- BT ROOM

CHOIR

- SN Part of a large church, east of the nave, appropriated for singers and clergy.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE
- RT ALTAR SCREEN

CHOIR SCREEN

- SN A screen separating the choir from other parts of the church.
- CL STRUCTURAL COMPONENT
- BT SCREEN

CHUTE

- SN A vertical or inclined plane, channel, or passage through w hich objects are moved from a higher to a low er level by means of gravity.
- CL MACHINERY

CIDER PRESS

- SN A machine that presses apples to extract juice for the production of cider.
- CL MACHINERY

Cill

USE SILL

CINQUEFOIL

- SN An ornamental foliation in panels or tracery so called because it is arranged around five intervals, known as foils or cusps, that describe the outlines of five leaves or petals.
- CL DECORATIVE FEATURES
- BT TRACERY

CIRCULAR PLAN

- SN The plan on w hich a circular building is constructed.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

CLADDING

- SN A non-structural covering, such as tile, slate, w ood etc., applied to an exterior w all.
- CL STRUCTURAL COMPONENT
- NT CLAPBOARD
 - SLATE HANGING
 - TILE HANGING
 - WEATHERBOARDING

CLAPBOARD

- SN A horizontal, riven board, tapered in section, used for external cladding.
- CL STRUCTURAL COMPONENT
- BT CLADDING

CLAPPING QUOIN

- UF Hollow Quoin
- SN A quoin, usually of stone, with a concave rebate at one corner forming the surface against which the rounded edge of a canal lock gate turns, making a kind of hinge.
- CL STRUCTURAL COMPONENT
- BT QUOIN

CLASPED PURLIN

SN A purlin that rests against the low er surface of a principal rafter and is supported by a queen post, collar or raking strut.

- CL STRUCTURAL COMPONENT
- BT THROUGH PURLIN

CLASPING BUTTRESS

- SN A buttress w hich encases the corner between two walls.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS

CLASSROOM

- SN A room intended for the purpose of teaching a group or class of students simultaneously.
- CL AREAS AND SPACES
- BT SCHOOLROOM

Clearstorey

USE **CLERESTORY**

Clearstory

USE **CLERESTORY**

Clerestorey

USE **CLERESTORY**

CLERESTORY

UF Clearstorey

Clearstory

Clerestorey

Overstorey

- SN The upper parts of w alls carried on arcades or colonnades in the nave, choir or transepts of a church or hall, rising higher than the lean-to roofs of the aisles and pierced w ith w indow s to allow light to penetrate.
- CL STRUCTURAL COMPONENT

CLIMBING WALL

- SN An artifically constructed w all w ith recessed and projecting grips for hands and feet and places to attach ropes. Used for practising rock climbing. If the w all is a free-standing external structure use term for the Thesaurus of Monument Types.
- CL FIXTURES AND FITTINGS

CLOAKROOM

- SN A room in w hich cloaks, coats, hats etc may be left and often including coathooks, hat boxes and similar fixtures and fittings.
- CL AREAS AND SPACES
- BT ROOM

CLOCK TOWER

- SN A tall structure, high in proportion to its lateral dimensions, often rising in stages, free standing or part of another building, surmounted by a clock.
- CL BUILDING COMPONENT
- BT TOWER

CLOISTER

- SN A covered ambulatory, usually arcaded, arranged around three or four sides of a quadrangle in a monastic or collegiate establishment.
- CL AREAS AND SPACES
- BT AMBULATORY (EXTERNAL)
- RT ANTEPORTICO

CLOISTER GARTH

SN A quadrangle or courtyard, often grassed or

- planted, surrounded by cloisters
- CL AREAS AND SPACES
- BT COURTY ARD

CLOSE STUDDING

- SN In timber framed buildings this is the division of a wall into narrow panels by vertical studs.
- CL STRUCTURAL COMPONENT
- BT STUD

CLOSED TRUSS

- SN A truss in w hich spaces betw een timbers are filled, as betw een rooms and at the ends of a building.
- CL STRUCTURAL COMPONENT
- BT TRUSS

CLOSET

- SN A small chamber or private room.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

CLOTHING STORE

- SN A room w ithin a building or complex used for storing clothing.
- CL AREAS AND SPACES
- BT STOREROOM

CLUSTERED COLUMN

- JF Compound Column
- SN A pier made up of several columns clustered together. They can be attached through their w hole length or only at top and bottom.
- CL STRUCTURAL COMPONENT
- BT COLUMN

Clustered Pier

USE COMPOUND PIER

COAL TIPPLER

- SN Loading machinery tipping coal into railw ay w agons, usually at a pithead.
- CL MACHINERY
- NT HYDRAULIC TIPPLER

COALING CRANE

- SN A crane used for moving coal during the refuelling of coal-pow ered vessels or locomotives.
- CL MACHINERY
- BT CRANE

Coat Of Arms

USE ACHIEVEMENT OF ARMS

COFFERING

- SN A series of recessed, ornamental panels decorating a ceiling.
- CL DECORATIVE FEATURES
- BT PANELLING

COGGED JOIST

- SN A joist that has its end resting in a recess in a transverse beam.
- CL STRUCTURAL COMPONENT
- BT JOIST

Coien

USE QUOIN

Coign

USE QUOIN

Coin

USE QUOIN

Cold Bath

USE FRIGIDARIUM

COLLAR

SN A horizontal member connecting rafters or cruck blades at a point between their feet and the apex of the roof.

CL STRUCTURAL COMPONENT

COLLAR PLATE

SN A horizontal timber that joins the collars of a series of roof trusses.

CL STRUCTURAL COMPONENT

BT PLATE

COLLAR PURLIN

SN A longitudinal member in a roof, running beneath the collar beams and intended to give stability to the roof.

CL STRUCTURAL COMPONENT

BT PURLIN

COLLEGE HALL

SN A large communal room within a college complex used for functions, assemblies, examinations etc.

CL AREAS AND SPACES

BT HALL (COMMUNAL)

NT EXAMINATION HALL

COLONNADE

SN A row of columns that carry arches or an entablature.

CL STRUCTURAL COMPONENT

NT BLIND COLONNA DE COLONNA DE A JOUR PERISTY LE

COLONNADE A JOUR

SN A colonnade where it is exposed to the air on two sides.

CL STRUCTURAL COMPONENT

BT COLONNADE

COLONNETTE

SN A small shaft or column.

CL STRUCTURAL COMPONENT

BT COLUMN

NT NOOK SHAFT

COLOSSAL ORDER

UF Giant Order

SN An order in which the columns rise more than one storey in height from the ground or plinth.

CL ORDER

COLUMN

UF Demi Column

SN A vertical, circular member, usually load-carrying. Where separate, use monument type.

CL STRUCTURAL COMPONENT

NT ANGLE COLUMN ANNULATED COLUMN ANNULET A POPHY GE
A PPLIED COLUMN
A TLA NTIS
A TTIC COLUMN
BANDED COLUMN
BLOCKED COLUMN
CARY A TID

CLUSTERED COLUMN

COLONNETTE

COMPOSITE COLUMN CORINTHIAN COLUMN DETA CHED COLUMN

DORIC COLUMN

DRUM

ENGA GED COLUMN
IONIC COLUMN
SPIRAL COLUMN
TUSCAN COLUMN

COMBER

SN A machine used for combing wool. Use more specific term where known.

CL MACHINERY

NT HEILMANN COMBER HOLDEN COMBER LISTER COMBER NOBLE COMBER

COMBINATION MILL

SN A flour milling machine using both stones and rollers to produce flour and, perhaps mainly from the stones, animal feed from grains other than w heat.

CL MACHINERY

BT FLOUR MILL

COMBINED DIESEL AND GAS TURBINE

SN A propulsion system for ships w hich need a maximum speed that is considerably faster than their cruise speed, particularly w arships. It consists of diesel engines for cruising and gas turbines for high-speed transits.

CL MACHINERY

BT GAS TURBINE DIESEL ENGINE

COMBINED STEAM AND GAS TURBINE

SN A propulsion system for ships using a combination of steam turbines and gas turbines to pow er the shafts.

CL MACHINERY

BT GAS TURBINE STEAM TURBINE

COMMITTEE ROOM

SN A room w here a committee meets to discuss matters put before them.

CL AREAS AND SPACES

BT MEETING ROOM

COMMON RAFTER

SN A rafter of uniform size placed at regular intervals along the length of a roof.

CL STRUCTURAL COMPONENT

BT RAFTER

COMMON RAFTER ROOF

SN A roof consisting entirely of common rafters, without the use of principals, in pairs but not

connected by collar-beams.

CL STRUCTURAL COMPONENT

ΒT **ROOF**

COMMON RAFTER TRUSS

A pair of common rafters with a collar.

STRUCTURAL COMPONENT

TRUSS RT

COMMON ROOM

A room in general use for persons to meet, often found at institutions such as colleges.

AREAS AND SPACES Cl

MEETING ROOM

Communion Rail

USE ALTAR RAIL

Communion Table

USE ALTAR

COMPOSITE ARCH

A lancet arch designed in the composite style.

ORDER CL

ВТ COMPOSITE ORDER

CL STRUCTURAL COMPONENT

LANCET ARCH

COMPOSITE BASE

SN Bases of this order are often referred to as spira and have a double astragal in the middle.

CL **ORDER**

ВТ COMPOSITE ORDER

CL STRUCTURAL COMPONENT

ВТ BASE

COMPOSITE CAPITAL

An ornate version of an eight-voluted lonic capital know n as an angular capital or Scamozzi under which are added two tiers of acanthus leaves.

CL **ORDER**

COMPOSITE ORDER RT

STRUCTURAL COMPONENT Cl

CAPITAL

COMPOSITE COLUMN

SN A detached, sometimes monolithic vertical structural element usually circular, square or polygonal bearing an ornate eight-voluted lonic Capital.

STRUCTURAL COMPONENT CL

BT COLUMN

CI ORDER

COMPOSITE ORDER BT

COMPOSITE ENTABLATURE

The horizontal assembly of architrave, frieze and cornice carried upon columns and pilasters in the Composite order; and so containing elements of the Ionic and Corinthian orders.

CL **ORDER**

ВТ COMPOSITE ORDER

STRUCTURAL COMPONENT

ENTABLATURE

COMPOSITE ORDER

SN An order composed of elements of the lonic and Corinthian orders.

CL **ORDER** COMPOSITE ARCH COMPOSITE BASE COMPOSITE CAPITAL

COMPOSITE COLUMN

COMPOSITE ENTABLATURE

Compound Column

USE CLUSTERED COLUMN

COMPOUND PIER

UF Clustered Pier

A pier made up of several shafts against it. The shafts can be attached or detached.

STRUCTURAL COMPONENT

COMPOUND RAFTER

A doubled rafter, separated by cleats, spacers or distance pieces.

CL STRUCTURAL COMPONENT

ВТ **RAFTER**

NT SECONDARY RAFTER

COMPOUND STEAM ENGINE

SN A steam engine that uses the same steam successively to drive pistons in high and then low pressure cylinders.

CL **MACHINERY**

BEAM STEAM ENGINE BT

NT EXTRACTION ENGINE

MANHATTAN ENGINE

WILLANS CENTRE VALVE STEAM ENGINE WOOLF COMPOUND STEAM ENGINE

CONCEALED BRACE

A brace halved to the inside of studs, and so not visible from outside.

STRUCTURAL COMPONENT CI

BRACE RT

CONDENSING STEAM ENGINE

A steam engine in which the spent steam leaving the cylinder passes to a condenser instead of being exhausted to the atmosphere. The condenser creates a partial vacuum w hich increases the pressure drop across the engine, so raising its efficiency.

CL **MACHINERY**

STEAM ENGINE RT

CONFERENCE ROOM

A room where organizations and associations meet for the undertaking of presentations and consultation.

CL AREAS AND SPACES

AUDITORIUM MEETING ROOM

CONFESSIO

A recess or chamber near the altar which holds a relic. A feature of medieval churches.

CL AREAS AND SPACES

ROOM

CONFESSIONAL

SN A booth, cubicle or recess, often enclosed, in which a priest, usually screened from view, hears confessions.

CI FIXTURES AND FITTINGS

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

CONSERVATORY

- SN An extension to a building usually made primarily of glass, for growing plants.
- CL BUILDING COMPONENT

CONSOLE

- SN An S-shaped ornamental bracket with a greater height than projection.
- CL STRUCTURAL COMPONENT
- BT BRACKET

CONTRA FLOW STEAM ENGINE

- SN The common design of steam engine, w here steam enters the cylinder at one end, and after it has pushed the piston to the other end, its direction of flow is reversed as the piston returns, the steam leaving the cylinder through the exhaust ports.
- CL MACHINERY
- BT STEAM ENGINE

CONTROL ROOM

- SN A room in w hich actions are checked, verified and approved.
- CL AREAS AND SPACES
- BT ROOM

CONVEYOR BELT

- UF Creeper
- SN A machine consisting of a continuously moving band of fabric, rubber, or metal used for transporting people or objects from one place to another.
- CL MACHINERY

COOLING TOWER

- SN A large structure, usually associated with power stations, in which hot water undergoes a process of cooling before being re-used.
- CL MACHINERY

COPING

- SN A protective covering applied to the top of a wall, chimney, gable etc., usually curved, sloping or ridged to prevent rainwater settling.
- CL STRUCTURAL COMPONENT

CORBEL

- SN A cantilevered block projecting from the face of a w all and supporting a structure such as a parapet, beam or arch.
- CL STRUCTURAL COMPONENT
- RT CORBEL TABLE

CORBEL TABLE

- SN A projecting wall or structure, such as a parapet or battlement, supported by a series of corbels.
- CL STRUCTURAL COMPONENT
- RT CORBEL

CORINTHIAN BASE

- SN A slender and elegant base usually of Attic type w ith tw o tori, tw o scotiae and tw o astragals.
- CL STRUCTURAL COMPONENT
- BT BASE
- CL ORDER
- BT CORINTHIAN ORDER

CORINTHIAN CAPITAL

- SN A capital with two rows of eight acanthus leaves rising above an astragal; from between the leaves of the upper row rise eight stalks, each surmounted by a calyx from which emerge volutes carryingthe corners of the concave sided abacus and central ornaments
- CL ORDER
- BT CORINTHIAN ORDER
- CL STRUCTURAL COMPONENT
- BT CAPITAL

CORINTHIAN COLUMN

- SN A vertical structure usually with an Attic base or spira with slender and elegant design, with a capital decorated with acanthus leaves and an entablature rich in carved ornament.
- CL ORDER
- BT CORINTHIAN ORDER
- CL STRUCTURAL COMPONENT
- BT COLUMN

CORINTHIAN ENTABLATURE

- SN An entablature often of great magnificence with bead and reel between fasciae of the architrave, frieze ornamented with continuous sculpture and cornice, with ornate coffers and richly carved modillions.
- CI ORDER
- BT CORINTHIAN ORDER
- CL STRUCTURAL COMPONENT
- BT ENTABLATURE

CORINTHIAN ORDER

- SN A classical order having a bell shaped capital that is decorated with laurel, olive or acanthus leaves from which CAULICOLI emerge. The shaft is usually fluted and the base is often an Attic base.
- CL ORDER
- NT ATTIC BASE

CORINTHIAN BASE

CORINTHIAN CAPITAL

CORINTHIAN COLUMN

CORINTHIAN ENTABLATURE

CORNER BRACE

- SN A short, horizontal brace set between a tiebeam and a w all plate to strengthen the structure.
- CL STRUCTURAL COMPONENT
- BT BRACE

Corner Capital

USE ANGLE CAPITAL

CORNICE

- SN The upper part of the classical entablature. Also a moulded projection crowning a door, wall, window etc.
- CL STRUCTURAL COMPONENT
- BT ENTABLATURE
- NT BLOCK CORNICE

CORONA

CYMATIUM

MUTULE

RAKING CORNICE

CORNISH ENGINE

- SN A beam steam engine originating in Cornw all, first used for raising water from mines.
- CL MACHINERY
- BT BEAM STEAM ENGINE

CORNUCOPIA

- SN Decorative ornamentation in the form of a horn filled with fruit etc.
- CL DECORATIVE FEATURES

CORONA

- SN A vertical faced projection in the cornice.
- CL STRUCTURAL COMPONENT
- BT CORNICE

CORPS DE LOGIS

- SN The main body of a structure not including wings etc.
- CL PLANS AND DIVISIONS
- BT PLAN COMPONENT

CORRIDOR

- SN A passagew ay w ithin a building providing access to rooms.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

COUNCIL CHAMBER

- SN A assembly room or rooms in w hich a collection of nominated persons meet to transact business of relevant purpose.
- CL AREAS AND SPACES
- BT MEETING ROOM

COUNTER

- UF Sales Counter
- SN A flat-topped, often elongated, construction at w hich customers are served by staff in a commercial establishment such as a bank, shop, inn etc.
- CL FIXTURES AND FITTINGS
- NT BAR

COUNTER APSE

- SN The apse at the west end of the nave in a double-ended church.
- CL STRUCTURAL COMPONENT
- BT APSE

COUNTERSCARP BANK

- SN A low bank on the edge of a defensive ditch on the side aw ay from the main rampart.
- CL BUILDING COMPONENT

COUPLED ROOF

- SN A roof in which pairs of rafters are fixed to the ridge piece and the wall plates without any collars or tiebeams.
- CL STRUCTURAL COMPONENT
- BT ROOF

COURTROOM

- SN The place, hall or chamber in w hich justice is administered.
- CL AREAS AND SPACES
- BT MEETING ROOM

COURTYARD

SN An enclosed area, often surrounded by walls or

buildings.

CL AREAS AND SPACES

BT EXTERNAL AREA OR SPACE

NT ANTECOURT
BASE COURT
CLOISTER GARTH
FORECOURT

COURTYARD PLAN

- UF Quadrangle Plan
- SN A plan of a house where the buildings are around at least three sides of a quadrilateral courtyard.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN
- NT DOUBLE COURTY ARD PLAN

COVE

- SN A large concave moulding.
- CL DECORATIVE FEATURES
- BT MOULDING

Cover Slip

USE BATTEN

COVERED WAY

- UF Alatoria
 - Alatorium
 - Alorium
 - Pentice
 - Slype
- SN A passagew ay or corridor beteen two areas which is covered.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE

Covey

USE PANTRY

Covie

USE PANTRY

Coyn

USE QUOIN

Cradle Roof

USE WAGON ROOF

CRANE

- SN A machine used for lifting materials.
- CL MACHINERY
- NT COALING CRANE
 - DERRICK
 - FLOATING CRANE
 - HYDRAULIC CRANE
 - JIB CRANE
 - MOVING CRANE
 - QUARRY HOIST
 - QUAY CRANE
 - STEAM CRANE
 - TRAVELLING CRANE
 - TREADMILL CRANE
 - WALL CRANE

CREDENCE

- SN In churches a niche, or shelf, within or beside a piscina, or a table for the sacramental elements and vessels. (Source: Pevsner Glossary)
- CL STRUCTURAL COMPONENT
- BT NICHE

RT PISCINA

CREEP

UF Sheep Creep

SN A small opening built into a stone w all or hedge to allow small animals through.

CL AREAS AND SPACES

BT ENTRANCE

Creeper

USE CONVEYOR BELT

Crenel

USE CRENELLATION

CRENELLATION

UF Crenel

Crenelle

Embrasure

SN The openings between the upright blocks, or merlons, of a battlement.

CL STRUCTURAL COMPONENT

BT BATTLEMENT

Crenelle

USE CRENELLATION

CROCKET CAPITAL

SN A capital w hich is decorated w ith stylized leaves similar to small volutes.

CL STRUCTURAL COMPONENT

BT CAPITAL

CROSS ENTRY

SN The entry to a hall through opposed doorways, but w ithout a passage formed by a wall or partition.

CL AREAS AND SPACES

BT ENTRANCE

CROSS GABLE

SN A gable supporting a roof, placed at right-angles to the main part of the roof.

CL STRUCTURAL COMPONENT

BT GABLE

CROSS JOISTING

SN A method of floor construction in w hich sections of joists run at right-angles to one another.

CL STRUCTURAL COMPONENT

BT JOIST

CROSS PASSAGE

SN Entry to a hall through opposing doors with a partition screening the hall and forming a passagew ay.

CL AREAS AND SPACES

BT PASSAGE

CROSS TRANSEPT

SN The transverse portion of a cruciform church, or the arms on either side of the crossing, often with chapels at the east sides and possibly with aisles as well.

CL AREAS AND SPACES

BT TRANSEPT

CROSS TREE

SN Tw o intersecting beams set on the ground to

support a post, usually for a post mill.

CL STRUCTURAL COMPONENT

RT QUARTER BAR

CROSS VAULT

SN A vault created by the intersection of two other vaults set at right angles to each other and of equal size.

CL STRUCTURAL COMPONENT

BT VAULT

CROSS WINDOW

SN A window with a single mullion and a single transom

CL STRUCTURAL COMPONENT

BT WINDOW

CROSS WING

SN A wing joined to the main body of the building with the roof at right angles to the main roof.

CL PLANS AND DIVISIONS

BT WING

CROSSING

SN The intersection and space between the nave, chancel and transepts in a cruciform church.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

RT CROSSING TOWER

CROSSING TOWER

SN A tow er w hich rises above the space at the intersection of the nave, chancel and transepts of a church. Usually pierced by w indow s to provide light directly to the area below.

CL BUILDING COMPONENT

BT TOWER

RT CROSSING LANTERN

Crouds

USE CRYPT

CROWN PLATE

SN A plate in a crown post roof, supported on crown posts and bearing the collars.

CL STRUCTURAL COMPONENT

BT PLATE

CROWN POST

SN An upright timber standing on a tiebeam to support a collar or purlin. Once used as an alternative to king post, this term is now restricted to the shorter post ending at collar level.

CL STRUCTURAL COMPONENT

BT POST

CROWN STEEPLE

SN A steeple in w hich the spire resembles a crown.

CL BUILDING COMPONENT

BT STEEPLE

CROWN STRUT

SN An upright timber similar to a crown post, but not supporting a plate.

CL STRUCTURAL COMPONENT

BT STRUT

CROWN TREE

- SN The main vertical beam standing at the centre of a post mill carrying the bearing upon which the body of the mill rotates.
- CL STRUCTURAL COMPONENT

CROWN WHEEL

- SN The gearw heel on the upright shaft w ithin a w indmill from w hich secondary drives operating other parts of the machinery are powered. are taken
- CL STRUCTURAL COMPONENT

CROWSTEPPED GABLE

- SN A gable with sides shaped like a flight of steps.
- CL STRUCTURAL COMPONENT
- BT GABLE

CRUCIFORM PLAN

- SN A building plan in the shape of a cross.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

CRUCK

- UF Full Cruck
- SN A pair of timbers, or blades, usually curved, rising from a place at or near ground level to a point at or near the apex of a roof, forming an approximately triangular frame on which the subsidiary structure rests.
- CL STRUCTURAL COMPONENT
- BT TRUSS
- NT BASE CRUCK

BLADE

CRUCK SPUR

END CRUCK

JOINTED CRUCK

RAISED CRUCK

UPPER CRUCK

CRUCK SPUR

- SN A short timber connecting a cruck's timber, or blade, to a w all plate.
- CL STRUCTURAL COMPONENT
- BT CRUCK

CRUCK STUD

- SN A stud on the outside of a cruck blade and attached to it.
- CL STRUCTURAL COMPONENT
- BT STUD

CRUSHING CIRCLE

- SN A horse-pow ered apparatus, for the crushing of commodities such as ore or cider apples, consisting of a stone w heel running over a circular iron or stone bed.
- CL MACHINERY

CRYPT

- UF Crouds
- SN A w holly or partially underground chamber, often beneath a chancel, equipped for religious services and usually containing tombs.
- CL AREAS AND SPACES
- BT ROOM
- NT ARCOSOLIUM RING CRYPT

Cube Capital

USE **CUSHION CAPITAL**

CUPBOARD

- SN A recess, often containing shelves and usually fitted with a door or doors, used for the storage of items.
- CL STRUCTURAL COMPONENT
- CL FIXTURES AND FITTINGS
- NT AUMBRY WARDROBE

CUPOLA

- SN A small dome on top of a larger dome, roof etc.
- CL BUILDING COMPONENT

CURTAIN WALL

- SN A wall connecting two pavilions, bastions, towers etc..
- CL STRUCTURAL COMPONENT
- BT WALL

CUSHION CAPITAL

- JF Block Capital
 - Cube Capital
 - Pillow Capital
- SN A cube-shaped capital with its lower corners rounded to facilitate the transition from the circular shaft below to the square abacus it supports.
- CL STRUCTURAL COMPONENT
- RT CAPITAL
- NT SCALLOPED CAPITAL

CUTWATER

- SN The w edge shaped end of a bridge pier designed to break the current of w ater.
- CL STRUCTURAL COMPONENT

CYCLE RACK

- SN A structure used for the secure storage of bicvcles.
- CL FIXTURES AND FITTINGS

CYMA RECTA

- UF Ogee Moulding
- SN A decorative S-shaped moulding, usually placed at the top of a cornice, with a convex lower half and a concave upper half.
- CL DECORATIVE FEATURES
- BT MOULDING
- RT OGEE

CYMA REVERSA

- SN A decorative S-shaped moulding, usually placed at the top of a cornice, with a concave lower half and a convex upper half.
- CL DECORATIVE FEATURES
- BT MOULDING

CYMATIUM

- SN The top of a cornice in an entablature.
- CL STRUCTURAL COMPONENT
- BT CORNICE

DADO (PEDESTAL)

- UF Die
- SN The area betw een the base and the cornice of a plinth.

CL STRUCTURAL COMPONENT

ВТ **PEDESTAL**

DADO (WALL)

The low er area of a interior wall between the skirting board and the dado rail

CL STRUCTURAL COMPONENT

WALL

DADO RAIL RT

DADO RAIL

A wall-mounted moulding defining the upper edge of the dado, intended to protect the wall's surface from damage caused by chairs being pushed against it.

CL DECORATIVE FEATURES

MOULDING RT

RT DADO (WALL)

DAIS

SN A raised platform at the end of a hall on which the high table sat, though sometimes used to describe the table itself.

STRUCTURAL COMPONENT CL

DAIS BEAM

SN A decorated beam, above the dais or high table, attached to the partition at the upper end of a hall.

STRUCTURAL COMPONENT CL

BT **BEAM**

DAIS CANOPY

A framed canopy suspended above the dais or high table at the upper end of a hall.

STRUCTURAL COMPONENT

DANCE FLOOR

An open floor surface for dancing.

AREAS AND SPACES

DASHWHEEL

An early washing machine used in bleaching w orks for w ashing calico and other textiles.

MA CHINERY CI

DAY ROOM

SN A communal living room.

AREAS AND SPACES

MEETING ROOM BT

Deambulatory

USE AMBULATORY (EXTERNAL)

Dean Hole

USE PRIESTS HOLE

DEBATING ROOM

A chamber where discussions of issues take place, often found at universities.

AREAS AND SPACES

MEETING ROOM

DECORATED PANEL

Inscribed Panel Painted Panel

A panel, usually wooden or stone, painted or engraved with an illustration or inscription.

STRUCTURAL COMPONENT CI

RT **PANEL**

DECORATIVE FEATURES

A component part that is designed deliberately for decorative purposes.

CL **DECORATIVE FEATURES**

NT ACHIEVEMENT OF ARMS

> ANIMAL FIGURE **ANTEFIX ARCHIVOLT**

AUREOLE CAMOUFLAGE

CARTOUCHE

CEILING PAINTING **CORNUCOPIA**

DECORATIVE PLASTERWORK

DENTIL DIA PER

EGG AND DART

FINIAL

FLORAL FEATURE **FLUSHWORK GRAFFITO GUTTAE**

HUMAN FIGURE KEY PATTERN **KNOTWORK MEDALLION** MOULDING OGFF

OVERMANTEL **OVERTHROW PAINTING PANELLING PATERA**

PICTURE FRAME

PINNA CLE **REBUS SCULPTURE** SPIRAL FLUTING STONE CARVING **STRAPWORK**

TILING TRACERY VOLUTE

WALL PAINTING **WALLPAPER**

DECORATIVE PLASTERWORK

An area of plasterw ork modelled or incised with ornamental designs or motifs.

CL **DECORATIVE FEATURES**

NT **PARGETTING**

Demi Column

USE COLUMN

DENTIL

SN One of a series of small, rectangular blocks arranged like a row of teeth, projecting from the low er part of a cornice in many classical orders.

CL DECORATIVE FEATURES

DERRICK

A machine for hoisting or moving heavy weights, consisting of a spar or boom set up obliquely, with its head steadied by guys, and furnished with suitable tackle and purchases.

CI **MACHINERY**

CRANE

DETACHED COLUMN

- UF Insulated Column
- SN An unengaged, or free-standing, column.
- CL STRUCTURAL COMPONENT
- BT COLUMN

Diaconicon

USE SACRISTY

DIAGONAL BUTTRESS

- SN A buttress placed at the exterior corner of a building, forming a 135 degree angle with the walls it supports.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS

DIAMOND MULLION

- SN A mullion of square section set diagonally.
- CL STRUCTURAL COMPONENT
- BT MULLION

DIAPER

- SN A decorative, repeating geometric pattern, utilizing motifs such as lozenges, leaves etc., applied to a wall or panel, or incorporated into brickwork by laying different coloured bricks in a series of squares, diamonds.
- CL DECORATIVE FEATURES

Die

USE DADO (PEDESTAL)

DIESEL ENGINE

- SN Internal combustion engine powered by diesel fuel.
- CL MACHINERY
- BT INTERNAL COMBUSTION ENGINE
- NT COMBINED DIESEL AND GAS TURBINE

DIMINISHED PRINCIPAL

- SN A principal that has been reduced to the same thickness as a common rafter where the roof has clasped purlins.
- CL STRUCTURAL COMPONENT
- BT PRINCIPAL

DINING ROOM

- UF Tearoom
- SN A room, furnished with tables and chairs, where meals and refreshments are served and consumed.
- CL AREAS AND SPACES
- BT ROOM
- NT BANQUETING HALL BREAKFAST ROOM

CANTEEN

HINDS HALL

REFECTORY

DIOCLETIAN WINDOW

- UF Therm
 - Thermal Window
- SN A semi-circular opening or window divided, by two mullions, into three sections, the central section being wider than those either side of it.
- CL STRUCTURAL COMPONENT
- BT MULLIONED WINDOW

DIRECT ENTRY PLAN

- SN A plan in w hich entry is directly into a room w ithout being situated opposite a fireplace.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

Discharging Arch

USE RELIEVING ARCH

DISK ENGINE

- SN A hydraulic engine patented in 1830 comprising a large specially shaped cast-iron outer casing enclosing a close-fitting but separate solid globe.
- CL MACHINERY
- BT HYDRAULIC ENGINE

DISPLAY CASE

- SN An enclosed structure, usually glass fronted, designed to contain, and facilitate the viewing of, objects or notices. May be built into the fabric of a room, affixed to an exterior or exterior wall or free standing.
- CL FIXTURES AND FITTINGS

DOGLEG STAIRCASE

- SN A staircase divided into two parallel flights joined by a landing with no well between the outer strings.
- CL BUILDING COMPONENT
- BT STAIRCASE

DOGTOOTH MOULDING

- SN A decorative moulding featuring a repeating starlike motif carved in relief.
- CL DECORATIVE FEATURES
- BT MOULDING

DOME

- SN A roof, circular in plan, usually semicircular in section, over a circular, square or polygonal base.
- CL STRUCTURAL COMPONENT

DOOR

- SN The entrance to a building, apartment or any enclosure consisting of a movable barrier, usually lockable, of wood or other materials.
- CL STRUCTURAL COMPONENT
- NT BATTENED DOOR

HECK DOOR

JIB DOOR

PANELLED DOOR

PLANKED DOOR

PRIESTS DOOR

STUDDED DOOR

TRAPDOOR

WICKET

RT A EDICULE (FRAME)

DOORCASE

DOORWAY

DRAW BAR

FANLIGHT

DOOR LINTEL

- SN A lintel over a door.
- CL STRUCTURAL COMPONENT
- BT LINTEL

DOOR POST

- SN A vertical upright on either side of a door.
- CL STRUCTURAL COMPONENT
- BT POST
- RT JAMB

DOORCASE

- SN The w ood, stone or brick framew ork, lining a doorw ay, from w hich the door is hung.
- CL STRUCTURAL COMPONENT
- RT DOOR
 - DOORWAY

DOORWAY

- SN The space in w hich a door is placed, allowing passage through.
- CL AREAS AND SPACES
- BT ENTRANCE
- RT DOOR

DOORCASE

TRUMEAU

DORIC BASE

- SN A base of the Roman Doric order with a torus, an astragal and a fillet.
- CL ORDER
- BT DORIC ORDER
- CL STRUCTURAL COMPONENT
- BT BASE

DORIC CAPITAL

- SN A capital with an abacus, ovolo, neck and astragal.
- CL ORDER
- BT DORIC ORDER
- CL STRUCTURAL COMPONENT
- BT CAPITAL

DORIC COLUMN

- SN A column that is equidistant, with intercolumniations, even at the corners, with two or more triglyphs over each intercolumniation.
- CL ORDER
- BT DORIC ORDER
- CL STRUCTURAL COMPONENT
- BT COLUMN

DORIC ENTABLATURE

- SN An entablature with a plain architrave or principal beam over which are the frieze and cornice.
- CL STRUCTURAL COMPONENT
- BT ENTABLATURE
- CL ORDER
- BT DORIC ORDER

DORIC ORDER

- SN A classical order with metopes and triglyphs in the frieze. Greek Doric has no base and a fluted column but Roman Doric does have a base and may or may not have a fluted column.
- CL ORDER
- NT DORIC BASE

DORIC CAPITAL

DORIC COLUMN

DORIC ENTABLATURE

METOPE

TRIGLYPH

DORMER

- SN A chamber usually used for sleeping.
- CL STRUCTURAL COMPONENT

DORMER WINDOW

- SN A projecting vertical window in the sloping roof of a house.
- CL STRUCTURAL COMPONENT
- BT WINDOW

DORMITORY

- UF Dorter
- SN A sleeping apartment usually containing a number of beds and sometimes partitioned into cubicles.A room for sleeping in, usually for a number of beds.
- CL AREAS AND SPACES
- BT RETIREMENT ROOM
- NT WARD

Dorter

USE DORMITORY

DOUBLE ARCH BRACED TRUSS

- SN A truss in w hich two pairs of arch braces form a continuous curve from the w all-heads or below to meet in the centre of the collar.
- CL STRUCTURAL COMPONENT
- BT TRUSS

DOUBLE COURTYARD PLAN

- SN Two linked quadrangular open areas surrounded by walls or buildings.
- CL PLANS AND DIVISIONS
- BT COURTY ARD PLAN

DOUBLE DEPTH PLAN

- SN A plan in w hich the building is two rooms deep but has no central corridor.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

DOUBLE PILE PLAN

- SN An English seventeenth century house plan consisting of a rectangular block two rooms deep, the rooms sometimes separated by a passage.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

Double Suntrap Plan

USE BUTTERFLY PLAN

DOVECOTE

- SN A shelter for doves or pigeons, often containing nesting boxes, either free-standing or built into other structures (barns, towers etc.). If a dedicated, free-standing structure, index with MONUMENT TYPE: DOVECOTE.
- CL BUILDING COMPONENT
- RT NEST HOLE

DOVETAIL JOINT

- SN A joint in which the end is shaped like a dovetail.
- CL STRUCTURAL COMPONENT
- BT JOINT
- NT LAP DOVETAIL JOINT

Dow npipe

USE RAINWATER PIPE

DOWNWARD BRACE

- SN A brace running from a vertical to a low er horizontal timber.
- CL STRUCTURAL COMPONENT
- BT BRACE

DRAGON BEAM

- SN A horizontal member cutting through the corner formed by two walls to act as a support to a hip rafter to support jetties on two adjacent sides of an upper floor.
- CL STRUCTURAL COMPONENT
- BT BEAM

DRAGON TIE

- SN A horizontal brace linking tiebeam and w all plate, or adjacent w all plates at the corner of a hipped roof.
- CL STRUCTURAL COMPONENT
- BT BRACE

DRAW BAR

- SN A w ooden bar sliding from a long channel at one side of a doorw ay into a socket in the other jamb so as to bar the door.
- CL STRUCTURAL COMPONENT
- RT DOOR

DRAW LOOM

- SN A hand-operated loom on w hich figured cloth could be w oven, also know n as a draw ing engine.
- CL MACHINERY
- BT LOOM

DRAWING ROOM

- UF Withdraw ing Chamber Withdraw ing Room
- SN A room to withdraw to from the dining room.
- CL AREAS AND SPACES
- BT MEETING ROOM

Dresser

USE SIFTER

DRESSING ROOM

- SN A room, particularly in a house or theatre, intended for dressing or changing one's clothes and furnished with wardrobes, dressing tables and other facilities for the application of make-up, styling of hair etc.
- CL AREAS AND SPACES
- BT ROOM
- RT CHANGING ROOM

Drip Mould

USE DRIPSTONE

DRIPSTONE

- UF Drip Mould Hood Mould
- SN A moulding that projects from a w all above an exterior opening and is shaped to channel rainw ater aw ay from it.
- CL DECORATIVE FEATURES
- BT MOULDING
- NT LABEL
 - SHELL HOOD
- RT LABEL STOP

DRIVE

- UF Drive Mechanism
- SN The primary mechanism w ithin an engine or device that transmits motion, especially rotary motion, to w heels, cogs, turntables etc.
- CL MACHINERY

Drive Mechanism

USE DRIVE

DROP ARCH

- SN A pointed, two centred, arch whose span is greater than its height.
- CL STRUCTURAL COMPONENT
- BT POINTED ARCH

DROPPED TIEBEAM

- SN A transverse ceiling beam set below w all-plate level in order to increase head room w ithin the roof space; it carries knee principals, or the struts or braces of an interrupted tiebeam truss.
- CL STRUCTURAL COMPONENT
- BT TIEBEAM

DRUM

- SN A polygonal or circular stone forming part of the shaft of a column.
- CL STRUCTURAL COMPONENT
- BT COLUMN

DUNGEON

- SN A chamber for the incarceration of one or more prisoners.
- CL AREAS AND SPACES
- BT ROOM
- NT OUBLIETTE

DUPLEX PUMP

- SN A type of direct-acting, tw in cylinder steam driven w ater pump.
- CL MACHINERY
- BT PUMP

DWARF TRANSEPT

- SN A transept in w hich the two w ings that extend beyond the w alls of the nave are low er than the nave and the crossing of the church.
- CL AREAS AND SPACES
- BT TRANSEPT

E SHAPE PLAN

- SN A plan type of a hall with two wings and a central porch.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

EARTH CLOSET

- SN A w ooden commode containing earth, w hich w as used to cover and absorb human w aste. An alternative, and rival, to the w ater closet.
- CL BUILDING COMPONENT

EASTER SEPULCHRE

- SN A recess, usually situated in the north wall of a chancel, often canopied, containing a decorated tomb chest representing the burial and resurrection of Christ.
- CL BUILDING COMPONENT

RT TOMB

EAVE

SN The edge of a roof that hangs over the wall.

CL STRUCTURAL COMPONENT

BT ROOF

NT EAVES BOARD

EAVES BOARD

SN A board on the low er edge of a sloping roof which protects the top of the external wall.

CL STRUCTURAL COMPONENT

BT EAVE

EAVES DRIP GULLY

SN A feature formed by water falling from the roof of a building and creating a linear or curving indentation in the ground.

CL IMPLIED FEATURE

ECHINUS MOULDING

SN An ovolo moulding below the abacus of a Doric or Ionic Capital.

CL DECORATIVE FEATURES

BT MOULDING

EDGE ROLL MOULDING

SN A rounded or convex moulding, such as an ovolo or torus.

CL DECORATIVE FEATURES

BT MOULDING

Egg And Anchor

USE EGG AND DART

EGG AND DART

UF Egg And Anchor

Egg And Leaf

Egg And Tongue

SN Decorative ornamentation consisting of alternating oval and V-shaped motifs, used to enrich ovolo mouldings.

CL DECORATIVE FEATURES

Egg And Leaf

USE EGG AND DART

Egg And Tongue

USE EGG AND DART

Elevator

USE LIFT

ELLIPTICAL ARCH

SN An arch which is half an ellipse.

CL STRUCTURAL COMPONENT

BT ARCH

EMBATTLED MOULDING

SN A decorative moulding featuring a geometric pattern suggesting the crenelles and merlons of a battlement.

CL DECORATIVE FEATURES

BT MOULDING

Embattlement

USE BATTLEMENT

Embrasure

USE CRENELLATION

END CRUCK

SN A cruck blade, sometimes jointed, set in the centre of a gable wall, usually of a cruck-framed building.

CL STRUCTURAL COMPONENT

BT CRUCK

END HALL PLAN

SN A medieval plan w ith the hall situated at one end of the main range.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

END LOBBY ENTRY PLAN

SN A plan featuring a lobby entry, situated at one end of a side w all, w hich provides access to one room only.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

Engaged Baluster

USE SPLIT BALUSTER

ENGAGED COLUMN

UF Attached Column

SN A column that is attached to or partly sunk into a w all or pier.

CL STRUCTURAL COMPONENT

BT COLUMN

RT A PPLIED COLUMN

ENGINE

SN A piece of machinery used to convert energy of one sort (for instance steam) into motive energy.

CL MACHINERY

NT BARRING ENGINE

BLOWING ENGINE

FIXED ENGINE

GRASSHOPPER ENGINE

HOT AIR ENGINE

HYDRAULIC ENGINE

INTERNAL COMBUSTION ENGINE

SCOTCH CRANK ENGINE

STEAM ENGINE

ENTABLATURE

SN In the Classical Orders, the horizontal assembly of architrave, frieze and cornice carried upon columns and pilasters.

CL STRUCTURAL COMPONENT

NT ARCHITRAVE

COMPOSITE ENTABLATURE

CORINTHIAN ENTABLATURE

CORNICE

DORIC ENTABLATURE

FRIEZE

IONIC ENTABLATURE

TUSCAN ENTABLATURE

ENTERCLOSE

SN A passage betw een two rooms in a house or leading from the door to the hall.

CL AREAS AND SPACES

BT PASSAGE

ENTRANCE

SN A place of entry into a site, monument or building.

CL AREAS AND SPACES

NT ADIT

CARRIAGE ENTRANCE

CREEP

CROSS ENTRY

DOORWAY

ENTRANCE HALL

GATEWAY

ENTRANCE BLOCK

SN A building forming part of a complex or larger establishment, such as a w orkhouse, that serves as an entrance equipped w ith facilities associated w ith procedures undergone by new arrivals.

CL BUILDING COMPONENT

ENTRANCE HALL

SN The passage, area, lobby, room or vestibule into which a building's main entrance opens.

CL AREAS AND SPACES

BT HALL (COMMUNAL) ENTRANCE

Epistyle

USE ARCHITRAVE

EQUILATERAL ARCH

SN An arch whose height is equal to its span.

CL STRUCTURAL COMPONENT

BT ARCH

ESCALATOR

SN Staircase w hose moving steps are driven mechanically w hilst remaining permanently in a horizontal plane allowing users or objects to be moved effortlessly from one level to another, within or outside a building.

CL BUILDING COMPONENT

BT STAIRCASE

CL MACHINERY

ESCUTCHEON

SN A decorative feature of a shield for armorial bearings.

CL DECORATIVE FEATURES

BT ACHIEVEMENT OF ARMS

Ew ery

USE SCULLERY

EXAMINATION HALL

SN A large room within a school or college used and appropriately furnished for the sitting of examinations by students..

CL AREAS AND SPACES

BT COLLEGE HALL

EXEDRA

SN A semicircular niche or recess in a wall.

CL STRUCTURAL COMPONENT

BT NICHE

RT APSE

EXERCISE YARD

UF Airing Yard

SN A yard intended for the purpose of taking exercise, for example w ithin the grounds of a prison.

CL AREAS AND SPACES

BT EXTERNAL AREA OR SPACE

EXTERNAL AREA OR SPACE

SN A space or area that is outside a building.

CL AREAS AND SPACES

NT AMBITUS

AMBULATORY (EXTERNAL)

ANTEPORTICO

ATRIUM (ECCLESIASTICAL)

BAILEY

BOATING POOL

COURTYARD

COVERED WAY

EXERCISE YARD

PADDLING POOL

PARADISE

PARVIS

PERGOLA

EXTERNAL STAIRCASE

SN A flight of stairs, situated on a building's exterior, extending to an upper storey.

CL BUILDING COMPONENT

BT STAIRCASE

EXTRACTION ENGINE

SN A compound steam engine with provision for bleeding off some steam after it has passed through the high pressure cylinder and before it enters the low pressure cylinder.

CL MACHINERY

BT COMPOUND STEAM ENGINE

EXTRADOS

SN The outer curve of an arch or vault.

CL STRUCTURAL COMPONENT

BT ARCH

RT INTRADOS

FACADE

SN The external face or elevation of a building, especially the principal front.

CL STRUCTURAL COMPONENT

NT ASTYLAR

FACE HALVED JOINT

SN A joint in w hich the side, or face, of a timber has been squarely cut aw ay to fit into a corresponding cut-aw ay in the side of another member.

CL STRUCTURAL COMPONENT

BT JOINT

FAIRBAIRN JIB CRANE

SN A specialised form of crane, usually employed on a dockside, featuring a curving, solid jib.

CL MACHINERY

BT JIB CRANE

FAIRBAIRNS LEVER

SN A mechanical testing machine used to carry out pioneering tests on various materials, particularly cast-iron beams, to determine practical data on their strength and other properties.

CL MACHINERY

FALSE ARCH

SN An arch built by corbelling or cantilevering in from both sides with horizontal joints.

CL STRUCTURAL COMPONENT

BT ARCH

FALSE GABLE

SN A gable without a roof behind it.

CL STRUCTURAL COMPONENT

BT GABLE

FALSE HAMMER BEAM

SN A transverse timber resembling a hammer beam but w ithout a hammer post above, being braced to a principal or collar instead.

CL STRUCTURAL COMPONENT

BT BEAM

FALSE HAMMER BEAM TRUSS

SN A truss with a transverse timber like a hammerbeam, but braced to a principal or collar without a hammer-post.

CL STRUCTURAL COMPONENT

BT TRUSS

FAN CARRIAGE

SN A w heeled device supporting a w indmill's fantail that moves around a trackw ay thus turning the w indmill into the w ind.

CL STRUCTURAL COMPONENT

RT FANTAIL

FAN VAULT

SN A vault composed of concave cones, inverted and overlaid w ith ribs that rise from the springing of the vault and diverge equally in different directions, producing an effect like the ribs of an opened fan.

CL STRUCTURAL COMPONENT

BT RIBBED VAULT

FANLIGHT

SN A semi-circular w indow, often decorated and w ith its glazing bars radiating like the ribs of an opened fan, set above a door.

CL STRUCTURAL COMPONENT

BT WINDOW

RT DOOR

FANTAIL

SN A bladed w heel attached to the rear, and at right angles to the main sails, of a w indmill. Connected to w inding gear, the fantail w ould catch the w ind w hen it changed direction, allow ing the mill to move automatically into the w ind.

CL STRUCTURAL COMPONENT

RT FAN CARRIAGE

FASCIA

SN One of two or three bands on a classical architrave, each projecting slightly beyiond the one below, often separated by enriched mouldings. Also a vertical band or board, such as that over a shop front on w hich its name is painted.

CL STRUCTURAL COMPONENT

BT ARCHITRAVE

FASTENING

SN An item used to fasten, bind or join one item to another.

CL STRUCTURAL COMPONENT

NT ARMILLA

BRACE

HINGE

JOINT KEY

PIVOT

FEATURE

SN An archaeological component which cuts, overlies or abuts other features such as ditches, pits and building foundations.

CL UNASSIGNED

FERETORY

SN An area in a church, sometimes defined by screens, containing a shrine. Also a shrine, usually portable, containing religious relics.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

FEVER WARD

SN An area of a building or complex, such as a w orkhouse, hospital or prison used to house infirm inmates suffering from fever.

CL AREAS AND SPACES

BT WARD

FILLET

SN A plain, narrow moulding or area, sometimes projecting, separating two decorated mouldings or features such as the vertical grooves on a fluted column.

CL DECORATIVE FEATURES

BT MOULDING

FINIAL

SN The shaped projection on the top of a new el post or at the apex of a gable.

CL DECORATIVE FEATURES

NT BALL FINIAL

FIRE WINDOW

SN A small w indow placed to cast light upon a fireplace.

CL STRUCTURAL COMPONENT

BT WINDOW

FIREBACK

UF Chimney Back

SN The heat-resistant wall, or sometimes decorative cast iron panel, at the back of a fireplace.

CL STRUCTURAL COMPONENT

BT FIREPLACE

FIREPLACE

SN The opening at the base of a chimney stack.

CL STRUCTURAL COMPONENT

NT FIREBACK INGLENOOK

RT MANTELPIECE

FIRING STEP

SN A cutting, bank or block positioned against the w all of a trench, fort, parapet etc. to allow riflemen to shoot over the crest of the w all or parapet from a standing position.

CL STRUCTURAL COMPONENT

NT BANQUETTE

FIRST AID ROOM

- SN A room set aside for the initial treatment of injuries sustained for example in public amenities such as lidos.
- CL AREAS AND SPACES
- BT ROOM

FITNESS SUITE

- SN A room or rooms containing fitness equipment such as running machines and weights.
- CL AREAS AND SPACES
- BT RECREATION ROOM

FIXED ENGINE

- SN A stationary w inding steam engine positioned at the top of a railw ay incline for hauling up trains and locomotives.
- CL MACHINERY
- BT ENGINE

FIXED QUAY CRANE

- SN A crane that is fixed to a quay and used for the loading and unloading of cargo.
- CL MA CHINERY
- BT QUAY CRANE

FIXTURES AND FITTINGS

- SN Accessories used in furnishing and embellishing a building or structure.
- CL FIXTURES AND FITTINGS
- NT ALTAR
 - ALTAR RAIL
 - **AMBO**
 - **BATH**
 - BOOT SCRAPER
 - **CHANDELIER**
 - CLIMBING WALL
 - **CONFESSIONAL**
 - COUNTER
 - **CUPBOARD**
 - CYCLE RACK
 - DISPLAY CASE
 - **FONT**
 - **FUSEBOX**
 - **GRILLE**
 - LAMP
 - LECTERN
 - **MANTELPIECE**
 - ORGAN
 - OVEN
 - PEW PLATFORM
 - **PISCINA**
 - PULPIT
 - RAILING
 - RELIGIOUS ELEMENTS
 - RETABLE
 - SCONCE
 - SEAT
 - SHELF
 - SHRINE
 - SIGN
 - STOUP
 - SWIMMING POOL
 - TABERNACLE
 - TRUNKING
 - VAT
 - WALL SAFE
 - WATER TANK

YORKSHIRE SQUARE

FLAT ARCH

- SN An arch w hich is formed by keystones but is flat like a lintel
- CL STRUCTURAL COMPONENT
- BT ARCH

FLAT ROOF

- SN A roof with a slope of less than ten degrees to the horizontal
- CL STRUCTURAL COMPONENT
- BT ROOF

FLECHE

- SN A spire, or spirelet surmounting a roof, especially over the crossing of a French Gothic Cathedral.
- CL STRUCTURAL COMPONENT
- BT SPIRE

FLEMISH GABLE

- SN A gable with curved sides and an identifiable pediment.
- CL STRUCTURAL COMPONENT
- BT GABLE

FLEUR DE LYS

- SN Decorative ornamentation of a formalized lily.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

FLEURON

- SN Decorative ornamentation of a flow er or leaf.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

FLITCHED BEAM

- SN A composite beam of timber strengthened by an iron plate, or plates, used in the construction of 18th and 19th century timber framed mills and w arehouses.
- CL STRUCTURAL COMPONENT
- BT BEAM

FLOATING CRANE

- SN A mobile crane which floats on water.
- CL MACHINERY
- BT CRANE

FLOOR

- SN The low er, horizontal surface of a room on w hich people w alk. Can also mean a storey of a building.
- CL STRUCTURAL COMPONENT
- NT MOSAIC

FLORAL FEATURE

- SN A decorative feature in the style of a flow er or plant. Use more specific term.
- CL DECORATIVE FEATURES
- NT ACANTHUS
 - ANTHEMION
 - ARABESQUE
 - BALL FLOWER
 - BAY LEAF
 - CAULICOLI
 - FLEUR DE LYS
 - FLEURON
 - PALMETTE

ROSETTE TUDOR FLOWER TUDOR ROSE

FLOUR MILL

- SN A machine, usually contained in a building called a flour mill w hich reduces grain into constituent parts or 'streams' w hich include flour. For a Flour Mill building use FLOUR MILL in Monument Type.
- CL MACHINERY
- NT COMBINATION MILL

ROLLER MILL STONE MILL

FLUE

- SN A duct or channel for hot air to travel through.
- CL STRUCTURAL COMPONENT

FLUSHWORK

- SN The use of knapped flint applied to a wall to form a decorative pattern.
- CL DECORATIVE FEATURES

FLUTING

- SN A concave groove or series of grooves.
- CL STRUCTURAL COMPONENT

FLYING BUTTRESS

- SN A buttress set aw ay from the structure it supports, joined to it by an arch.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS
- RT ARCH BUTTRESS

FLYING SHUTTLE

- SN A device patented in 1733 for speeding up the w eaving of cloth.
- CL MACHINERY

FONT

- SN A receptacle to hold water used in baptism usually found in a baptistery or nave of a church.
- CL FIXTURES AND FITTINGS
- NT IMMERSION FONT

FOOD PREPARATION ROOM

- SN A room in w hich food is prepared.
- CL AREAS AND SPACES
- BT ROOM
- NT BAKERY

BREAD ROOM

BUTTERY

CAMBA

KITCHEN

LARDER

PANTRY

FOREBUILDING

- SN A subsidiary tower or projection attached to the front of a keep containing access to its first floor entrance
- CL BUILDING COMPONENT
- BT TOWER

Forechoir

USE ANTECHOIR

Forechurch

USE ANTECHURCH

FORECOURT

- SN An enclosed area in front of a structure.
- CL AREAS AND SPACES
- BT COURTY ARD

FOUNDATION

- SN The low est part, or base, of a structure, sometimes built into the ground, on w hich the w eight of the w hole rests.
- CL STRUCTURAL COMPONENT

FOUNDATION STONE

- SN A stone, usually inscribed, laid during a ceremony to commemorate the founding of a new building
- CL STRUCTURAL COMPONENT

FOUR CENTRED ARCH

- SN A pointed arch w hich, on a plan, is shown to be constructed around four arcs: two centred below and two centred upon the springing line, w hich is the level at w hich the vertical sides of the arch begin to curve.
- CL STRUCTURAL COMPONENT
- BT ARCH

FOURDRINIER MACHINE

- SN A machine for making paper in a continuous length.
- CL MACHINERY

FOURNEYRON WATER TURBINE

- SN An outward radial flow reaction water turbine.
- CL MA CHINERY
- BT WATER TURBINE

Foyer

USE LOBBY

FRANCIS WATER TURBINE

- SN A mixed-flow reaction water turbine, developed in the USA in 1840 by James Bichino Francis, in which water enters the runner radially and leaves axially.
- CL MACHINERY
- BT WATER TURBINE

Frater

USE REFECTORY

FRENCH WINDOW

- SN A casement window, carried down to floor level, and opening like two-leafed glazed doors to a garden, veranda or terrace.
- CL STRUCTURAL COMPONENT
- BT CASEMENT WINDOW

FRESCO

- SN A two dimensional image using paint applied to plasterw ork w hilst the plaster is still damp.
- CL DECORATIVE FEATURES
- BT WALL PAINTING

FRET BAND

- SN Decorative ornamentation of a key pattern
- CL DECORATIVE FEATURES
- BT BAND (MOULDING)

FRIEZE

SN The middle section, between the architrave and

the cornice, of an entablature.

CL STRUCTURAL COMPONENT

BT ENTABLATURE

NT METOPE

PULVINATED FRIEZE

TRIGLY PH

FRIGIDARIUM

UF Cold Bath

SN The cold room in a Roman baths.

CL AREAS AND SPACES

BT ROOM

RT CALDARIUM

PALAESTRA

TEPIDA RIUM

Full Cruck

USE CRUCK

FUMIGATORY

SN A room w ithin a building or complex, such as a w orkhouse, used for purifying objects w ith smoke.

CL AREAS AND SPACES

BT ROOM

FUNCTION ROOM

SN A room set aside w ithin a building w here social and other functions such as parties, presentations and meetings can be held.

CL AREAS AND SPACES

BT ROOM

Fuse Box

USE FUSEBOX

FUSEBOX

UF Fuse Box

SN A box or cupboard enclosing the fuses for the electrical circuits w ithin a building.

CL FIXTURES AND FITTINGS

GABLE

SN The part of the wall that supports a pitched roof at the end of the roof.

CL STRUCTURAL COMPONENT

NT AILERON

CROSS GABLE

CROWSTEPPED GABLE

FALSE GABLE

FLEMISH GABLE

GABLET

RT APEX STONE

GABLE ENTRY PLAN

SN A plan of a building where the entrance is in the gable wall.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

GABLED ROOF

SN The commonest type of roof with sloping sides meeting at a ridge and with a gable at each end.

CL STRUCTURAL COMPONENT

BT ROOF

GABLET

SN A small gable above a hipped roof. Also used ornamentally, such as on a buttress or over a niche.

CL STRUCTURAL COMPONENT

BT GABLE

GADROON

SN A convex, finger-like moulding, usually applied in a series to form a pattern of ridges.

CL DECORATIVE FEATURES

BT MOULDING

GALILEE

SN A lobby or chapel at the w estern entrance of a church. Sometimes a place of burial, an area reserved for w omen, or a place w here monks could meet female relatives.

CL AREAS AND SPACES

BT CHAPEL

RT NARTHEX (MEDIEVAL)

Gallery (Chapel)

USE GALLERY (ECCLESIASTICAL)

Gallery (Church)

USE GALLERY (ECCLESIASTICAL)

GALLERY (ECCLESIASTICAL)

UF Gallery (Chapel)

Gallery (Church)

SN An upper story in a chapel, church or cathedral, situated above the aisle and below the clerestory, often arcaded and sometime called a Tribune.

CL BUILDING COMPONENT

NT MUSICIANS GALLERY

ORGAN LOFT

GALLERY (SECULAR)

SN A long room for recreation, often on an upper

CL AREAS AND SPACES

BT ROOM

NT LONG GALLERY

MUSICIANS GALLERY

PICTURE GALLERY

Gambrel Roof

USE MANSARD ROOF

GAME LARDER

UF Venison Larder

SN A store for undressed meat, usually for keeping grouse, partridge, pheasant or rabbit in a cool environment.

CL AREAS AND SPACES

BT LARDER

GAMESROOM

UF Shovelboard Parlour

SN A room in w hich board and table games are usually played.

CL AREAS AND SPACES

BT RECREATION ROOM

NT BILLIARD ROOM

GARDEROBE (TOILET)

SN A latrine built into, or projecting beyond, the wall of a medieval castle featuring a stone or wooden seat situated above a pit or the castle moat.

CL BUILDING COMPONENT

Garderobe (Wardrobe)

USE WARDROBE

GARGOYLE

- SN A projecting spout to throw water from a gutter away from the wall, frequently decorated with grotesque figures to spew out evil away from the House of God.
- CL DECORATIVE FEATURES
- BT ANIMAL FIGURE HUMAN FIGURE

GARRET

- SN An apartment contained, wholly or partially, within the roof space of a house.
- CL AREAS AND SPACES
- BT ATTIC

GAS ENGINE

- SN An internal combustion heat engine w hich uses gas as its fuel, and acts as a prime mover or pow er source for driving other machinery.
- CL MACHINERY
- BT INTERNAL COMBUSTION ENGINE

GAS TURBINE

- SN A heat engine prime mover in w hich hot gases or hot air expand as they pass through and rotate vanes attached to a central shaft, enclosed in a chamber.
- CL MACHINERY
- BT TURBINE
- NT COMBINED DIESEL AND GAS TURBINE COMBINED STEAM AND GAS TURBINE

GATE

- SN A movable barrier, usually external, within an opening in a wall, fence, hedge or similar.
- CL STRUCTURAL COMPONENT
- NT PORTCULLIS
- RT GATEWAY

GATE PIER

- SN A pier w hich supports a gate.
- CL STRUCTURAL COMPONENT
- BT PIER

GATEWAY

- SN A form of entrance closed by a gate.
- CL AREAS AND SPACES
- BT ENTRANCE
- RT GATE

Giant Order

USE COLOSSAL ORDER

GIBBS SURROUND

- SN An architrave surrounding a door, window or niche interrupted by large blocks of stone, and often by a massive keystone set under a pediment. Named after the architect James Gibbs (1682-1754).
- CL STRUCTURAL COMPONENT
- BT ARCHITRAVE

Gigantic Order

USE TUSCAN ORDER

SN Alternative name for the Tuscan Order according

to Vincenzo Scamozzi. Not to be confused with COLOSSAL ORDER.

GIRDING BEAM

- SN A beam that is part of a frame in a wall.
- CL STRUCTURAL COMPONENT
- BT BEAM

GLAZING BAR

- SN A moulded bar or baton dividing the panes of glass within a window light.
- CL STRUCTURAL COMPONENT
- RT LIGHT WINDOW

Glory

USE AUREOLE

GOVERNOR

- SN A device w hich automatically controls a particular funtion w ithin a machine or mechanism, such as regulating the gap betw een millstones in a w indmill.
- CL MACHINERY

GRAFFITO

- SN An inscription on illustration applied to a wall by carving into its plaster to reveal a different colour beneath
- CL DECORATIVE FEATURES

GRASSHOPPER ENGINE

- UF Half Beam Engine
- SN Also know n as a half-beam engine, named for the characteristic nodding action of the overhead beam w hich is supposed to resemble the action of the rear legs of the grasshopper.
- CL MACHINERY
- BT ENGINE

GRATING

- SN A framew ork of crossed or parallel w ooden or metal bars placed over an opening to prevent access but allow the passage of air, light, w ater etc.
- CL STRUCTURAL COMPONENT

GREAT CHAMBER

- SN An apartment for the use of people of high status, often the owner of the building. Also a room adjoining, or close to, a hall and used as a draw ing room or venue for private functions.
- CL AREAS AND SPACES
- BT ROOM

GREAT HALL

- UF Long Room
- SN A large communal room often occupying the full height of the building, used for functions such as meetings, entertainments etc. Traditionally found in medieval buildings but also found in later buildings emulating medieval architecture.
- CL AREAS AND SPACES
- BT HALL (COMMUNAL)

GREEN MAN

SN A sculpture, drawing, or other representation of a face surrounded by or made from leaves and branches or vines. Green Men are frequently found on carvings in both secular and church buildings, and are though to represent pagan fertility deities.

- CL DECORATIVE FEATURES
- BT HUMAN FIGURE

GRILLE

- SN An open grating of w rought iron, bronze, w ood etc., forming a screen to a door, w indow or other opening, or used as a divider.
- CL STRUCTURAL COMPONENT
- CL FIXTURES AND FITTINGS

GRINDING ROOM

- SN A room w here usually materials or consumables are processed into tools or meal, for example in a w orkshop or mill.
- CL AREAS AND SPACES
- BT ROOM

GROIN

- SN The ridge formed at the intersection of two vaulted surfaces.
- CL STRUCTURAL COMPONENT

GROTESQUE

- SN A classical ornamentation featuring foliage, fruits and, unlike Arabesque, human and animal figures, sometimes fantastic or mythological in nature. The term may have originated from the fact that many examples of such ornamentation were found in grottoes.
- CL DECORATIVE FEATURES
- BT ANIMAL FIGURE HUMAN FIGURE

GUARD CHAMBER

- SN A room frequently in a military building where sentries guard and protect the premises.
- CL AREAS AND SPACES
- BT ROOM

Gudgeon

USE JOURNAL

GUILLOCHE

- SN A decorative ornamentation of interlaced bands in the form of a plait.
- CL DECORATIVE FEATURES
- BT BAND (MOULDING)

GULLY

- SN A usually shallow cut linear feature often used for drainage.
- CL STRUCTURAL COMPONENT

Gun Loop

USE GUN PORT

GUN PORT

- UF Gun Loop
- SN A strategically placed aperture in the wall of a fortification through which guns and cannon can fire upon an invading force.
- CL STRUCTURAL COMPONENT

GUN ROOM

- SN A room for storing guns.
- CL AREAS AND SPACES

BT STOREROOM

GUTTAE

- SN Small 'drops' or conic projections under the mutules (a repeating block motif) and triglyphs (rectangular blocks embellished w ith vertical grooves) in a Doric entablature.
- CL DECORATIVE FEATURES

GUTTER

- SN A trough or w atercourse constructed to collect rainw ater from a roof and channel it tow ards a drain or pipe.
- CL STRUCTURAL COMPONENT
- NT ARRIS GUTTER
- PARAPET GUTTER
- RT RAINWATER PIPE WATER SPOUT

GYMNASIUM

- SN A room equipped with apparatus to facilitate physical exercise, gymnastics or indoor sports.
- CL AREAS AND SPACES
- BT RECREATION ROOM

H SHAPE PLAN

- SN A building plan that features a hall lying between, and at right-angles to, two projecting wings.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

Hagioscope

USE SQUINT

HALF BAY

- SN A short bay, usually in a hall, commonly as a smoke bay or for a cross-entry.
- CL PLANS AND DIVISIONS
- BT BAY

HALF BEAM

- SN A beam which is half the width of a main beam, usually supporting joists.
- CL STRUCTURAL COMPONENT
- BT BEAM

Half Beam Engine

USE GRASSHOPPER ENGINE

HALF HIPPED ROOF

- SN A roof w hose ends are partly gabled and partly sloped.
- CL STRUCTURAL COMPONENT
- BT ROOF

HALL (COMMUNAL)

- SN The principal room in early houses, w hich occupies the entire height of the building.
- CL AREAS AND SPACES
- BT ROOM
- OLLEGE HALL
 ENTRANCE HALL
 GREAT HALL
 OPEN HALL

Hall (Lobby)

USE LOBBY

HALL AND CROSS WING PLAN

SN A common plan form of large medieval and sub

- medieval houses, with a hall range flanked by two wings; also found with only one wing.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

HALVED JOINT

- SN A joint in w hich both timbers are reduced in thickness.
- CL STRUCTURAL COMPONENT
- BT JOINT

HALVED LAP JOINT

- SN A joint in w hich one timber is reduced in thickness.
- CL STRUCTURAL COMPONENT
- BT JOINT

HAMMER BEAM

- SN A short beam that projects into a roof space from the foot of a principal rafter to receive a hammer post and, often, an arched brace.
- CL STRUCTURAL COMPONENT
- BT BEAM

HAMMER BEAM TRUSS

- SN A truss with transverse timbers, like a tie-beam from w hich the middle section has been removed, supported on braces and carrying hammer-posts and braces that carry the open structure of the roof.
- CL STRUCTURAL COMPONENT
- BT TRUSS

HAMMER POST

- SN A vertical timber resting on a hammer beam and forming a triangle between it and a principal.
- CL STRUCTURAL COMPONENT
- BT POST

HAMMERBEAM ROOF

- SN A roof consisting of trusses that have a pair of brackets supporting the hammer posts that in turn support the rafters.
- CL STRUCTURAL COMPONENT
- BT ROOF

Handrail

USE RAILING

HANGING BUTTRESS

- SN A type of slender support carried on a corbel.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS

HARNESS ROOM

- SN A room where fittings such as saddles and harnesses for horses are usually kept.
- CL AREAS AND SPACES
- BT STOREROOM
- RT TACK ROOM

HATCHMENT

- SN A w ooden panel, mounted on the w all of a church, bearing the Achievement of Arms of an individual w hose funeral has taken place there.
- CL DECORATIVE FEATURES
- BT A CHIEVEMENT OF ARMS

HAUNCH

- SN A part of an arch betw een the apex and the springer.
- CL STRUCTURAL COMPONENT

HAYLOFT

- UF Balk
- SN A loft for the storage of hay.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

HEAD RACE

- SN A channel, usually placed upstream of a mill, that carries w ater from a river or other w ater source to a w aterw heel.
- CL STRUCTURAL COMPONENT
- CL MACHINERY
- RT TAIL RACE

HEARTH

- SN The area directly in front of a fireplace or the floor of a firecplace itself.
- CL STRUCTURAL COMPONENT
- NT OPEN HEARTH
- RT HEARTH PASSAGE PLAN

HEARTH PASSAGE PLAN

- SN A plan in w hich the chimney stack backs onto the cross passage betw een a building's tw o entrances.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN
- RT HEARTH

HECK DOOR

- SN A door divided horizontally into two parts, independently hinged.
- CL STRUCTURAL COMPONENT
- BT DOOR

HEILMANN COMBER

- SN A machine for combing the fibres of cotton, w orsted, flax etc to remove short fibres, clean out extraneous matter, and lay the fibres more or less parallel to each other.
- CL MACHINERY
- BT COMBER

HELM ROOF

- UF Rhenish Helm
- SN A roof with four sloping sides, rising from four gables, joining at the apex like a pyramid.
- CL STRUCTURAL COMPONENT
- BT ROOF

HERRINGBONE STUDDING

- SN Studding in which the studs are at an inclined angle to the posts.
- CL STRUCTURAL COMPONENT
- BT STUD

HESLOP STEAM ENGINE

- SN A rotative beam steam engine patented in 1790.
- CL MACHINERY
- BT ROTATIVE BEAM ENGINE

HEXAGONAL PLAN

- SN A building or structure with a six-sided plan.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

HINDS HALL

- SN A dining hall for the use of seasonal labourers.
- CL AREAS AND SPACES
- BT DINING ROOM

HINGE

- SN A movable joint, usually consisting of two plates joined by a pin, that fastens a door, gate, w indow etc. to its frame and allows it to open and shut.
- CL STRUCTURAL COMPONENT
- BT FASTENING
- NT ANCHOR AND COLLAR HINGE

HIP RAFTER

- SN A rafter set at the corner of a hipped roof, to take the upper end of a common rafter.
- CL STRUCTURAL COMPONENT
- BT RAFTER

HIPPED ROOF

- SN A ridged roof that slopes on all four sides.
- CL STRUCTURAL COMPONENT
- BT ROOF

HOLDEN COMBER

- SN A wool combing machine for very fine wools.
- CL MACHINERY
- BT COMBER

Hollow Quoin

USE CLAPPING QUOIN

HOLLOW SPANDREL

- SN A spandrel that is sunk below the surface of the arch.
- CL STRUCTURAL COMPONENT
- BT SPANDREL

Hood Mould

USE DRIPSTONE

HOPPER

- SN A funnel-like container from w hich grain or other material is fed to a grinding mechanism below.
- CL STRUCTURAL COMPONENT

HORIZONTAL STEAM ENGINE

- SN A steam engine in w hich the cylinder, crosshead and crankshaft lie in a horizontal line, as opposed to vertical designs.
- CL MACHINERY
- BT STEAM ENGINE

HORSE ENGINE

- SN A device or engine pow ered by one or more horses or donkeys walking around a circular track and harnessed so as to turn a large toothed wheel, either in the same plane or above, which turned smaller wheels operating machinery.
- CL MACHINERY

Horse Gin

USE HORSE WHIM

HORSE WHIM

- UF Horse Gin
- SN A timber, horse-pow ered device consisting of a

large, rotating drum around w hich a rope w ould be w ound, hoisting material from a quarry pit, mine shaft etc..

CL MACHINERY

HORSESHOE ARCH

- SN An arch, either pointed or round, which broadens above the springing line, creating a horseshoe shape.
- CL STRUCTURAL COMPONENT
- BT ARCH

HOSPITAL BLOCK

- SN An area of a building functioning as a hospital.
- CL BUILDING COMPONENT

HOT AIR ENGINE

- SN An engine w hich uses air or the products of combustion as its w orking medium.
- CL MA CHINERY
- BT ENGINE

Hot Bath

USE CALDARIUM

HUMAN FIGURE

- SN A sculptural or decorative representation of a human figure. Includes mythical and fantastical figures such as Cupid, Atlas etc.
- CL DECORATIVE FEATURES
- NT AMORINO
 - ATLANTIS
 - CANEPHORA
 - CARYATID
 - GARGOYLE
 - GREEN MAN
 - GROTESQUE
 - SHEELA NA GIG

HURST

- UF Hursting Frame
- SN The large w ooden framew ork that supports the grinding w heels in a corn mill.
- CL STRUCTURAL COMPONENT

Hursting Frame

USE HURST

HYDRAULIC BOX CRANE

- SN A box crane which uses hydraulic power
- CL MA CHINERY
- BT HYDRAULIC CRANE

HYDRAULIC CRANE

- SN A crane using hydraulic power.
- CL MACHINERY
- BT CRANE
- NT HYDRAULIC BOX CRANE HYDRAULIC PILLAR CRANE

HYDRAULIC ENGINE

- SN An engine, introduced in Germany 1748 for use in mines, w orked by high pressure w ater.
- CL MACHINERY
- BT FNGINE
- NT DISK ENGINE

HYDRAULIC JIGGER

SN A hydraulic machine used to magnify the stroke of a hydraulic piston. The pulleys and chains of a

crane or other device are attached to the jigger.

CL MACHINERY

HYDRAULIC PILLAR CRANE

- SN A hydraulic machine used to drive a pillar crane.
- CL MACHINERY
- BT HYDRAULIC CRANE

HYDRAULIC PRESS

- SN A machine that uses liquid pressure to exert a large force on two platens so that items placed between them are pressed to a shape, compressed, or forced together.
- CL MACHINERY

HYDRAULIC RAM

- SN A device in w hich a large quantity of low pressure w ater is made to pump a small proportion of itself to a greater height than its source or to a higher pressure; achieved by using the pressure rise resulting from suddenly interrupting the flow
- CL MACHINERY

HYDRAULIC TIPPLER

- SN An hydraulically pow ered machine that tips coal into railw ay w agons, usually situated at a pithead.
- CL MA CHINERY
- BT COAL TIPPLER

HYPOCAUST

- SN An underfloor heating system.
- CL BUILDING COMPONENT

HYPOCYCLOID STEAM ENGINE

- SN A design of vertical steam engine patented in 1802.
- CL MACHINERY
- BT VERTICAL STEAM ENGINE

ICONOSTASIS

- SN In Orthodox churches, the screen that divides off the sanctuary, usually decorated with sacred images (icons). (Source: Pevsner Glossary)
- CL STRUCTURAL COMPONENT
- BT SCREEN

IMMERSION FONT

- SN A structure, usually sunk into the ground, for the purpose of allow ing total bodily immersion as part of a baptismal ceremony.
- CL FIXTURES AND FITTINGS
- BT FONT

IMPERIAL STAIRCASE

- SN A grand staircase where the lower flight splits into two upper flights.
- CL BUILDING COMPONENT
- BT STAIRCASE

IMPLIED FEATURE

- SN Terms covering features of a monument or building w hich imply the previous presence of a component or structure. Use for negative evidence of a component or structure.
- CL IMPLIED FEATURE
- NT ARCHAEOLOGICAL FEATURE BEAM SLOT

EAVES DRIP GULLY POST HOLE PUTLOG HOLE

IMPOST

- SN The band or block from w hich the springing of an arch occurs.
- CL STRUCTURAL COMPONENT
- BT ARCH
- NT IMPOST MOULDING

IMPOST MOULDING

- SN A decorative style on a block or band from w hich an arch springs.
- CL DECORATIVE FEATURES
- BT MOULDING
- CL STRUCTURAL COMPONENT
- BT IMPOST

INCINERATOR

- SN A machine used to burn and desiccate rubbish.
- CL MACHINERY

INCLINED PLANE

- SN A slope, usually with rails, along which a vehicle can be moved between two relatively flat stretches of railway, or by which a boat can be transferred from one level of waterway to another.
- CL MACHINERY
- NT CANAL INCLINED PLANE RAILWAY INCLINED PLANE

INDOOR SWIMMING POOL

- SN An enclosed feature, usually sub-terranean, constructed to contain water for public or private recreation and sporting activities. Often a component of a larger SPORTS CENTRE. Use OUTDOOR SWIMMING POOL for unenclosed pools.
- CL FIXTURES AND FITTINGS
- BT SWIMMING POOL
- CL BUILDING COMPONENT
- BT SWIMMING POOL

INFIRMARY

- UF Apothecarerium
- SN A room or group of rooms for healing the sick. Where it is a monument use the Thesaurus of Monument Types.
- CL AREAS AND SPACES
- BT ROOM

INGLENOOK

- SN An area w ithin a large fireplace w here it is possible to sit.
- CL STRUCTURAL COMPONENT
- BT FIREPLACE

INNER BAILEY

- SN An inner defensive area within a castle.
- CL AREAS AND SPACES
- BT BAILEY

Inscribed Panel

USE **DECORATED PANEL**

Insulated Column

USE DETACHED COLUMN

INTERLACING ARCADE

- SN Romanesque overlapping arcades, producing a series of pointed arches.
- CL STRUCTURAL COMPONENT
- BT ARCADE

Intermediate Truss

USE SECONDARY TRUSS

INTERNAL AREA OR SPACE

- SN An area or space within a building.
- CL AREAS AND SPACES
- NT AGIASTERIUM

AMBITUS

A NTECHA PEL

ANTECHOIR

APOTHESIS

ARENA

ATRIUM (SECULAR)

AUCTION ROOM

BAPTISTERY

CHA NCEL

CHEVET

CHOIR

CLOSET

CONFESSIONAL

CORRIDOR

CROSSING

FERETORY

HAYLOFT

LOGGIA

NAVE

OFFERTORIUM

ORATORY

ORCHESTRA PIT

PASSAGE

PENTHOUSE (A PARTMENT)

PRESBYTERY

RETROCHOIR

RINGING CHAMBER

ROOM

SANCTUARY

SANCTUAR

SMOKE BAY SPA POOL

STOREY

SUPERVISORY HUB

TRADING FLOOR

TRANSEPT

UNDERCROFT

WALKING SPACE

WARMING ROOM

INTERNAL COMBUSTION ENGINE

- SN An engine or prime mover, in which a mixture of air and fuel is ignited inside a closed cylinder, and the resulting explosion drives a piston to the opposite end of the cylinder, its movement turning a crankshaft via suitable mechanical parts.
- CL MACHINERY
- BT ENGINE
- NT DIESEL ENGINE

GAS ENGINE

OIL ENGINE

PETROL ENGINE

INTERRUPTED TIEBEAM

SN A tiebeam whose central section is omitted to

increase head room; its inner ends are held by a slip-braces or struts rising from a dropped tiebeam and can be used in end frames.

CL STRUCTURAL COMPONENT

BT TIEBEAM

INTRADOS

SN The low er, or inner, curve of an arch

CL STRUCTURAL COMPONENT

BT ARCH

RT EXTRADOS

INVERTED VERTICAL STEAM ENGINE

SN A type of steam engine in w hich the steam cylinders are placed above the crankshaft supported on a robust frame.

CL MACHINERY

BT STEAM ENGINE

IONIC BASE

SN A base embellished with horizontal reeds and other mouldings.

CL ORDER

BT IONIC ORDER

CL STRUCTURAL COMPONENT

BT BASE

IONIC CAPITAL

UF Beaked Ionic Capital

SN A Capital with a rolled up cushion-like form on either side creating distinctive volutes.

CL STRUCTURAL COMPONENT

BT CAPITAL

CL ORDER

BT IONIC ORDER

NT ANGLE CAPITAL ANGULAR CAPITAL

IONIC COLUMN

SN A column of the lonic Order, set upon a base and

characterized by its slender form.

STRUCTURAL COMPONENT

CL STRUCTU BT COLUMN

CL ORDER

BT IONIC ORDER

IONIC ENTABLATURE

SN An entablature consiting of an architrave, usually a frieze and cornice.

CL ORDER

BT IONIC ORDER

CL STRUCTURAL COMPONENT

BT ENTABLATURE

IONIC ORDER

SN A classical order with an Attic base and fluted column. The cornice has dentils and the capital volutes.

CL ORDER

NT ASIATIC BASE

ATTIC BASE

IONIC BASE

IONIC CAPITAL

IONIC COLUMN IONIC ENTABLATURE

IRON ORE CALCINER

SN A kiln in w hich Iron ores were heated before smelting in order to drive off the impurities such

as sulphur.

CL MACHINERY

ISOLATION WARD

SN An area of a building or complex, such as a w orkhouse or hospital, for isolating new residents before admission into main building, used to prevent spread of disease

CL AREAS AND SPACES

BT WARD

JACK FRAME

SN A machine for the final reduction in cross sectional area of a cotton sliver into a fine roving preparatory to spinning high counts of yarn.

CL MACHINERY

JACK RAFTER

SN A shortened common rafter that runs between ridge and a valley rafter, or between eaves and a hip rafter.

CL STRUCTURAL COMPONENT

BT RAFTER

JACQUARD LOOM

SN A loom developed by Joseph Jacquard in 1801 which used a series of punched cards to control the movement of the warp threads thereby allowing complex patterns to be created without the intervention of the weaver

CL MACHINERY

BT LOOM

JAMB

SN The vertical lining of a doorway, window or other opening.

CL STRUCTURAL COMPONENT

RT DOOR POST

JENNY

SN An 18th century hand-operated machine capable of spinning several yarns at once, invented in circa 1767.

CL MACHINERY

BT SPINNING MACHINE

JETTY

SN A projecting part of a building that overhangs the wall below it.

CL STRUCTURAL COMPONENT

NT JETTY BRACKET
JETTY BRESSUMER
JETTY PLATE

JETTY BRACKET

SN The bracket under a jetty bressumer.

CL STRUCTURAL COMPONENT

BT JETTY

JETTY BRESSUMER

SN The sill beam of the jettied upper floor resting on projecting ends of joists or on jetty brackets.

CL STRUCTURAL COMPONENT

BT JETTY

JETTY PLATE

SN The wall plate of the low er storey on w hich the joists of a jetty rest.

CL STRUCTURAL COMPONENT

BT JETTY

JIB CRANE

SN A crane consisting of a vertical tow er or similar structure from w hich projects a movable boom, or jib, fitted w ith a mechanical hoist.

CL MACHINERY

BT CRANE

NT FAIRBAIRN JIB CRANE

JIB DOOR

SN An internal door flush with, and decorated to match, the wall it is set in for the purpose of concealment.

CL STRUCTURAL COMPONENT

BT DOOR

Jigger

USE WALL CRANE

JOCKEY PULLEY

SN A pulley running on the outside of a belt to improve the effectiveness of a drive.

CL MACHINERY

JOINT

SN A junction whereby two members or elements of an artificial structure or mechanism are joined or fitted together, whether rigidly or hinged.

CL STRUCTURAL COMPONENT

BT FASTENING

NT BARE FACED DOVETAIL JOINT

BARE FACED TENON JOINT

BIRDMOUTHED JOINT

BRIDLED JOINT

DOVETAIL JOINT

FACE HALVED JOINT

HALVED JOINT

HALVED LAP JOINT

JOIST JOINT

JOWL

LAP JOINT

MASONS MITRE

MORTICE AND TENON JOINT

NOTCHED LAP JOINT

SADDLE JOINT

SCARF JOINT

SCRIBED JOINT

SCRIBED MITRE

SECRET BRIDLE JOINT

SLIP TENON JOINT

SPLAYED AND TABLED SCARF JOINT

SPLAYED SCARF JOINT

STOP SPLAYED SCARF JOINT

THROUGH TENON JOINT

TRUE MITRE

JOINTED CRUCK

SN A cruck truss w hose blades are composed of two pieces of timber joined near the wall head in a variety of ways.

CL STRUCTURAL COMPONENT

BT CRUCK

JOIST

SN Horizontal timbers laid parallel to each other on w hich flooring is laid and to w hich a ceiling is fixed. CL STRUCTURAL COMPONENT

NT COGGED JOIST CROSS JOISTING LODGED JOIST

JOIST JOINT

SN A joint used to secure the end of a joist

CL STRUCTURAL COMPONENT

BT JOINT

JONVAL WATER TURBINE

SN A parallel or axial-flow reaction w ater turbine invented in France in 1843, in w hich w ater descends through fixed curved guide vanes w hich direct the flow sidew ays onto curved vanes on the runner.

CL MACHINERY

BT WATER TURBINE

JOURNAL

UF Gudgeon

SN The area at the end of an axle or shaft around which a wheel, bearing etc. pivots or rotates.

CL STRUCTURAL COMPONENT

JOWL

SN The end of a timber post made wider than the rest of its length on one face to accomodate tiebeams, w all-plates etc..

CL STRUCTURAL COMPONENT

BT JOINT

JUSTICE ROOM

SN A room in the house of a Justice of the Peace in w hich cases w ere heard. Houses after 1848 contained these for prestige purposes since the practice of hearing cases at home w as made illegal at that date.

CL AREAS AND SPACES

BT MEETING ROOM

KEEL MOULDING

SN A curved moulding with a sharp edge running along its centre. So named as its profile resembles the keel of a ship.

CL DECORATIVE FEATURES

BT MOULDING

KEEPING ROOM

SN A room that serves as a combined living-room, kitchen and w orkshop.

CL AREAS AND SPACES

BT ROOM

KERB

SN A stone edging on a footway dividing it from a carriageway.

CL STRUCTURAL COMPONENT

KERB PRINCIPAL

SN A short principal rafter that that rises from a tiebeam to a collar.

CL STRUCTURAL COMPONENT

BT PRINCIPAL RAFTER

RT KERB PRINCIPAL TRUSS

KERB PRINCIPAL TRUSS

SN A truss with two curved kerb-principals, which are the short principal rafters rising froma

tiebeam to a collar, placed either side of a crown strut.

CL STRUCTURAL COMPONENT

BT TRUSS

RT KERB PRINCIPAL

KEY

SN A piece of w ood of square or rectangular section driven through a scarf joint to tighten it

CL STRUCTURAL COMPONENT

BT FASTENING

KEY PATTERN

SN Classical decorative motif of interlocking rightangled and vertical lines, usually applied as a continuous pattern.

CL DECORATIVE FEATURES

KEYSTONE

SN The w edge-shaped block placed at the crown of an arch to consolidate the structure. Sometimes employed as a decorative feature.

CL STRUCTURAL COMPONENT

BT ARCH BRICK

NT AGRAFE

KING MULLION

SN A mullion w hich divides a w indow w ith four or more lights and is larger than the mullions either side of it, often sharing the dimensions of the frame?s members.

CL STRUCTURAL COMPONENT

BT MULLION

KING PENDANT

SN A vertical timber in a truss, descending from the ridge, and projecting below the lower transverse timber, normally used with scissor beams.

CL STRUCTURAL COMPONENT

King Pin

USE WATERWHEEL SHAFT

KING POST

SN An upright post set on a tiebeam or collar and used to support a ridge piece.

CL STRUCTURAL COMPONENT

BT POST

KING STRUT

SN A vertical timber set on a collar or tie-beam extending to the apex of a pitched roof.

CL STRUCTURAL COMPONENT

BT STRUT

KITCHEN

SN A room in w hich food is prepared.

CL AREAS AND SPACES

BT FOOD PREPARATION ROOM

RT SCULLERY

KNEE BRACE

SN A very short brace between post and tiebeam, or post and wall plate.

CL STRUCTURAL COMPONENT

BT BRACE

KNEE PRINCIPAL

SN A principal that has a short, angled section,

- resembling a knee-joint, at one end.
- CL STRUCTURAL COMPONENT
- BT PRINCIPAL

KNEELER

- SN A large approximately triangular stone at the foot of a gable, cut to have a horizontal bed and a top conforming, w holly or in part, to the slope of the gable.
- CL STRUCTURAL COMPONENT

KNIGHTS CHAMBER

- SN A communal sleeping room in medieval houses for male servants.
- CL AREAS AND SPACES
- BT ROOM

KNOTWORK

- SN Decorative ornamentation in the form of interlacing ribbons or cords, usually in an intricate pattern.
- CL DECORATIVE FEATURES

L SHAPE PLAN

- SN A house plan with a hall and a single wing.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

LABEL

- SN A rectangular dripstone.
- CL DECORATIVE FEATURES
- BT DRIPSTONE
- RT LABEL STOP

LABEL STOP

- SN A termination, either in the form of a decorative feature or a right-angle applied to the end of the moulding, of a label, dripstone or string course.
- CL DECORATIVE FEATURES
- BT MOULDING
- RT DRIPSTONE
 - LABEL
 - STRING COURSE

LABORATORY

- SN A room, within a building or institution, equipped for conducting scientific experiments or research.
- CL AREAS AND SPACES
- BT ROOM

LACED WINDOW

- SN One of a set of windows placed vertically and linked either decoratively or by aprons extending to the lintel below.
- CL STRUCTURAL COMPONENT
- BT WINDOW

LADY CHAPEL

- SN A chapel dedicated to the Virgin, usually east of the chancel.
- CL AREAS AND SPACES
- BT CHAPEL

LAMP

- SN A light, usually encased and mounted upon brackets, often used outdoors. It may be pow ered by gas, electricity or house a candle.
- CL FIXTURES AND FITTINGS

LANCASHIRE LOOM

- SN A semi-automatic loom developed in Lancashire. Although it is self-acting, it has to be stopped to recharge empty shuttles.
- CL MACHINERY
- BT LOOM

LANCET ARCH

- SN A pointed, two-centred, arch whose height is much greater than its span.
- CL STRUCTURAL COMPONENT
- BT POINTED ARCH
- NT COMPOSITE ARCH

LANCET WINDOW

- SN A tall, narrow window with a pointed arched head.
- CL STRUCTURAL COMPONENT
- BT WINDOW

LANDING

- SN The area or platform at the top of a staircase.
- CL BUILDING COMPONENT
- RT STAIRCASE

LANTERN

- SN A small structure, often polygonal or circular, on top of a roof, dome, tow er etc. featuring apertures to light or ventilate the building it adorns.
- CL BUILDING COMPONENT
- RT CROSSING TOWER

LAP DOVETAIL JOINT

- SN A joint in w hich the dovetailed member is proud of the receiving member and is not finished flush with it
- CL STRUCTURAL COMPONENT
- BT DOVETAIL JOINT

LAP JOINT

- SN A joint in w hich one timber is applied to the surface of the other.
- CL STRUCTURAL COMPONENT
- BT JOINT

LARDER

- SN A room in w hich food, usually meat, is kept.
- CL AREAS AND SPACES
- BT FOOD PREPARATION ROOM
- NT GAME LARDER

LATERAL BUTTRESS

- SN A buttress attached to a corner of a structure, seeming to be a continuation of one of the walls.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS

LATH

- SN The smallest piece of timber (2-5cms) across used in building, employed on rafters to support the roof covering or in a partition as a base for plaster or external render and w all covering.
- CL STRUCTURAL COMPONENT

LAUNDRY ROOM

- SN A room for washing and cleaning linen.
- CL AREAS AND SPACES

BT ROOM

RT UTILITY ROOM

LAVATORIUM

- SN A communal w ash area, sometimes a dedicated outbuilding, or facility, such as a basin or trough, used by monks.
- CL AREAS AND SPACES

LAVATORY

- SN A room w ith apparatus for w ashing the hands and face, now often combined w ith a w ater closef.
- CL AREAS AND SPACES
- BT WASHING ROOM

LAYER

- UF Site Layer
- SN An archaeological unit of soil in a horizontal plane w hich may seal features or be cut through by other features.
- CL UNASSIGNED

LEARNER POOL

- SN Sw imming pool, usually part of a larger LIDO or SPORTS CENTRE complex. Medium size pool, betw een large pool and paddling pool, used primarily for learners.
- CL BUILDING COMPONENT
- BT SWIMMING POOL
- CL FIXTURES AND FITTINGS
- BT SWIMMING POOL

LECTERN

- SN A stand, either fixed or free-standing, usually with a sloping surface from which a bible, book or notes can be read, found in a church or lecture theatre.
- CL FIXTURES AND FITTINGS

LECTURE THEATRE

- SN A large room with fixed seating, often including audio-visual facilities, in which lectures are given.
- CL AREAS AND SPACES
- BT AUDITORIUM

LESENE

- SN A pilaster w ithout base or capital.
- CL STRUCTURAL COMPONENT
- BT PILASTER

Lew come

USE LUCAM

LIBRARY

- SN A place set apart to contain books for reading, study or reference.
- CL AREAS AND SPACES
- BT ROOM
- RT READING ROOM

LIERNE

- SN A tertiary vault rib, usually employed for decorative purposes, that links one intersection of the main ribs to another.
- CL STRUCTURAL COMPONENT
- BT RIB
- RT VAULT

LIFT

- UF Elevator
- SN An apparatus, featuring an ascending and descending platform or compartment, for carrying people or objects from one level or floor to another. This term can include the shaft or well in which such an apparatus operates.
- CL BUILDING COMPONENT
- CL MA CHINERY

LIGHT

- SN A section of a window between mullions; thus for example a three-light window.
- CL STRUCTURAL COMPONENT
- RT GLAZING BAR WINDOW

LIGHTNING CONDUCTOR

- UF Lightning Rod
- SN A metallic rod attached to a high point on a building and leading to the earth for the purpose of conducting lightning aw ay from the main body of the building.
- CL STRUCTURAL COMPONENT

Lightning Rod

USE LIGHTNING CONDUCTOR

LINTEL

- SN A horizontal member spanning an opening and providing support to the wall above the opening.
- CL STRUCTURAL COMPONENT
- NT DOOR LINTEL WINDOW LINTEL

LISTER COMBER

- SN A machine for combing out wool, mohair and alpaca, removing short fibres and any extraneous matter, and laying the long fibres more or less parallel to each other.
- CL MACHINERY
- BT COMBER

LIVING ROOM

- UF Lounge (Private)
- SN A room for general daily use, usually in a family dw elling.
- CL AREAS AND SPACES
- BT MEETING ROOM
- NT MORNING ROOM SITTING ROOM

LOBBY

- UF Foyer
 - Hall (Lobby)
 - Vestibule
- SN A small room communicating with one or more apartments.
- CL AREAS AND SPACES
- BT ROOM

LOBBY ENTRY PLAN

- SN A plan in which the front entrance opens into a lobby opposite to an axial chimney stack.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN
- RT BAFFLE ENTRY PLAN

LOCHTORY

SN A parlour in a monastery.

CL AREAS AND SPACES

BT PARLOUR

Locum

USE LUCAM

LODGED JOIST

SN A joist which rests on top of a beam.

CL STRUCTURAL COMPONENT

BT JOIST

LOFT

SN Space used for storage in the roof.

CL AREAS AND SPACES

BT ATTIC

LOGGIA

SN A roofed structure, open on one side, usually attached to a building, providing a seating area and its occupants with an uninterrupted exterior view.

CL BUILDING COMPONENT

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

LONG AND SHORT WORK

SN A Saxon quoin consisting of alternating horizontally and vertically laid stones.

CL STRUCTURAL COMPONENT

BT QUOIN

LONG GALLERY

SN A long, high-ceilinged room, usually extending the full length of an Elizabethan or Jacobean house and often occupying an upper floor, used as a promenade, place of entertainment etc..

CL AREAS AND SPACES

BT GALLERY (SECULAR)

Long Room

USE GREAT HALL

LOOM

SN A machine for w eaving cloth. A traditional loom comprises a framew ork with a horizontal back roller, the w arp beam or w arp roller, around w hich closely spaced w arp threads have been w ound parallel to each other, stretched horizontally onto a front roller.

CL MACHINERY

NT DRAW LOOM

JACQUARD LOOM

LANCA SHIRE LOOM

NORTHROP LOOM

OSSET LOOM

POWER LOOM

WIPER LOOM

LOOPHOLE

UF Aleois

Balistraria

SN An opening in a wall that is usually narrow on the outside but widens internally to allow a defender to stand and shoot through the loophole.

CL STRUCTURAL COMPONENT

LOUNGE (COMMUNAL)

SN A room where the public can sit, often in hotels

and airports.

CL AREAS AND SPACES

BT MEETING ROOM

Lounge (Private)

USE LIVING ROOM

LOUVRE

SN An opening in the ridge of a roof intended to provide ventilation or an outlet for smoke; also the hood on such an opening that prevents rain entering.

CL STRUCTURAL COMPONENT

NT LOUV RED OPENING

LOUVRED OPENING

SN An opening normally in a door or window filled with diagonally set slats to provide ventilation.

CL STRUCTURAL COMPONENT

BT LOUVRE

LOWSIDE WINDOW

SN A window that is lower than others in the chancel side wall.

CL STRUCTURAL COMPONENT

BT WINDOW

LOZENGE

SN A decorative moulding in a diamond shape.

CL DECORATIVE FEATURES

BT MOULDING

LUCAM

UF Lew come

Locum

Luccam

Lucomb

SN A projecting structure in the roof of a mill containing a w inch, allow ing loads to be lifted clear of the building's w all and protecting the w inch from the w eather.

CL STRUCTURAL COMPONENT

LUCARNE

SN A window in a spire, often in the form of a

CL STRUCTURAL COMPONENT

BT WINDOW

Luccam

USE LUCAM

Lucomb

USE LUCAM

LUMBER ROOM

SN A room in w hich disused items, such as furniture, are stored.

CL AREAS AND SPACES

BT STOREROOM

MACHICOLATION

SN An opening through w hich missiles or combustible materials could be dropped upon attackers. Usually through the roof of an entrance w ay or in a projecting parapet.

CL STRUCTURAL COMPONENT

BT BATTLEMENT

MACHINE

SN A single piece of apparatus that uses mechanical pow er for a particular function.

CL MA CHINERY

MACHINERY

SN Apparatus using mechanical pow er for a particular function.

CL MACHINERY

NT ANGLE BOB

BACKWASHING MACHINE

BALANCE BOB

BALL MILL

BALL WINDING MACHINE

BOILER BRINE TANK CHEESE PRESS CHUTE

CIDER PRESS COAL TIPPLER

COMBER

CONVEYOR BELT COOLING TOWER

CRANE

CRUSHING CIRCLE

DRIVE ENGINE

ESCALATOR

FAIRBAIRNS LEVER

FLOUR MILL FLYING SHUTTLE

FOURDRINIER MACHINE

GOVERNOR HEAD RACE HORSE ENGINE HORSE WHIM

HYDRAULIC JIGGER HYDRAULIC PRESS HYDRAULIC RAM INCINERATOR

INCLINED PLANE
IRON ORE CALCINER

JACK FRAME

JOCKEY PULLEY LIFT LOOM MACHINE MAN ENGINE

MASTICATOR

MECHANICAL STOKER MILLING MACHINE

ORGAN OVEN

PLANING MACHINE

PUMP

RAILWAY LIFT RAILWAY SIGNAL

RAILWAY TURNTABLE

RIVER INTAKE GAUGE

SACK HOIST

SATELLITE DISH SCOOP WHEEL

SCUTCHING MACHINE SHAPING MACHINE

SHOE SIFTER SLASHER SLOTTING MACHINE SLUBBING FRAME SMUTTER SPEEDFRAME

SPINNING MACHINE

STAMPS STEAM WHIM TAIL RACE

THRESHING MACHINE THROWING MACHINE

TILT HAMMER TREADMILL TURBINE

WATER BALANCE ENGINE
WATER FILTRATION UNIT
WATER PURIFICATION UNIT

WATERWHEEL
WEIGHING MACHINE
WIND ENGINE
WINDING ENGINE

MAN ENGINE

SN A device for raising miners individually from a shaft consisting of two rods, raised and lowered alternately, fitted with small platforms and powered by a waterwheel or steamengine.

CL MACHINERY

MANHATTAN ENGINE

SN A tw in cylinder compound steam engine introduced in the 1870's w hich combined a horizontal and vertical configuration in the same machine.

CL MACHINERY

BT COMPOUND STEAM ENGINE

MANSARD ROOF

UF Gambrel Roof

SN A curb-roof with curved or steeply pitched low er slopes and a hipped or pitched roof above. Named after the French Classical architect F. Mansart.

CL STRUCTURAL COMPONENT

BT ROOF

MANTELPIECE

UF Chimney Piece

SN A decorative structure of w ood stone or metal, incorporating a shelf, surrounding the opening of a fireplace.

CL FIXTURES AND FITTINGS

RT FIREPLACE

MASONS MARK

SN A device, monogram or symbol incised in stonew ork by a mason as a means of identifying his w ork. Particularly common in Romanesque and Gothic buildings.

CL STRUCTURAL COMPONENT

MASONS MITRE

SN The non-diagonal joint at the right-angled meeting of two stone mouldings.

CL STRUCTURAL COMPONENT

BT JOINT

MASTERS ROOM

SN Room in a building or complex in w hich the master of an establishment, such as a w orkhouse or a

- school, is accommodated.
- CL AREAS AND SPACES
- BT ROOM

MASTICATOR

- SN A pow erful machine comprising a pair of heated cylinders revolving inside a chamber, and used for converting raw rubber into a soft plastic mass by being 'chew ed' betw een knives or teeth projecting from the cylinders.
- CL MA CHINERY

MEAL SPOUT

- SN A funnel, connected to an opening in the floor of the tun encasing the grindstones in a corn mill, that carries ground meal aw ay to a bin or sack.
- CL STRUCTURAL COMPONENT

MECHANICAL STOKER

- SN Machines for automatically feeding fuel onto the fire of steam boilers and other furnace plant, introduced at the beginning of the 19th century.
- CL MACHINERY

MEDALLION

- SN An oval or circular decorative feature often bearing an illustration or portrait in light relief.
- CL DECORATIVE FEATURES

MEETING ROOM

- SN A room intended, and often furnished accordingly, as a venue for the holding of meetings.
- CL AREAS AND SPACES
- BT ROOM
- NT ASSEMBLY ROOM

AUDIENCE CHAMBER

BOARDROOM

COMMITTEE ROOM

COMMON ROOM

CONFERENCE ROOM

COUNCIL CHAMBER

COURTROOM

DAY ROOM

DEBATING ROOM

DRAWING ROOM

JUSTICE ROOM

LIVING ROOM

LOUNGE (COMMUNAL)

PARLOUR

MENS POOL

- SN A sw immin pool restricted to the use of men only.
- CL BUILDING COMPONENT
- BT SWIMMING POOL
- CL FIXTURES AND FITTINGS
- BT SWIMMING POOL

MERLON

- SN The solid, upright part of a battlement separating the openings, or crenelles.
- CL STRUCTURAL COMPONENT
- BT BATTLEMENT

METOPE

SN A thin, rectangular panel, sometimes enriched with sculptural relief, placed between the triglyphs in a Doric Order frieze.

- CL ORDER
- BT DORIC ORDER
- CL STRUCTURAL COMPONENT
- BT FRIEZE

MEZZANINE

- SN A storey of lesser height than those above and below it.
- CL AREAS AND SPACES
- BT STOREY

MIHRAB

- SN A semicircular niche in the w all of a mosque used to indicate the Qiblah - the direction to be faced during prayers. Qiblah is set as the direction of the Kaaba in Mecca.
- CL STRUCTURAL COMPONENT
- BT NICHE

Mill Shaft

USE WATERWHEEL SHAFT

MILLING MACHINE

- SN A machine tool capable of creating a variety of forms and surfaces in materials by way of a spinning cutter positioned over a movable table.
- CL MACHINERY

MILLSTONE

- SN A flat, circular stone, usually made of sandstone, used in pairs for grinding corn and other meal.
- CL STRUCTURAL COMPONENT

MINE HAULAGE STEAM ENGINE

- SN A steam engine w orking an underground cable haulage system in a late 19th century coal mine.
- CL MACHINERY
- BT STEAM ENGINE

Minstrels Gallery

USE MUSICIANS GALLERY

MISERICORD

- SN A projection from the bottom of a church stall designed to provide some support for a person standing in long services.
- CL FIXTURES AND FITTINGS
- BT SEAT

MODILLION

- SN A small moulded bracket found on the Corinthian and Composite orders, and in plain form in the lonic.
- CL STRUCTURAL COMPONENT
- BT BRACKET
- NT ANGLE MODILLION

MORNING ROOM

- SN A sitting room or lounge in a house intended mainly for use during the morning.
- CL AREAS AND SPACES
- BT LIVING ROOM

MORTICE AND TENON JOINT

- SN The most common form of joint betw een tw o timbers meeting at right angles or at an oblique angle, the mortice being a socket cut in one timber to receive the tenon projection of the other.
- CL STRUCTURAL COMPONENT

BT JOINT

MOSAIC

SN A surface made up of small pieces of hard material such as stone or tile, often in a decorative pattern.

L STRUCTURAL COMPONENT

BT FLOOR

MOULDING

SN An ornamental contour given to the angles or features of a building, w hether a projection or a cavity, such as a cornice, an architrave or an astragal.

CL DECORATIVE FEATURES

NT ANNULAR MOULDING

ASTRAGAL BAGNETTE

BAND (MOULDING)

BEAD

BEAK HEAD MOULDING

BED MOULDING BILLET MOULDING

BOLECTION MOULDING BRACKET MOULDING

CABLE MOULDING

CASEMENT

CATS HEAD MOULDING

CAVETTO

CHAIN MOULDING

CHEVRON MOULDING

COVE

CYMA RECTA CYMA REVERSA

DADO RAIL

DOGTOOTH MOULDING

DRIPSTONE

ECHINUS MOULDING EDGE ROLL MOULDING EMBATTLED MOULDING

FILLET

GADROON

IMPOST MOULDING

KEEL MOULDING

LABEL STOP

LOZENGE

NAILHEAD MOULDING

NECK MOULDING

NUTMEG MOULDING

OVOLO

ROLL MOULDING

SCALLOPED MOULDING

SCOTIA

SKIRTING BOARD

STRING COURSE

TENIA

TORUS

RT ARCHIVOLT

MOVING CRANE

SN A mobile crane.

CL MACHINERY

BT CRANE

NT MOVING QUAY CRANE

MOVING QUAY CRANE

SN A mobile crane usually found on a marine or inland quay. CL MACHINERY

BT QUAY CRANE MOVING CRANE

MULE

SN A machine for spinning cotton yarn.

CL MA CHINERY

BT SPINNING MACHINE

MULLION

SN A vertical member dividing a window into two or

more lights.

CL STRUCTURAL COMPONENT

NT DIA MOND MULLION

KING MULLION

RT MULLIONED WINDOW

MUNTIN

TRANSOM

MULLIONED WINDOW

SN A window divided into lights by mullions.

CL STRUCTURAL COMPONENT

BT WINDOW

NT DIOCLETIAN WINDOW

RT MULLION

MUNTIN

SN An upright framing member, or mullion, that separates two panels, such as in a panelled door or a window.

CL STRUCTURAL COMPONENT

RT MULLION

MUSIC ROOM

SN A room in which music is performed.

CL AREAS AND SPACES

BT RECREATION ROOM

MUSICIANS GALLERY

UF Minstrels Gallery

SN A loft, balcony or gallery, in a hall or church, for the use of musicians.

CL AREAS AND SPACES

BT GALLERY (SECULAR)

CL BUILDING COMPONENT

BT GALLERY (ECCLESIASTICAL)

MUTULE

SN A small slab in a Doric cornice.

CL STRUCTURAL COMPONENT

BT CORNICE

NAILHEAD MOULDING

SN A decorative feature in the form of small

pyramids in a continuous line.

CL DECORATIVE FEATURES

BT MOULDING

NARTHEX (CLASSICAL)

SN A transverse vestibule at the west end of a church.

CL BUILDING COMPONENT

NARTHEX (MEDIEVAL)

SN An antechurch w hich is transverse to the axis of the church and is covered or enclosed.

CL BUILDING COMPONENT

BT ANTECHURCH

RT GALILEE

NAVE

- SN The central division of a church, extending from the w est end to the chancel or transepts.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

NECK

- SN A plain area situated betw een the top of the shaft and the capital of a Renaissance Tuscan or Doric Order column.
- CL STRUCTURAL COMPONENT

NECK MOULDING

- UF Necking
- SN A moulding on the neck of a column.
- CL DECORATIVE FEATURES
- BT MOULDING

Necking

USE **NECK MOULDING**

NEEDLE SPIRE

- SN A steeply pitched spire w hose base is significantly narrow er than the tow er on w hich it sits.
- CL STRUCTURAL COMPONENT
- BT SPIRE

NEST HOLE

- SN Niche intended for pigeons or other birds to nest in, allowing the squabs and eggs to be harvested. Found inside specially built dovecotes and in the walls of other buildings.
- CL BUILDING COMPONENT
- CL AREAS AND SPACES
- RT DOVECOTE

NEWCOMEN ATMOSPHERIC ENGINE

- SN A single acting, non-rotative beam engine w orked by atmospheric pressure.
- CL MACHINERY
- BT BEAM STEAM ENGINE

NEWEL POST

- SN The post at the centre of a winding staircase from which the steps radiate; or the post, supporting the handrail and string, at the angle of a square staircase.
- CL BUILDING COMPONENT
- BT STAIRCASE
- CL STRUCTURAL COMPONENT
- BT POST
- RT NEWEL STAIRCASE

NEWEL STAIRCASE

- SN A staircase where the vertical members are placed at the ends of flights to support the strings, handrails, trimmers and bearers.
- CL BUILDING COMPONENT
- BT STAIRCASE
- RT NEWEL POST

NICHE

- SN A shallow, ornamental recess, often arched and semicircular in plan, set in a wall or pier and usually containing a statue or ornament.
- CL STRUCTURAL COMPONENT
- NT ANGULAR NICHE

CARREL (NICHE)

CREDENCE

EXEDRA MIHRA B

RT A EDICULE (FRAME)

APRON

NIGHT STAIR

- SN A staircase, usually leading from a dormitory, used by monks to enter the transept of a monastic church.
- CL BUILDING COMPONENT
- BT STAIRCASE

NOBLE COMBER

- SN A machine for combing out w ool, cleaning out extraneous matter and short fibres and laying the combed long fibres more or less parallel to each other as required for Worsted spinning.
- CL MACHINERY
- BT COMBER

NOGGING

- SN A section of stone or brickwork employed in a timber-framed building to fill the spaces between uprights or studs.
- CL STRUCTURAL COMPONENT

NON CONDENSING STEAM ENGINE

- SN A steam engine from w hich the spent exhaust steam either passes out to the atmosphere and is lost, or in some cases is used as process steam in a factory.
- CL MACHINERY
- BT STEAM ENGINE

NON DEAD CENTRE STEAM ENGINE

- SN A patented design of twin-cylinder, inverted vertical steam engine, which can be started irrespective of the position of the crank.
- CL MACHINERY
- BT STEAM ENGINE

NOOK SHAFT

- SN A colonnette set in a corner or angle, such as the meeting of tw o w alls or the place at w hich a doorframe meets the w all it is set in.
- CL STRUCTURAL COMPONENT
- BT COLONNETTE

NORTH LIGHT

- SN A w indow usually spanning the full w idth of the north side of a roof allowing the maximum amount of direct and indirect light to enter.
- CL STRUCTURAL COMPONENT
- BT WINDOW
- RT NORTH LIGHT ROOF

NORTH LIGHT ROOF

- SN A roof design, common to w eaving sheds, featuring a saw tooth profile w ith unequal slopes forming each ridge and lights on its northern side.
- CL STRUCTURAL COMPONENT
- BT ROOF
- RT NORTH LIGHT

NORTHROP LOOM

SN An automatic pow er loom invented by James H

Northrop in 1894.

- CL MACHINERY
- BT LOOM

NOTCHED LAP JOINT

- SN A lap joint which has a notch cut in one side.
- CL STRUCTURAL COMPONENT
- BT JOINT
- NT SECRET NOTCHED LAP JOINT

NOVICES ROOM

- SN A room in a monastery used by monks or nuns as a day room.
- CL AREAS AND SPACES
- BT ROOM

NURSERY

- SN A room equipped for the care of babies and young children.
- CL AREAS AND SPACES
- BT ROOM

NUTMEG MOULDING

- SN A decorative moulding featuring a series of small, projecting, dome-like shapes each resembling a halved nutmeq.
- CL DECORATIVE FEATURES
- BT MOULDING

OCTAGONAL PLAN

- SN A plan of a structure which has eight sides.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

OCULUS

- SN A circular or oval window or panel. Also the circular opening at the top of a dome.
- CL STRUCTURAL COMPONENT
- BT WINDOW

Oeil De Boeuf

USE BULLSEYE WINDOW

OFFERTORIUM

- SN The area w here the act of Offertory, w here bread and w ine are placed upon the altar, takes place.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

OFFICE

- UF Business Room
- SN A room in w hich commercial or administrative activities are carried out.
- CL AREAS AND SPACES
- BT ROOM

OGEE

- UF Ressant
- SN A decorative form consisting of two upright Sshaped curves positioned opposite one another with their concave sections placed at the top.
- CL DECORATIVE FEATURES
- RT CYMA RECTA OGEE ARCH
 - OGEE BRACE

OGEE ARCH

SN A pointed arch in which the arcs comprising it are

- centred on points both outside and inside the arch so that the point takes the form of a double S, or ogee.
- CL STRUCTURAL COMPONENT
- BT POINTED ARCH
- RT OGEE

OGEE BRACE

- SN A brace which is cut to a double curve.
- CL STRUCTURAL COMPONENT
- BT BRACE
- RT OGEE

Ogee Moulding

USE CYMA RECTA

OIL ENGINE

- SN An oil-fuelled internal combustion engine, developed in the late 19th century, and usually made as a stationary, horizontal unit.
- CL MACHINERY
- BT INTERNAL COMBUSTION ENGINE

Open Air Sw imming Pool

USE OUTDOOR SWIMMING POOL

OPEN HALL

- SN A hall, or main living-room in a medieval house, open to the roof.
- CL AREAS AND SPACES
- BT HALL (COMMUNAL)

OPEN HEARTH

- SN A hearth, normally placed clear of the walls, without a chimney stack or hood above.
- CL STRUCTURAL COMPONENT
- BT HEARTH

OPEN PEDIMENT

- SN A pediment with a gap at its apex, sometimes filled with an urn or other decorative feature.
- CL STRUCTURAL COMPONENT
- BT PEDIMENT
- RT BROKEN PEDIMENT

OPEN PLAN

- SN A building plan w here space is unconstrained by partitions.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

OPEN TRUSS

- SN A truss w hich does not subdivide a space, as in the centre of a hall of two bays or in an undivided building such as a barn.
- CL STRUCTURAL COMPONENT
- BT TRUSS

OPEN WELL STAIRCASE

- SN A staircase, usually rising through more than one storey, with a space at its centre around which the stair is carried by strings and new els.
- CL BUILDING COMPONENT
- BT STAIRCASE

ORATORY

- SN A small private chapel in either a house or
- CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

ORCHESTRA PIT

- SN An area normally below a stage or dais occupied by an orchestra or musical group for performances and entertainment.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

ORDER

- SN A style of construction following an established set of criteria, based around the conventional use of a type of column.
- CL ORDER
- NT A PPLIED ORDER

COLOSSAL ORDER

COMPOSITE ORDER

CORINTHIAN ORDER

DORIC ORDER

IONIC ORDER

TUSCAN ORDER

ORGAN

- SN A musical instrument that produces sound through the passage of air through a number of pipes controlled by stops, pedals and keyboards.
- CL MACHINERY
- CL FIXTURES AND FITTINGS

ORGAN LOFT

- SN A gallery or platform w ithin a place of w orship housing the organ.
- CL BUILDING COMPONENT
- BT GALLERY (ECCLESIASTICAL)

ORIEL WINDOW

- SN A bay w indow, supported by corbelling, cills or brackets, projecting from an upper storey of a building.
- CL STRUCTURAL COMPONENT
- BT WINDOW
- RT BAY WINDOW

ORTHOSTAT

- SN A large vertical stone forming part of a structure. If the structure is roofed, the orthostat will stretch from the floor to the roof as a single slab.
- CL STRUCTURAL COMPONENT

OSCILLATING STEAM ENGINE

- SN A compact design of steam engine w hich eliminates a connecting rod by having the piston rod directly attached to the crank.
- CL MACHINERY
- BT STEAM ENGINE

OSSET LOOM

- SN A narrow hand loom.
- CL MA CHINERY
- BT LOOM

OUBLIETTE

- SN A hidden dungeon entered through a trap door from the room above it. Also a similarly concealed pit into w hich prisoners w ould be cast.
- CL AREAS AND SPACES
- BT DUNGEON

OUTDOOR SWIMMING POOL

- UF Open Air Swimming Pool
- SN A unenclosed feature, usually sub-terranean, constructed to contain water for public or private recreation and sporting activities. Sometimes part of a LIDO complex. Use INDOOR SWIMMING POOL for pools within a covering structure.
- CL FIXTURES AND FITTINGS
- BT SWIMMING POOL
- CL BUILDING COMPONENT
- BT SWIMMING POOL

OUTER BAILEY

- SN A large defensive area that usually has to be crossed before entering the inner bailey of a castle.
- CL AREAS AND SPACES
- BT BAILEY

OUTSHOT

- UF Outshut
- SN An extension to a building, though sometimes contemporary with it, housed under a lean-to roof
- CL BUILDING COMPONENT

Outshut

USE **OUTSHOT**

OVEN

- SN An enclosed structure of brick, stone or metal in w hich material is heated or burned, or, in a domestic context, food is cooked, through the continuous radiation of heat from its floor, w alls or ceiling.
- CL MACHINERY
- CL FIXTURES AND FITTINGS

OVERMANTEL

- SN An ornamental panel or decorative structure situated above a mantelpiece
- CL DECORATIVE FEATURES

OVERSHOT WHEEL

- SN A w aterw heel turned by the w eight of w ater discharged into buckets placed around its circumference from an outlet positioned above it.
- CL MACHINERY
- BT WATERWHEEL

Overstorey

USE **CLERESTORY**

OVERTHROW

- SN A panel of often decorated w rought-ironw ork forming the arch betw een tw o gate-piers or standards or above a gate. Also used for an arched support for a lamp-holder betw een tw o standards.
- CL STRUCTURAL COMPONENT
- CL DECORATIVE FEATURES

OVOLO

- SN A Classical convex moulding, often decorated with egg-and-dart or similar motifs.
- CL DECORATIVE FEATURES
- BT MOULDING

PACKING PIECE

- SN A timber set on the back of a cruck blade to carry a purlin.
- CL STRUCTURAL COMPONENT

PAD

- SN A short timber laid across the top of a masonry w all to carry a w all plate or the foot of a common rafter.
- CL STRUCTURAL COMPONENT

PADDLING POOL

- SN Man made shallow pool, usually made for children to play in rather than sw im.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE

PADSTONE

- SN A stone block set into a w all to support a truss or beam.
- CL STRUCTURAL COMPONENT
- RT TEMPLATE

Painted Panel

USE **DECORATED PANEL**

PAINTING

- SN Fine art depiction in oil, w atercolour or other media on w ood panels, canvas or paper
- CL DECORATIVE FEATURES

PALAESTRA

- SN The exercise hall of a Roman baths complex.
- CL AREAS AND SPACES
- BT RECREATION ROOM
- RT CALDARIUM FRIGIDARIUM TEPIDARIUM

Palladian Window

USE VENETIAN WINDOW

PALLET CHAMBER

- SN A room in w hich servants slept.
- CL AREAS AND SPACES
- BT ROOM

PALMETTE

- SN A decorative motif representing a palm leaf. Often painted, incised or applied in relief, can occur singly or as a repeating pattern.
- CL DECORATIVE FEATURES
- BT FLORAL FEATURE

PANEL

- SN A defined portion of a surface, often a w all lining or door, usually rectangular, w hich may be recessed, level w ith or proud of its surrounding surface and may be framed by mouldings or channels.
- CL STRUCTURAL COMPONENT
- NT DECORATED PANEL

PANELLED DOOR

- SN A door adorned with panels, usually arranged in
- CL STRUCTURAL COMPONENT
- BT DOOR

PANELLING

- SN A series of panels, usually of wood, combined to line a room.
- CL DECORATIVE FEATURES
- NT COFFERING WAINSCOT

PANOPTICON PLAN

- SN A circular plan with a series of cells around a central core, often used for prisons.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

PANTRY

- UF Covey Covie
- SN A room used for storing food.
- CL AREAS AND SPACES
- BT FOOD PREPARATION ROOM

PARADISE

- SN An atrium or open court, surrounded by porticoes, at the w est end of a church.
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE

PARALLEL BRACE

- SN A brace, parallel to another, in w all framing or arcading, or in trusses between post and tiebeam; also referred to as a duplicate brace.
- CL STRUCTURAL COMPONENT
- BT BRACE

PARAPET

- SN A barrier, usually in the form of a small w all, set to prevent people falling over the side of a bridge, balcony, roof etc.
- CL STRUCTURAL COMPONENT
- NT BATTLEMENT
 PARAPET GUTTER
- RT BANQUETTE

PARAPET GUTTER

- SN A gutter running behind a parapet w all, the w ater channelled by it being discharged from holes in the w all.
- CL STRUCTURAL COMPONENT
- BT GUTTER PARAPET

PARCLOSE

- SN A screen that separates a tomb or a chapel from the main body of a church.
- CL STRUCTURAL COMPONENT
- BT SCREEN

PARGETTING

- SN Ornamental plasterw ork applied to the exterior of a building, especially timber-framed houses of the sixteenth and seventeenth centuries..
- CL DECORATIVE FEATURES
- BT DECORATIVE PLASTERWORK

PARLOUR

- UF Winter Parlour
- SN Originally a reception room where visitors come come to talk especially in a closed establishment such as a monastery or school. Later used to refer to any room used for entertaining guests.
- CL AREAS AND SPACES

BT MEETING ROOM

NT LOCHTORY

PARTITION WALL

SN An interior wall, usually not load bearing, that divides a space.

CL STRUCTURAL COMPONENT

BT WALL

PARVIS

SN A space usually in front of a church entrance but can include the space surrounding a church.

CL AREAS AND SPACES

BT EXTERNAL AREA OR SPACE

PASSAGE

UF Passagew ay

Transyte

SN A narrow means of access, often internal.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

NT AISLE

CROSS PASSAGE

ENTERCLOSE

SCREENS PASSAGE

SERVICE PASSAGE

TRIFORIUM

WALKWAY

WALL PASSAGE

PASSAGE AISLE

SN A narrow aisle that pierces an internal buttress.

CL AREAS AND SPACES

BT AISLE

CL STRUCTURAL COMPONENT

BT AISLE

Passagew ay

USE PASSAGE

PASSING BRACE

SN A long straight timber, halved across other roof timbers, especially running from a wall post or aisle post across the tiebeam to the opposing rafter

CL STRUCTURAL COMPONENT

BT BRACE

PASSING WINDBRACE

SN A w indbrace that bypasses one purlin to be jointed into the next purlin or principal.

CL STRUCTURAL COMPONENT

BT BRACE

PATERA

SN A flat oval or circular ornamental feature decorated in relief, often w ith flutes or floral motifs.

CL DECORATIVE FEATURES

Paternoster

USE BEAD AND REEL

PAVILION

SN A section of a building distinguished from the rest either architecturally or as a separate structure joined to the main building, often intended for entertainment, specialised functions or ornamental purposes.

CL BUILDING COMPONENT

PAVILION PLAN

SN A plan form in w hich pavilions lead off from a spiral corridor.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

PAVILION WARD BLOCK

SN A pavilion w ard in a w orkhouse, used to accommodate inmates

CL AREAS AND SPACES

Pearl And Olive

USE BEAD AND REEL

PEDESTAL

SN A base on which a statue, column etc. stands.

CL STRUCTURAL COMPONENT

NT ACROTERION

DADO (PEDESTAL)

PLINTH (PEDESTAL)

PEDIMENT

SN A triangular gable usually above an entablature.

CL STRUCTURAL COMPONENT

NT AILERON

BROKEN PEDIMENT

OPEN PEDIMENT

RT ACROTERION

TY MPA NUM

PEG

SN A w ooden nail, round or square in section, used to fix a joint.

CL STRUCTURAL COMPONENT

PENDANT

SN A decorative piece descending vertically from the bottom of a new el on a staircase, or from the junction of barge boards at the apex of a gable.

CL STRUCTURAL COMPONENT

PENDENTIVE

SN A spandrel w hich supports a dome and aids the transition betw een the dome and its square or octagonal base.

CL STRUCTURAL COMPONENT

BT SPANDREL

PENSTOCK

SN A channel or pipeline that feeds water to a waterwheel.

CL STRUCTURAL COMPONENT

PENT ROOF

SN A lean-to or monopitched roof, or a projecting canopy over a door, w indow, or stair.

CL STRUCTURAL COMPONENT

BT ROOF

NT CATSLIDE ROOF

PENTHOUSE (APARTMENT)

SN An apartment or suite of rooms usually occupying the top floor of a building.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

CL BUILDING COMPONENT

PENTHOUSE (SHELTER)

- SN A covered w alkw ay attached to a building.
- CL STRUCTURAL COMPONENT

Pentice

USE COVERED WAY

PERGOLA

- SN An open roofed structure on w hich climbing plants are grown in order to provide a shaded w alkw ay or seating area.
- CL BUILDING COMPONENT
- CL AREAS AND SPACES
- BT EXTERNAL AREA OR SPACE

PERISTALITH

- SN A stone ring built to enclose and sometimes revet a burial mound or cairn.
- CL STRUCTURAL COMPONENT

PERISTYLE

- SN A colonnade all around the exterior of a building or an interior space such as a courtyard.
- CL STRUCTURAL COMPONENT
- BT COLONNADE

PETROL ENGINE

- SN An internal combustion engine w hich uses a mixture of air and petrol as fuel, the combustion of w hich is by an electric spark.
- CL MACHINERY
- BT INTERNAL COMBUSTION ENGINE

PEW

- SN A w ooden bench with a back and ends, usually fixed and found in churches. The bench ends are often decorated.
- CL FIXTURES AND FITTINGS
- BT SEAT
- NT BENCH PEW
 - BOX PEW
- RT PEW PLATFORM

PEW PLATFORM

- SN A base on which pews or benches can be placed.
- CL FIXTURES AND FITTINGS
- RT BOX PEW PEW

PIANO NOBILE

- SN The principal storey of a building, containing the main reception rooms, when not situated on ground level.
- CL PLANS AND DIVISIONS
- BT PLAN COMPONENT

PICTURE FRAME

- SN A case or border, usually w ood or metal, enclosing a picture, painting or photograph.
- CL DECORATIVE FEATURES

PICTURE GALLERY

- SN A room w ithin a house or building used to exhibit artworks, often decorated and lit accordingly.
- CL AREAS AND SPACES
- BT GALLERY (SECULAR)

PIER

SN A solid support of masonry to sustain vertical

- pressure and frequently each of the pillars from which an arch springs.
- CL STRUCTURAL COMPONENT
- NT GATE PIER
- RT PILOTI

PIER BUTTRESS

- SN A detached external pier by which an arch or vault is prevented from spreading.
- CL STRUCTURAL COMPONENT
- BT BUTTRESS

PIERCED WINDOW

- SN A window cut through a single slab of timber or
- CL STRUCTURAL COMPONENT
- BT WINDOW

PILASTER

- SN A flattened rectangular version of a column of one of the classical orders.
- CL STRUCTURAL COMPONENT
- NT ANTA
 - LESENE
 - PILASTER STRIP
 - **PILASTRADE**

PILASTER STRIP

- SN A form of pilaster without base or capital.
- CL STRUCTURAL COMPONENT
- BT PILASTER

PILASTRADE

- SN The equivalent of a colonnade but using pilasters.
- CL STRUCTURAL COMPONENT
- BT PILASTER

PILE

- SN A type of foundation in the form of a post sunk into the ground to support a building platform.
- CL STRUCTURAL COMPONENT

PILLAR

- SN A vertical member standing without support.
- CL STRUCTURAL COMPONENT

Pillow Capital

USE **CUSHION CAPITAL**

PILOTI

- SN A pier used to raise a structure or building above ground floor level so that there is open space beneath the structure
- CL STRUCTURAL COMPONENT
- RT PIER

PINNACLE

- SN Small ornamental pyramid or cone, often decorated, crowning a spire, turret, buttress etc.
- CL DECORATIVE FEATURES

PIPE

- SN A hollow, cylindrical structure or tube made of clay, lead, steel, w ood etc. through w hich gas, oil, w ater or other liquids can be conveyed.
- CL STRUCTURAL COMPONENT
- NT RAINWATER PIPE

PISCINA

- SN A w ater-drain connected to a stone bow I w ithin a niche in the south w all of a chapel, used to receive the w ater in w hich the priest w ashed his hands and rinsed the Chalice.
- CL FIXTURES AND FITTINGS
- RT CREDENCE

PIT WHEEL

- SN The main gearw heel in a w ater mill, sharing the same shaft as the exterior w aterw heel but placed w ithin the mill.
- CL STRUCTURAL COMPONENT

PITCHBACK WHEEL

- SN A waterwheel where the incoming supply of water is introduced at the top of the wheel and drops onto the paddles, or buckets, of the wheel which rotates in the reverse direction to that of the incoming flow.
- CL MACHINERY
- BT WATERWHEEL

PIVOT

- SN A piece of stone or timber with a small cup shaped depression in its upper surface, set into the ground to fasten a door, gate, window etc to allow it to open and shut.
- CL STRUCTURAL COMPONENT
- BT FASTENING

PLAN COMPONENT

- SN The element or elements that make up the different parts of a structural plan.
- CL PLANS AND DIVISIONS
- NT BAY

CORPS DE LOGIS

PIA NO NOBILE

WING

PLANING MACHINE

- SN A machine tool for producing large flat surfaces on metal objects. It comprises a large w ork table w hich slides backwards and forwards along a substantial guide bed, passing under a stationary bridge containing a fixed tool.
- CL MACHINERY

PLANKED DOOR

- SN A door made up of vertical planks on the outer face and horizontal planks on the inner face.
- CL STRUCTURAL COMPONENT
- BT DOOR

PLANS AND DIVISIONS

- SN Plans of structures, particularly ground plans, and divisions or elements of structures that form part of these plans.
- CL PLANS AND DIVISIONS
- NT PLAN COMPONENT STRUCTURAL PLAN

PLAQUE

- SN A metal or stone plate or tablet, usually inscribed, set into a wall, pedestal, floor etc., often serving as a memorial.
- CL STRUCTURAL COMPONENT

PLATE

SN A general term given to all horizontal timbers laid

- on walls or posts in order to support other timbers.
- CL STRUCTURAL COMPONENT

NT ARCADE PLATE

COLLAR PLATE

CROWN PLATE

SILL PLATE

SOLE PLATE

WALL PLATE

PLAY ROOM

- SN A room for children to play in.
- CL AREAS AND SPACES
- BT RECREATION ROOM

PLINTH (PEDESTAL)

- SN The low est part, usually projecting, of a pedestal or the base of a column.
- CL STRUCTURAL COMPONENT
- BT PEDESTAL

PLINTH (WALL)

- SN The skirting or projecting base of a wall.
- CL STRUCTURAL COMPONENT
- BT WALL
- RT SKIRTING BOARD

POINTED ARCH

- SN An arch produced by two curves, usually each with a radius equal to the span, which meet at a point.
- CL STRUCTURAL COMPONENT
- BT ARCH
- NT DROP ARCH
 - LANCET ARCH
 - OGEE ARCH

POLICE CELL

- SN A room for temporary imprisonment and detention at a Police Station.
- CL AREAS AND SPACES
- BT ROOM

PONCELET WATER TURBINE

- SN An inwards, radial flow reaction water turbine developed by Jean Victor Poncelet (1788-1867) in France in 1826.
- CL MACHINERY
- BT WATER TURBINE

PONCELET WATERWHEEL

- SN An undershot w aterw heel, developed by General Jean Victor Poncelet (1788-1867) in France, w hich improved efficiency through the replacement of flat, w ooden paddles w ith curved, metal vanes.
- CL MACHINERY
- BT UNDERSHOT WHEEL

PORCH

- SN An interior or projecting shelter surrounding an entrance to a building.
- CL BUILDING COMPONENT
- NT PORTE COCHERE PORTICO

PORTAL FRAME

SN A frame to a structure formed by precast concrete beams placed in pairs.

CL STRUCTURAL COMPONENT

PORTCULLIS

- SN A large, movable barrier, usually an iron or wooden grating with pointed bars along its bottom edge, with its sides set in vertical grooves above a castle's gatew ay enabling it to be dropped to bar entry.
- CL STRUCTURAL COMPONENT
- BT GATE

PORTE COCHERE

- SN A porch which is sufficiently large enough to allow a vehicle beneath it.
- CL BUILDING COMPONENT
- BT PORCH
- RT CARRIAGE ENTRANCE

PORTERS ROOM

- SN Room w ithin a building or complex used by a porter.
- CL AREAS AND SPACES
- BT ROOM

PORTICO

- SN A porch with columns and pediments.
- CL BUILDING COMPONENT
- BT PORCH

POST

- SN A substantial vertical member, usually a component of a main framew ork.
- CL STRUCTURAL COMPONENT
- NT CROWN POST

DOOR POST

HAMMER POST

KING POST

NEWEL POST

QUEEN POST

WALL POST

POST AND RAFTER TRUSS

- SN A truss comprising principal rafters and w allposts secured by knee-braces or sling-braces, but lacking tiebeams.
- CL STRUCTURAL COMPONENT
- BT TRUSS

Post And Truss Frame

USE BOX FRAME

POST HOLE

- SN A hole occupied by a timber post or the void remaining after its removal, usually with packing.
- CL IMPLIED FEATURE
- NT POST PIPE

POST PAD

- SN A pad on w hich a post rests to support part of a structure.
- CL STRUCTURAL COMPONENT

POST PIPE

- SN The space occupied by or left where a post has been.
- CL IMPLIED FEATURE
- BT POST HOLE

POST ROOM

- SN A room where letters and parcels are sorted prior to dispatch
- CL AREAS AND SPACES
- BT ROOM

POWDERING ROOM

- SN A small room off a bedroom, usually in eighteenth century houses, in w hich a person w ould have their w ig pow dered.
- CL AREAS AND SPACES
- BT ROOM

POWER LOOM

- SN A pow er driven cloth-w eaving machine.
- CL MACHINERY
- BT LOOM

PRESBYTERY

- SN A part of the chancel of a church where the altar is situated.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

Presence Chamber

USE AUDIENCE CHAMBER

PRIESTS DOOR

- SN A priest's private entrance into a church, usually found on the south side of the chancel.
- CL STRUCTURAL COMPONENT
- BT DOOR

PRIESTS HOLE

- UF Dean Hole
- SN A concealed passage or room for the purpose of hiding and protecting a (Roman Catholic) priest during times of religious persecution.
- CL AREAS AND SPACES
- BT ROOM

PRINCIPAL

- SN A structural member that supports a purlin. Use PRINCIPAL RAFTER w here the principal is also a common rafter.
- CL STRUCTURAL COMPONENT
- NT DIMINISHED PRINCIPAL

KNEE PRINCIPAL

PRINCIPAL WITH CURVED FEET

PRINCIPAL RAFTER

- SN A structural member that supports a purlin and is also a common rafter.
- CL STRUCTURAL COMPONENT
- BT RAFTER
- NT ANGLE RAFTER
 - KERB PRINCIPAL

PRINCIPAL RAFTER ROOF

- SN A roof made up of common and principal rafters.
- CL STRUCTURAL COMPONENT
- BT ROOF

PRINCIPAL RAFTER TRUSS

- SN A pair of principal rafters with a tiebeam, usually with a collar.
- CL STRUCTURAL COMPONENT
- BT TRUSS

PRINCIPAL WITH CURVED FEET

- SN A principal with a curved low er end that continues down the wall for a short distance.
- CL STRUCTURAL COMPONENT
- BT PRINCIPAL

PRISON CELL

- SN A room for detention and imprisonment within a prison.
- CL AREAS AND SPACES
- BT ROOM

PRIVATE ROOM

- SN A room for personal rather than public use.
- CL AREAS AND SPACES
- BT RETIREMENT ROOM
- NT BOWER

PRIVY

- SN A latrine.
- CL AREAS AND SPACES
- BT WASHING ROOM
- NT REREDORTER

PRIVY CHAMBER

- SN A private chamber usually in a Royal residence.
- CL AREAS AND SPACES
- BT ROOM

PROBATIONARY WARD

- SN A w ard for receiving new paupers upon entry to a w orkhouse. They had to remain there until checked by medical officer.
- CL AREAS AND SPACES
- BT WARD

PROSCENIUM ARCH

- SN An arch associated with the portion of the stage between the curtain and the orchestra.
- CL STRUCTURAL COMPONENT
- BT ARCH

PROTHESIS

- SN A room in a church to receive the congregation's offerings.
- CL AREAS AND SPACES
- BT ROOM

PROTOMA CAPITAL

- SN A capital with a half figure projecting from each corner
- CL STRUCTURAL COMPONENT
- BT CAPITAL

PULPIT

- SN A raised structure from w hich a priest can preach.
- CL FIXTURES AND FITTINGS

PULPITUM

- SN A stone screen, usually found in a monastic or collegiate church, that separates the choir from the nave.
- CL STRUCTURAL COMPONENT
- BT SCREEN

PULVINATED FRIEZE

- SN A frieze that has a convex section.
- CL STRUCTURAL COMPONENT
- BT FRIF7F

PUMP

- SN A pow er driven machine or device for raising a liquid or forcing it along a pipe, or for compressing a gas.
- CL MACHINERY
- NT AIR PUMP

CHAIN PUMP

DUPLEX PUMP

STEAM PUMP

WATER PUMP

PURLIN

- SN A horizontal timber set in the plane of a roof's slope and supporting common rafters.
- CL STRUCTURAL COMPONENT
- NT COLLAR PURLIN TENONED PURLIN

THROUGH PURLIN

USE PUTLOG HOLE

PUTLOG HOLE

Put Log Hole

- UF Put Log Hole
- SN A hole in a w all in w hich cross timbers, know n as putlogs, w ere placed to allow scaffolding to be erected. Putlog holes are often left unfilled and are often the only evidence for the use of scaffolding.
- CL IMPLIED FEATURE

Quadrangle Plan

USE COURTYARD PLAN

QUADRIPARTITE VAULT

- SN A vault w here the bay is divided by diagonal and transverse ribs into four cells or w ebs.
- CL STRUCTURAL COMPONENT
- BT RIBBED VAULT

QUARRY

- SN A small square or lozenge-shaped pane of glass as used in a leaded light.
- CL STRUCTURAL COMPONENT
- RT WINDOW

QUARRY HOIST

- SN A piece of machinery for lifting stone, or containers loaded with stone, from a quarry.
- CL MACHINERY
- BT CRANE

QUARTER BAR

- SN A diagonal brace running from an end of a cross tree to the vertical post to support this.
- CL STRUCTURAL COMPONENT
- RT CROSS TREE

QUATREFOIL PLAN

- SN A plan with four foils radiating out from a central point.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

QUATREFOIL WINDOW

- SN A window either in the shape of a four leaf clover or circular with four foils enclosed.
- CL STRUCTURAL COMPONENT

BT WINDOW

QUAY CRANE

SN A crane usually found at a marine or inland guay.

CL MACHINERY

BT CRANE

NT FIXED QUAY CRANE MOVING QUAY CRANE

QUEEN POST

SN One of a pair of posts, placed symmetrically on a tie beam, supporting a collar purlin or plate.

CL STRUCTURAL COMPONENT

BT POST

QUEEN POST TRUSS

SN A truss with paired vertical posts set on the tiebeam and supporting collar purlins or plates.

CL STRUCTURAL COMPONENT

BT TRUSS

QUEEN STRUT

SN A strut which is part of a pair which support the collar and are supported by the tiebeam.

CL STRUCTURAL COMPONENT

BT STRUT

QUOIN

UF Angle Stone

Coien

Coign

Coin

Coyn

SN A stone or brick used on a corner to reinforce it and also as decoration.

CL STRUCTURAL COMPONENT

NT CLAPPING QUOIN

LONG AND SHORT WORK

RADIATING CHAPEL

SN One of a series of chapels which project symmetrically from an apse or ambulatory at the east end of a church.

CL AREAS AND SPACES

BT CHAPEL

RAFTER

SN An inclined member used to support laths under a roof covering. Normally one of a pair.

CL STRUCTURAL COMPONENT

NT AUXILIARY RAFTER

COMMON RAFTER

COMPOUND RAFTER

HIP RAFTER

JACK RAFTER

PRINCIPAL RAFTER

VALLEY RAFTER

VERGE RAFTER

RAFTER BRACE

SN A timber running obliquely across a series of common rafters.

CL STRUCTURAL COMPONENT

BT BRACE

Rag And Chain Pump

USE CHAIN PUMP

RAIL

SN A horizontal member of a wall frame between posts or studs, also the horizontal member in panelling, a panelled door or a window.

CL STRUCTURAL COMPONENT

RAILING

UF Handrail

SN A barrier consisting of a horizontal rail supported by uprights.

CL FIXTURES AND FITTINGS

RAILWAY INCLINED PLANE

SN A slope, usually with rails, along which a vehicle can be moved between two relatively flat stretches of railway.

CL MACHINERY

BT INCLINED PLANE

RAILWAY LIFT

SN An elevator used to raise locomotives.

CL MACHINERY

RAILWAY SIGNAL

SN A signal usually mounted on a gantry, be it mechanical or electronic, to provide guidance to traindrivers on access to sections of track.

CL MACHINERY

RAILWAY TURNTABLE

SN A rotating circular platform operated by machinery to turn a steam locomotive around.

CL MACHINERY

RAINWATER HEAD

SN A small tank or cistern, often lead or cast-iron and sometimes ornamented, that collects rainw ater from a gutter or channel prior to it being discharged.

CL STRUCTURAL COMPONENT

RAINWATER PIPE

UF Dow npipe

SN An exterior, vertical pipe that carries rainw ater from a roof's guttering, usually to a drain.

CL STRUCTURAL COMPONENT

BT PIPE

RT GUTTER

RAISED CRUCK

SN A cruck which is set in solid masonry above floor level but stretching a long way down the wall.

CL STRUCTURAL COMPONENT

BT CRUCK

RAKING CORNICE

SN A cornice along the sloping edge of a pediment or gable.

CL STRUCTURAL COMPONENT

BT CORNICE

RAKING STRUT

SN One of a pair of straight or curved members set at an angle on the tie-beam and framed into a principal rafter, often supporting a purlin.

CL STRUCTURAL COMPONENT

BT STRUT

RAMPART

SN A protective earthern mound.

CL STRUCTURAL COMPONENT

REACTION TURBINE

- SN A prime mover which is rotated by the reaction from forcing a moving fluid to change direction.
- CL MA CHINERY
- BT TURBINE

READING ROOM

- SN A room set aside for the purpose of reading, such as in a library or a club.
- CL AREAS AND SPACES
- BT RECREATION ROOM
- STUDY RT LIBRARY

REBATE

- SN A rectangular recess along the edge of a timber to receive a shutter, door or window.
- CL STRUCTURAL COMPONENT

REBUS

- SN A decorative feature, or non-heraldic badge, representing the name of a person connected with a building, often in the form of a graphic pun on the name.
- CL DECORATIVE FEATURES

RECEIVING BLOCK

- SN Series of rooms in a workhouse, prison or hospital, often including porter's lodge, baths, clothes store, washrooms, casual cells, rooms etc, for receiving inmates/patients. Use term in Monument Type Thesaurus if it is a freestanding building.
- CL BUILDING COMPONENT

RECEPTION ROOM

- SN A room in a house, hotel, business premises etc. w here guests or visitors are received.
- CL AREAS AND SPACES
- BT ROOM

RECREATION ROOM

- SN A room intended for the pursuit of recreational activities.
- CL AREAS AND SPACES
- BT ROOM
- NT FITNESS SUITE

GAMESROOM

GYMNASIUM

MUSIC ROOM

PALAESTRA

PLAY ROOM

READING ROOM

SAUNA

SMOKING ROOM

RECTANGULAR PLAN

- SN A plan in w hich a four-sided figure has all its angles at right angles and its opposite sides equal and parallel.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

REFECTORY

- UF Frater
- SN A dining hall, usually in a monastery or college.
- CL AREAS AND SPACES

BT DINING ROOM

RELIC CHAMBER

- SN A room within a church or cathedral in which holy relics were kept.
- CL AREAS AND SPACES
- BT ROOM

RELIEVING ARCH

- UF Discharging Arch
- SN An arch built into a w all above another arch or lintel to relieve it of some of the w eight of the structure above.
- CL STRUCTURAL COMPONENT
- BT ARCH

RELIGIOUS ELEMENTS

- SN Components within a religious, ritual or funerary site directly connected to the sacred practices involved at the site.
- CL FIXTURES AND FITTINGS

NT ARK BIMAH

REREDORTER

- SN A latrine, or privy, situated at the rear of a monastery dormitory.
- CL AREAS AND SPACES
- BT PRIVY

REREDOS

- SN A decorated screen behind an altar.
- CL STRUCTURAL COMPONENT
- BT SCREEN

RESPOND

- SN A half-pier, corbel or other architectural element, usually situated at the end of an arcade, attached to a wall to support an arch.
- CL STRUCTURAL COMPONENT

Ressant

USE OGEE

RETABLE

- SN A shelf that is behind an altar.
- CL FIXTURES AND FITTINGS

RETIREMENT ROOM

- SN A room used for sleeping or resting in. Use more specific term.
- CL AREAS AND SPACES
- BT ROOM
- NT BEDROOM

BOUDOIR

DORMITORY

PRIVATE ROOM

RETROCHOIR

- UF Back Choir
- SN The space betw een the high altar and the east w all or chapel in a large church, and often the area w est of a Monks' choir.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

REUSED VESSEL COMPONENT

SN Any structural component, usually of wood, which is believed to have derived from a vessel. Double index with the appropriate type of structural component eg. BEAM or if known the original term from the MARITIME FIXTURES AND FITTINGS thesaurus.

L STRUCTURAL COMPONENT

REVETMENT

- SN A thin masonry facing or cladding employed to conceal the surface or structure behind it.
- CL STRUCTURAL COMPONENT

Rhenish Helm

USE HELM ROOF

RIB

- SN A moulding on a flat or vaulted ceiling, suggesting a structure or forming a pattern derived from vaulting..
- CL STRUCTURAL COMPONENT

NT ANGLE RIB

LIERNE

TIERCERON

TRANSVERSE RIB

WALL RIB

RIBBED VAULT

- SN A vault with a ceiling or undersurface subdivided by ribs into bays or webs.
- CL STRUCTURAL COMPONENT
- BT VAULT
- NT FAN VAULT

QUADRIPARTITE VAULT SEXPARTITE VAULT

RIDGE PIECE

- SN The horizontal timber running the length of a roof and positioned at its apex.
- CL STRUCTURAL COMPONENT
- BT ROOF

RING CRYPT

- SN A semicircular crypt below the apse of a church.
- CL AREAS AND SPACES
- BT CRYPT

RING GROOVE

- SN A gulley in the form of a circle for holding vertical posts in the walls of iron age round houses.
- CL STRUCTURAL COMPONENT

RINGING CHAMBER

- SN A stage in a church tow er w here bell ringers stand.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE
- RT BELL TOWER

RISER

- SN The vertical face of a step.
- CL STRUCTURAL COMPONENT
- BT STEPS
- RT STAIRCASE
 - TREAD

RIVER INTAKE GAUGE

- SN A gauge for measuring the volume of w ater flow ing from a river to machinery using the w ater for motive pow er??
- CL MACHINERY

ROLL MOULDING

- SN A plain moulding of semi-circular section.
- CL DECORATIVE FEATURES
- BT MOULDING

ROLLER MILL

- SN A flour milling machine w hich uses horizontal steel rollers and dressing machines seives and purifiers to gradually reduce w heat grains into constituent parts or 'streams' w hich millers call a 'gradual reduction' process.
- CL MACHINERY
- BT FLOUR MILL

ROOD BEAM

- SN A beam often situated above, and spanning the width of, the west end of a chancel and supporting a cross or crucifix.
- CL STRUCTURAL COMPONENT
- BT BEAM

ROOD LOFT

- SN A loft or gallery supported on a covered, vaulted structure and projecting over the rood screen proper, occassionally used by minstrels or singers.
- CL BUILDING COMPONENT

ROOD SCREEN

- UF Chancel Screen
- SN A timber screen, often richly decorated, placed in front of a chancel to support a rood loft.
- CL STRUCTURAL COMPONENT
- BT SCREEN

ROOF

- SN The exterior upper covering, and its supporting structure, of a building.
- CL STRUCTURAL COMPONENT
- NT BOWSTRING ROOF

COMMON RAFTER ROOF

COUPLED ROOF

EAVE

FLAT ROOF

GABLED ROOF

HALF HIPPED ROOF

HAMMERBEAM ROOF

HELM ROOF

HIPPED ROOF

MANSARD ROOF

NORTH LIGHT ROOF

PENT ROOF

PRINCIPAL RAFTER ROOF

RIDGE PIECE

THATCHED ROOF

WAGON ROOF

Roof Boss

USE BOSS

ROOM

- UF Camera (Generic) Chamber
- SN An enclosed compartment w ithin a building intended for a purpose other than as a thoroughfare.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

NT ADYTUM ALMONRY ANCHORAGE

ANTEHALL ANTEROOM APARTMENT

A PODYTERIUM ARTISTS STUDIO AUDITORIUM BALLROOM

BANKING HALL BAR ROOM BELFRY

BLEEDING ROOM BOILER ROOM BOX OFFICE BURSARY CABINET CALDARIUM

CAMERA (SUITE)

CASEMATE

CELL

CHANGING ROOM CHINESE ROOM CLOAKROOM

CONFESSIO CONTROL ROOM

CRYPT

DINING ROOM DRESSING ROOM

DUNGEON

FIRST AID ROOM

FOOD PREPARATION ROOM

FRIGIDA RIUM
FUMIGA TORY
FUNCTION ROOM
GALLERY (SECULAR)
GREAT CHAMBER
GRINDING ROOM
GUARD CHAMBER
HALL (COMMUNAL)

INFIRMARY
KEEPING ROOM
KNIGHTS CHAMBER
LABORATORY
LAUNDRY ROOM

LIBRARY LOBBY

MASTERS ROOM MEETING ROOM NOVICES ROOM

NURSERY OFFICE

PALLET CHAMBER POLICE CELL PORTERS ROOM POST ROOM

POWDERING ROOM

PRIESTS HOLE
PRISON CELL
PRIVY CHAMBER
PROTHESIS

RECEPTION ROOM RECREATION ROOM RELIC CHAMBER RETIREMENT ROOM

SACRISTY

SALON

SCHOOLROOM SCULLERY SERVANTS HALL

SERVANTS QUARTERS

SERVICE ROOM

SOLAR

STAIRCASE HALL STATE APARTMENT STEWARDS ROOM

STOREROOM STUDY TEPIDA RIUM THRONE ROOM UTILITY ROOM

VESTRY

WAITING ROOM WASHING ROOM WORK ROOM

RT CHAMBER BLOCK

ROSE WINDOW

SN A circular window containing tracery.

CL STRUCTURAL COMPONENT

BT WINDOW

ROSETTE

SN A circular stylised ornament, essentially a patera with floral enrichment, associated with classical architecture and occurring on the soffits of coffers, and as the fleuron of the Corinthian abacus.

CL DECORATIVE FEATURES

BT FLORAL FEATURE

ROTATIVE BEAM ENGINE

SN An engine in w hich the oscillating motion of the beam is translated via gearing to a rotative motion

CL MACHINERY

BT BEAM STEAM ENGINE
NT HESLOP STEAM ENGINE
TANK BED ENGINE

ROTATIVE STEAM ENGINE

SN A steam engine which produces rotary motion.

CL MACHINERY

BT STEAM ENGINE

SACK HOIST

UF Bag Hoist

SN A mechanism, either automated or consisting of winches and pulleys, that raises sacks of grain on ropes or chains from one floor of a mill to another, usually through one or a series of trap doors.

CL STRUCTURAL COMPONENT

CL MACHINERY

SACRISTY

UF Diaconicon

SN A room in a church where vestments and sacred vessels are stored.

CL AREAS AND SPACES

BT ROOM

SADDLE

SN A short timber set on top of two cruck blades.

CL STRUCTURAL COMPONENT

SADDLE BAR

- SN A horizontal iron bar set in a window opening to w hich a leaded light is fixed.
- CL STRUCTURAL COMPONENT

RT CAME

STANCHION

WINDOW

SADDLE JOINT

- SN A thin timber, usually sloping on both sides, fixed to the floor between the jambs of a doorway.
- CL STRUCTURAL COMPONENT
- BT JOINT
- RT THRESHOLD

Saddle Stone

USE APEX STONE

SAIL

- SN A device, usually wooden, or fabric on a timber frame, designed to catch, and be driven by, the wind in order to power a windmill. For maritime uses see the Thesaurus of Maritime Archaeology.
- CL STRUCTURAL COMPONENT

Sail Back

USE WHIP

Sales Counter

USE COUNTER

Salomonic Column

USE SPIRAL COLUMN

SALON

UF Salone

Saloon

- SN A large, high-ceilinged room, usually in a great house or palace, serving as a principal reception room; also a room used by the public for a specific purpose; or a drawing room in a house.
- CL AREAS AND SPACES
- BT ROOM

Salone

USE SALON

Saloon

USE SALON

SALT PAN

- SN A large shallow pan, usually metal, in w hich seaw ater or brine is evaporated for the extraction of salt. The name is also often applied to the exterior pits or ponds used for the same purpose (see Thesaurus of Monument Types).
- CL STRUCTURAL COMPONENT

SANCTUARY

- SN The part of the chancel, between the altar rail and the eastern wall, containing the high altar.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

Sanctus Bell Cote

USE BELLCOTE

SASH WINDOW

- SN A w indow w ith a frame for holding the glass, capable of being raised and low ered in vertical grooves.
- CL STRUCTURAL COMPONENT
- BT WINDOW

SATELLITE DISH

- SN A device for receiving and sending radiotransmitted signals into the atmosphere.
- CL MACHINERY

SAUNA

- SN A room, usually lined with wood panels, that is heated to a hot and steamy temperature using a small stove and intended to be used for relaxation and therapeutic purposes.
- CL AREAS AND SPACES
- BT RECREATION ROOM

SAVERY ENGINE

- SN An elementary steam engine w orking on the atmospheric principle; often used downstream of an overshot w aterw heel.
- CL MACHINERY
- BT STEAM ENGINE

SAW TOOTH TRUSS

- SN A roof truss used for small spans with a sawtooth overall shape braced by vertical and diagonal members.
- CL STRUCTURAL COMPONENT
- BT TRUSS

SCALLOPED CAPITAL

- SN A type of cushion capital with the lunette on each face cut into a series of truncated cones to form a scallop shell-like decoration.
- CL STRUCTURAL COMPONENT
- BT CUSHION CAPITAL

SCALLOPED MOULDING

- SN An ornamental moulding w hose curved, segmented form resembles that of a scallop shell.
- CL DECORATIVE FEATURES
- BT MOULDING

SCARF JOINT

- SN A joint between two timbers meeting end to end.
- CL STRUCTURAL COMPONENT
- BT JOINT

School Room

USE SCHOOLROOM

SCHOOLROOM

- UF School Room
- SN A room w ithin a school, private house or institution used for lessons.
- CL AREAS AND SPACES
- BT ROOM
- NT CLASSROOM

SCISSOR BRACED TRUSS

- SN A truss with braces crossing and fixed to each other, thus tying a pair of rafters together.
- CL STRUCTURAL COMPONENT
- BT TRUSS

SCISSOR BRACES

- SN One of a pair of crossing braces halved or lapped across each other, tying a pair of rafters together.
- CL STRUCTURAL COMPONENT
- BT BRACE

SCONCE

- SN A type of light fixture affixed to a wall in such a way that it uses only the wall for support, and the light is usually directed upwards.
- CL FIXTURES AND FITTINGS

SCOOP WHEEL

- SN A w heel, usually steam driven, used for raising w ater by means of buckets attached to its circumference.
- CL MACHINERY

SCOTCH

- SN A housing, normally of triangular section, in a post to take the end of a prop, to hold the post upright during construction.
- CL STRUCTURAL COMPONENT

SCOTCH CRANK ENGINE

- SN A compact design of engine in w hich a connecting rod is dispensed w ith, giving a short baseplate.
- CL MACHINERY
- BT ENGINE

SCOTIA

- SN A deeply concaved moulding, with a projecting low er edge, that sits at the base of a column between two torus mouldings.
- CL DECORATIVE FEATURES
- BT MOULDING

SCREEN

- SN A vertical partition used to separate one area from another.
- CL STRUCTURAL COMPONENT
- NT ALTAR SCREEN

CHOIR SCREEN

ICONOSTA SIS

PARCLOSE

PULPITUM

REREDOS

ROOD SCREEN

- SN A passage that runs axially across the end of a hall with a screen between it and the hall and doorways to service rooms on the other side.
- CL AREAS AND SPACES
- BT PASSAGE

SCREENS PASSAGE

SCRIBED JOINT

- SN A joint in w hich the end of one timber is shaped to fit around the moulding on another.
- CL STRUCTURAL COMPONENT
- BT JOINT

SCRIBED MITRE

SN The junction of two timbers at right angles, with chamfers or mouldings meeting on a diagonal line, where one timber is cut to fit around the chamfer or moulding of the other timber.

- CL STRUCTURAL COMPONENT
- BT JOINT

SCULLERY

- UF Ew ery
- SN A room, or part of a kitchen, for the cleaning and storage of kitchen utensils.
- CL AREAS AND SPACES
- BT ROOM
- RT KITCHEN

SCULPTURE

- SN A figurative or abstract design in the round or in relief and can be of various materials. For freestanding sculptures see also Monument Types Thesaurus.
- CL DECORATIVE FEATURES
- NT CALVARY

SCUTCHING MACHINE

- SN A machine for cleansing flax, hemp or cotton and forming the fibres into a continuous wide lap or sheet in preparation for carding.
- CL MACHINERY

SEA POOL

- SN Man made structure to contain tidal w aters, often part of a LIDO, bathing or sw imming complex at the sea edge.
- CL BUILDING COMPONENT
- BT SWIMMING POOL
- CL FIXTURES AND FITTINGS
- BT SWIMMING POOL

SEAT

- SN A fixed object to sit upon. Use narrow er terms where known.
- CL FIXTURES AND FITTINGS
- NT MISERICORD

PEW

SEDILIA

STALL

SECONDARY RAFTER

- SN The inner rafter of a compound rafter.
- CL STRUCTURAL COMPONENT
- BT COMPOUND RAFTER

SECONDARY TRUSS

- UF Intermediate Truss
- SN A truss of slighter construction betw een principal trusses in an elaborate roof.
- CL STRUCTURAL COMPONENT
- BT TRUSS

SECRET BRIDLE JOINT

- SN A bridle joint w hich is invisible from all sides of the timber.
- CL STRUCTURAL COMPONENT
- BT JOINT

SECRET NOTCHED LAP JOINT

- SN A joint with a notch cut into its invisible inner face.
- CL STRUCTURAL COMPONENT
- BT NOTCHED LAP JOINT

SEDILIA

SN Set of three seats for the clergy found in the

chancel

CL FIXTURES AND FITTINGS

BT SEAT

SEGMENTAL ARCH

SN An arch made up of part of a circle, the centre of w hich is below its springing line.

CL STRUCTURAL COMPONENT

BT ARCH

Serliana

USF VENETIAN WINDOW

SERVANTS HALL

SN A room for servants, particularly where they would eat.

CL AREAS AND SPACES

BT ROOM

SERVANTS QUARTERS

SN The part of a house frequented by servants when not performing their duties.

CL AREAS AND SPACES

BT ROOM

SERVICE BLOCK

SN An area of a building or complex specifically housing the kitchens, sculleries and services.

CL BUILDING COMPONENT

SERVICE PASSAGE

SN A passage providing access to utility services or a larger tunnel for the purposes of monitoring and maintenance. May also provide be used as an evacuation route.

CL AREAS AND SPACES

BT PASSAGE

SERVICE ROOM

SN A room usually set aside for the provision of materials used in a household.

CL AREAS AND SPACES

BT ROOM

SERVICE STAIRCASE

SN A staircase normally used by servants and tradesmen.

CL BUILDING COMPONENT

BT STAIRCASE

SERVICE WING

SN A wing of a house used specifically for the storage of household materials and victuals.

CL PLANS AND DIVISIONS

BT WING

SETBACK BUTTRESS

SN A buttress that is set slightly away from a corner.
Usually one of a pair.

CL STRUCTURAL COMPONENT

BT BUTTRESS

SEXFOIL PLAN

SN A decorative pattern, as used in tracery or a Gothic arch, featuring six lobes, or foils, separated by cusps.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

SEXPARTITE VAULT

SN A vault w hose bay is divided by diagonal and transverse ribs into six compartments or cells.

CL STRUCTURAL COMPONENT

BT RIBBED VAULT

SHAFT

SN The part of a column betw een the capital and the base.

CL STRUCTURAL COMPONENT

NT SHAFT RING

SHAFT RING

SN A moulded ring around a shaft.

CL STRUCTURAL COMPONENT

BT SHAFT

SHAPING MACHINE

SN A machine tool for producing flat surfaces and slots on small w ork pieces by cutting aw ay surplus material.

CL MACHINERY

RT SLOTTING MACHINE

SHEELA NA GIG

JF Sheila Na Gig

SN A carved stone female figure often found on castles and churches.

CL DECORATIVE FEATURES

BT HUMAN FIGURE

Sheep Creep

USE CREEP

Sheila Na Gig

USE SHEELA NA GIG

SHELF

SN A flat, horizontal piece of timber or masonry projecting from or recessed into a w all to hold objects.

CL FIXTURES AND FITTINGS

CL STRUCTURAL COMPONENT

SHELL HOOD

SN A shell-shaped moulded hood over an exterior opening, such as a doorw ay.

CL DECORATIVE FEATURES

BT DRIPSTONE

SHINGLE

SN A thin wooden slab or tile used in quantity as a roof or wall covering.

CL STRUCTURAL COMPONENT

SHOE

SN An inclined w ooden trough w hich channels grain evenly from the feed hopper into the eye of the stones in a corn mill.

CL MACHINERY

CL STRUCTURAL COMPONENT

SHOULDERED ARCH

SN A flat arch or lintel w ith quadrants on the corbels rising from the jambs.

CL STRUCTURAL COMPONENT

BT ARCH

Shovelboard Parlour

USE GAMESROOM

SHRINE

- SN A fereter or repository for relics or any building containing such a repository, or any place or structure w here w orship is offered or devotions are paid to a saint or deity.
- CL FIXTURES AND FITTINGS
- NT A EDICULE (SHRINE)

SHUTTER

- SN A hinged, sliding or rolling door placed over a w indow's exterior or interior.
- CL STRUCTURAL COMPONENT

SIDE LEVER ENGINE

- SN A design of beam steam engine introduced circa 1800 in w hich, instead of a single overhead rocking beam, there are two beams positioned alongside the cylinder, one either side, giving a low er overall height.
- CL MACHINERY
- BT BEAM STEAM ENGINE

SIDE WALL FIREPLACE PLAN

- SN A building plan in w hich the principal fireplace is positioned on the side w all.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

SIFTER

- UF Bolter
 - Dresser
- SN A mechanical device, used in a corn mill, that sieves and grades flour or meal and separates oversized particles.
- CL MACHINERY
- NT WIRE MACHINE

SIGN

- SN A panel, board or device bearing an inscription, symbol or image, usually describing a function, name, location, instruction, or otherwise distinguishing the object or structure on which it is placed.
- CL FIXTURES AND FITTINGS

SILL

- UF Cil
- SN The horizontal piece of timber or stone forming the bottom of a w indow, doorw ay or other opening, usually and properly designed to throw off w ater.
- CL STRUCTURAL COMPONENT

SILL BEAM

- SN A horizontal timber positioned at the bottom of a framed w all into w hich posts and studs are tenoned.
- CL STRUCTURAL COMPONENT

SILL PLATE

- SN A horizontal timber usually at the bottom of a timber framed w all into w hich posts and studs are tenoned.
- CL STRUCTURAL COMPONENT
- BT PLATE

SIMS COMPOUND ENGINE

- SN A form of tandem compounding of early beam engines, with a high pressure steam cylinder mounted on top of a low pressure one, introduced in Cornwall the 1840s by James Sims.
- CL MACHINERY
- BT BEAM STEAM ENGINE

SINGLE CELL PLAN

- SN A simple, one-roomed structural plan.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

Site Layer

USE LAYER

SITTING ROOM

- SN Originally a room in a house where a family would gather, usually in the evening, to sit and read, write, sew, play music etc. This term has become commonly used as an alternative to living room.
- CL AREAS AND SPACES
- BT LIVING ROOM
- NT SUN LOUNGE

SKEW ARCH

- SN An arch w ith jambs that do not stand at an angle of ninety degrees to its face.
- CL STRUCTURAL COMPONENT
- BT ARCH

SKIRTING BOARD

- SN A narrow timber board or moulding lining the base of an interior wall as a finish between it and and the floor.
- CL DECORATIVE FEATURES
- BT MOULDING
- CL STRUCTURAL COMPONENT
- RT PLINTH (WALL)

SKYLIGHT

- SN A glazed opening in a roof or ceiling.
- CL STRUCTURAL COMPONENT

SLASHER

- SN A machine for applying protective size to yarn intended for warp
- CL MACHINERY

SLATE HANGING

- SN A w all cladding consisting of slates hung in overlapping row s.
- CL STRUCTURAL COMPONENT
- BT CLADDING

SLEEPER WALL

- SN A wall, usually perforated to allow free passage of air, supporting the ground-floor joists of a building.
- CL STRUCTURAL COMPONENT

SLING BRACE

- SN A brace, running from a post to a principal, stiffening an interrupted tiebeam.
- CL STRUCTURAL COMPONENT
- BT BRACE

SLIP TENON JOINT

- SN A joint with a loose tenon morticed into two touching pieces of timber
- CL STRUCTURAL COMPONENT
- BT JOINT

SLOTTING MACHINE

- SN A machine tool similar in general appearance to a shaping machine but in w hich the head or ram carrying the cutting tool moves in a vertical plane.
- CL MACHINERY
- RT SHAPING MACHINE

SLUBBING FRAME

- SN A machine for further attenuating a sliver of cotton after it has been through a draw frame.
- CL MACHINERY

SLUICE

- SN A gate or valve that controls the flow of water from a reservoir, harbour, etc..
- CL STRUCTURAL COMPONENT

Slype

USE COVERED WAY

SMOKE BAY

- SN A bay in a two storeyed house open to the roof to allow smoke to escape.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE
- CL PLANS AND DIVISIONS
- BT BAY

SMOKE HOOD

- SN A framed fireplace hood built on a bressumer and extending from one outer w all to the other or to a spere.
- CL STRUCTURAL COMPONENT

SMOKING ROOM

- SN A room set aside within a club, hotel, large residence etc. for the benefit of guests or individuals who wish to smoke.
- CL AREAS AND SPACES
- BT RECREATION ROOM

SMUTTER

- SN A cleansing or separating machine used in a corn mill for removing smut from grain before it is ground.
- CL MACHINERY

SOFFIT

- SN The under surface of an arch, lintel or projecting architectural feature.
- CL STRUCTURAL COMPONENT

SOLAR

- SN A first-floor chamber, often serving as a parlour, bedchamber or private room, in a medieval house. Also a loft, rood-loft or garret.
- CL AREAS AND SPACES
- BT ROOM
- RT CHAMBER BLOCK

SOLE PIECE

- SN A horizontal member supporting the posts in a timber framed structure.
- CL STRUCTURAL COMPONENT

SOLE PLATE

- SN A short timber set across the top of a wall to take the foot of a rafter and an ashlar piece.
- CL STRUCTURAL COMPONENT
- BT PLATE

SOULACE

- SN A straight brace from rafter to collar in a common rafter truss
- CL STRUCTURAL COMPONENT

SPA POOL

- SN Manmade structure that contains w ater that is heated to a high temperature and sometimes has bubbling air jets. Meant to be used for therapeudic purposes.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

SPANDREL

- SN The quasi-triangular area betw een, and defined by, the upper sections of a pair of adjacent arches, or betw een the curve of an arch and the angle of a surrounding frame or structure.
- CL STRUCTURAL COMPONENT
- NT HOLLOW SPANDREL PENDENTIVE

SPANDREL STRUT

- SN A short timber set diagonally in the spandrel of an arch brace, between the brace and the corner of the main frame.
- CL STRUCTURAL COMPONENT
- BT A STRUT

SPEEDFRAME

- SN A general name given to a series of machines which successively reduce the diameter of rovings before the final spinning into yarn.
- CL MACHINERY

SPERE

- SN A screen, with a wide central opening, or multiple narrow er openings, spanning the low er end of a medieval hall, screening the cross entry and defining the screen, or cross, passage.
- CL STRUCTURAL COMPONENT

SPERE TRUSS

- SN The structure across the low er end of a medieval hall containing the spere, its supporting posts and tie-beam.
- CL STRUCTURAL COMPONENT
- BT TRUSS

SPIDER

- SN A four-armed metal coupling, positioned at the centre of a w indmill's sails, connected to the front of the striking rod and the shutter bars of all the sails, causing the shutters to open and close.
- CL STRUCTURAL COMPONENT

SPINNING MACHINE

- SN A machine used for drawing out and twisting together short fibres to make a yarn or thread. Use more specific term where known.
- CL MACHINERY
- NT JENNY

MULE

WATER FRAME

SPIRAL COLUMN

UF Salomonic Column Tw isted Column

- SN A column whose shaft is scuplted to give it a contorted or twisted appearance, sometimes referred to as a barley-sugar column.
- CL STRUCTURAL COMPONENT
- BT COLUMN

SPIRAL FLUTING

- SN A decorative feature, usually Norman, in which fluting takes a spiral rather than vertical form.
- CL DECORATIVE FEATURES

SPIRAL STAIRCASE

- SN A staircase, circular in plan, that w inds around a central new el.
- CL BUILDING COMPONENT
- BT STAIRCASE

SPIRE

- SN A tall, circular, polygonal or square structure rising from a roof, tow er, turret etc., tapering to a slender point.
- CL STRUCTURAL COMPONENT
- NT BROACH SPIRE

FLECHE

NEEDLE SPIRE

SPIRELET

SPIRELET

- SN A small form of spire.
- CL STRUCTURAL COMPONENT
- BT SPIRE

SPLAYED AND TABLED SCARF JOINT

- SN A joint which has a splay interrupted by a step
- CL STRUCTURAL COMPONENT
- BT JOINT

SPLAYED ARCH

- SN An arch w hich has a larger radius on the front face of a w all than on the back.
- CL STRUCTURAL COMPONENT
- BT ARCH

SPLAYED SCARF JOINT

- SN A joint with each timber ending in a cut slanted across its length.
- CL STRUCTURAL COMPONENT
- BT JOINT

SPLIT BALUSTER

- UF Engaged Baluster
- SN A half or w hole baluster applied to a w all or pedestal, thus described as engaged.
- CL STRUCTURAL COMPONENT
- BT BALUSTER

SPRINGER

- UF Tas De Charge
- SN The point or block from w hich an arch or vault starts. The block generally has a horizontal base and sloped top.
- CL STRUCTURAL COMPONENT

SPROCKET

- SN A triangular or w edge-shaped timber cockingpiece attached to the upper face of a rafter near its foot in order to reduce the slope above the eaves. Such eaves are referred to as being sprocketed.
- CL STRUCTURAL COMPONENT

SPUR

- SN A short timber connecting a cruck blade to a wall above the point at which the blade diverges from it
- CL STRUCTURAL COMPONENT

SPUR WHEEL

- SN A large gearw heel w hich, together w ith a smaller gear called a pinion, connects two parrallel shafts and, in a corn mill, drives the stone nuts.
- CL STRUCTURAL COMPONENT

SQUINCH

- SN One or more arches built across an angle betw een tw o w alls to support a polygonal or circular structure.
- CL STRUCTURAL COMPONENT
- BT ARCH

SQUINT

- UF Hagioscope
- SN An aperture cut obliquely in a wall, usually of a chancel, affording a view between the high altar and the aisles or side chapels.
- CL STRUCTURAL COMPONENT

STADDLE STONE

- SN A short, tapered, vertical stone supporting a rough stone disc so resembling a toadstool, often forming one of several uprights on which a timber structure, such as a granary rests, protecting the building from damp and vermin.
- CL STRUCTURAL COMPONENT

STAGE

- SN A raised platform, especially in a theatre or auditorium, for the use of performers or speakers etc.
- CL AREAS AND SPACES
- CL STRUCTURAL COMPONENT

STAINED GLASS

- SN Glass that has been coloured by fusing glass with a metallic oxide film or by burning pigment into the surface.
- CL STRUCTURAL COMPONENT

STAIR TOWER

- SN A tow er, normally forming part of a larger structure, housing a staircase.
- CL BUILDING COMPONENT
- BT TOWER

STAIR TURRET

- SN A small or subordinate tow er, normally forming part of a larger structure, housing a spiral or winding stair.
- CL BUILDING COMPONENT
- BT TURRET

STAIRCASE

UF Stairw ay

SN A flight of steps leading from one level to another.

CL BUILDING COMPONENT

NT BACK STAIRCASE

DOGLEG STAIRCASE

ESCALATOR

EXTERNAL STAIRCASE

IMPERIAL STAIRCASE

NEWEL POST

NEWEL STAIRCASE

NIGHT STAIR

OPEN WELL STAIRCASE

SERVICE STAIRCASE SPIRAL STAIRCASE

WINDER STAIRCASE

RT LANDING

RISER

STAIRCASE HALL

SN A room w hich contains, w holly or partly, a staircase.

CL AREAS AND SPACES

BT ROOM

Stairw ay

USE STAIRCASE

STAKE HOLE

SN A small hole filled or vacated by a stake, normally driven into the ground.

CL STRUCTURAL COMPONENT

STALL

SN A fixed seat, often enclosed, usually found within an ecclesiastical building and frequently arranged in series to accommodate a congregation, choir or clergy.

CL FIXTURES AND FITTINGS

BT SEAT

STAMPS

SN A series of water or engine-driven crushing machines used in ore dressing.

CL MACHINERY

STANCHION

SN A vertical iron bar fixed within a window opening to support a leaded light.

CL STRUCTURAL COMPONENT

RT CAME

SADDLE BAR

WINDOW

STATE APARTMENT

SN A room or group of rooms usually reserved for use by the monarchy or government.

CL AREAS AND SPACES

BT ROOM

STATIONARY STEAM ENGINE

SN A steam engine working at a fixed location.

CL MACHINERY

BT STEAM ENGINE

STEAM CRANE

SN A crane deriving its pow er from steam generated from solid fuels.

CL MACHINERY

BT CRANE

STEAM ENGINE

SN A power source deriving its energy from solid fuel, which is used to boil water in an almost closed vessel, producing steam which moves one or more pistons in tight fitting cylinders, the energy being transmitted by a piston rod to a diversity of devices

CL MACHINERY

BT ENGINE

NT A FRAME STEAM ENGINE ATMOSPHERIC ENGINE BEAM STEAM ENGINE

BULL ENGINE

CONDENSING STEAM ENGINE CONTRA FLOW STEAM ENGINE HORIZONTAL STEAM ENGINE

INVERTED VERTICAL STEAM ENGINE MINE HAULAGE STEAM ENGINE NON CONDENSING STEAM ENGINE NON DEAD CENTRE STEAM ENGINE OSCILLATING STEAM ENGINE

ROTATIVE STEAM ENGINE

SAVERY ENGINE

STATIONARY STEAM ENGINE

STEEPLE ENGINE
TABLE ENGINE
TANDEM COMPOUND
TRACTION STEAM ENGINE
TRIPLE EXPANSION ENGINE
TRUNK STEAM ENGINE
UNIFLOW STEAM ENGINE
VERTICAL STEAM ENGINE

WATER RETURNING ENGINE

STEAM PUMP

SN A pump driven by steam pow er generated by solid fuels.

CL MACHINERY

BT PUMP

STEAM TURBINE

SN A steam motor in w hich rotory motion is produced by steam impinging directly upon a series of vanes upon the circumference of a revolving cylinder or disc.

CL MACHINERY

BT TURBINE

NT COMBINED STEAM AND GAS TURBINE

STEAM WHIM

SN A steam-pow ered machine used for raising materials such as ore or water from a pit or shaft.

CL MACHINERY

STEEPLE

SN A collective term embracing a church tow er's entire structure, including its spire.

CL BUILDING COMPONENT

NT CROWN STEEPLE

STEEPLE ENGINE

SN A compact, free standing steam engine introduced circa 1810 and built mainly in small sizes.

CL MACHINERY

BT STEAM ENGINE

STEPS

SN A series of flat-topped structures, usually wooden or stone, on which a person places their feet when ascending or descending, facilitating movement from one level to another.

CL STRUCTURAL COMPONENT

NT RISER TREAD

Stew ards Parlour

USE STEWARDS ROOM

STEWARDS ROOM

UF Stew ards Parlour

SN A room for higher-ranking servants.

CL AREAS AND SPACES

BT ROOM

STIFF LEAF CAPITAL

SN A capital featuring stylised, often projecting, three-lobed leaves.

CL STRUCTURAL COMPONENT

BT CAPITAL

STILTED ARCH

SN An arch where vertical piers raise the springing line.

CL STRUCTURAL COMPONENT

BT ARCH

STOKEHOLE

SN The hole through w hich the fuel for a fire is put to start and maintain the fire.

CL STRUCTURAL COMPONENT

STONE CARVING

SN An inscription or illustration carved into the surface of a stone wall or other architectural element.

CL DECORATIVE FEATURES

STONE MILL

SN A flour milling machine w hich uses one or more pairs of horizontal millstones to grind w heat into flour w hich millers call a 'sudden death' process; w ithin not more than 90 seconds complete w heat grain becomes w holemeal flour.

CL MACHINERY

BT FLOUR MILL

STONE NUT

SN Pinion w hich engages w ith the spur w heel and drives the millstones in a corn mill.

CL STRUCTURAL COMPONENT

STONEWORK

SN A structure, part of a structure or area consisting of plain masonry.

CL STRUCTURAL COMPONENT

STOP

SN A projecting, sometimes decorated, finish to a moulding, chamfer, label, hood-mould or stringcourse.

CL STRUCTURAL COMPONENT

STOP SPLAYED SCARF JOINT

SN A joint which has a splay with a short

perpendicular section at each end.

CL STRUCTURAL COMPONENT

BT JOINT

STOREROOM

SN A room set aside for the storage of goods or valuables. Use more specific term where known.

CL AREAS AND SPACES

BT ROOM

NT A POTHECA

ARMOURY

CELLAR

CLOTHING STORE

GUN ROOM

HARNESS ROOM

LUMBER ROOM

TACK ROOM

WARDROBE

STOREY

SN One of a building's horizontal divisions, being the space betw een tw o floors, or a floor and the roof structure.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

NT ATTIC

BASEMENT

MEZZANINE

STOUP

SN A fixed basin, containing Holy Water, positioned near the entrance of a church, usually placed w ithin a niche, on a w all or pier, or freestanding upon a pedestal.

CL FIXTURES AND FITTINGS

STRAINER ARCH

SN An arch w hose purpose is to arrest or prevent structural movement in a building.

CL STRUCTURAL COMPONENT

BT ARCH

STRAINER BEAM

SN A transverse timber in aisled construction, joining aisle posts below tiebeam level, to allow rearing of pairs of posts.

CL STRUCTURAL COMPONENT

BT BEAM

STRAP

SN An iron plate connecting two or more timbers together.

CL STRUCTURAL COMPONENT

STRAPWORK

SN A decorative feature of w ood, plaster or carved masonry, often used in low relief on ceilings, panels or screens and resembling interlacing leather straps. Popular in the late 16th and early 17th centuries.

CL DECORATIVE FEATURES

STRIKING GEAR

SN A mechanism within a windmill, attached to the striking rod, allowing the opening and closing of the shutters or vanes of patent sails.

CL STRUCTURAL COMPONENT

RT STRIKING ROD

STRIKING ROD

An iron bar or rod running through the core of a w indmill's w indshaft that causes the opening and

shutting of the vanes on patent sails. STRUCTURAL COMPONENT CL

RT STRIKING GEAR

STRING

A sloping timber in a staircase holding the ends of

treads and risers.

STRUCTURAL COMPONENT

STRING COURSE

A horizontal, moulded band, usually projecting, running across a wall, often indicating the position of a building's interior floor.

DECORATIVE FEATURES

MOULDING ВТ

RT LABEL STOP

STRUCTURAL COMPONENT

A part of a building or structure that is an element

of the construction.

STRUCTURAL COMPONENT CL

NT **ABUTMENT**

A EDICULE (FRAME)

AISLE ALCOVE

ANCONE (CONSTRUCTION)

ANCONE (STRUCTURAL)

ANGLE BAR ANGLE STAFF APEX STONE **APRON** APSE

ARCADE ARCH **ARCHWAY** ARRIS FILLET **ASHLARING**

BALDACCHINO BALUSTRADE BAND (STRUCTURAL)

BARGE BOARD

BASE BATTEN BEAM BED NOOK **BEETLE** BELL FRAME **BELLCOTE BLOCK**

BLOCKING COURSE

BOLSTER BOSS BOX FRAME BRACKET BRAKE WHEEL

BRICKWORK BRIDGE TREE BUTTRESS CAME CAP CAPITAL **CAPSTONE CEILING**

CENTERING

CHIMNEY

CLADDING CLERESTORY COLLAR COLONNA DE COLUMN COMPOUND PIER

CORBEL CORBEL TABLE **CROSS TREE CROWN TREE CROWN WHEEL CUPBOARD CUTWATER** DAIS

COPING

DAIS CANOPY DOME

DOOR **DOORCASE DORMER** DRAW BAR **ENTABLATURE FACADE**

FAN CARRIAGE FANTAIL FASTENING FIREPLACE FIRING STEP **FLOOR**

FLUE FLUTING FOUNDATION

FOUNDATION STONE **GABLE GATE GLAZING BAR GRATING GRILLE GROIN GULLY GUN PORT GUTTER HAUNCH**

HEAD RACE HEARTH HOPPER HURST JAMB JETTY JOIST JOURNAL KERB

KING PENDANT **KNEELER** LATH LIGHT

LINTEL

LIGHTNING CONDUCTOR

LOOPHOLE **LOUVRE** LUCAM MASONS MARK MEAL SPOUT MILLSTONE MULLION MUNTIN NECK

NICHE **SPERE NOGGING SPIDER ORTHOSTAT** SPIRE **OVERTHROW SPRINGER** PACKING PIECE **SPROCKET** PAD SPUR SPUR WHEEL **PADSTONE SQUINT PANEL PARAPET** STADDLE STONE PEDESTAL STAGE PEDIMENT STAINED GLASS PEG STAKE HOLE PENDA NT **STANCHION** PENSTOCK STEPS PENTHOUSE (SHELTER) STOKEHOLE **PERISTALITH** STONE NUT PIER **STONEWORK PILASTER** STOP PILE STRAP STRIKING GEAR **PILLAR** STRIKING ROD PILOTI PIPE STRING PIT WHEEL STRUT **PLAQUE** STUD TAIL POLE PLATE PORTAL FRAME TAIL RACE POST **TEMPLATE** POST PAD **THRESHOLD PRINCIPAL** TIE **PURLIN TILING QUARRY TRANSOM** QUARTER BAR **TRIMMER** QUOIN **TRUMEAU RAFTER TRUSS** RAIL TUN RAINWATER HEAD TY MPA NUM **RAMPART UPRIGHT SHAFT** REBATE **VAULT** RESPOND **VAULT SPRINGER** REUSED VESSEL COMPONENT **VENT VOUSSOIR REVETMENT** WALKWAY RIB RING GROOVE WALL **ROOF WALLOWER** SACK HOIST WATER SPOUT SADDLE WATER TABLE SADDLE BAR WATERWHEEL SHAFT SAIL **WEATHERBOARD** SALT PAN WHIP WIND BRACE SCOTCH **SCREEN** WINDOW WINDSHAFT SHAFT SHELF YOKE SHINGLE STRUCTURAL PLAN SHOE SN A plan form of a structure or building. SHUTTER CL PLANS AND DIVISIONS SILL NT AXIAL CHIMNEY PLAN SILL BEAM BAFFLE ENTRY PLAN SKIRTING BOARD BASILICA PLAN SKYLIGHT **BUTTERFLY PLAN** SLEEPER WALL CENTRAL FIREPLACE PLAN SLUICE CENTRAL STAIRCASE PLAN SMOKE HOOD CIRCULAR PLAN **SOFFIT** COURTY ARD PLAN SOLE PIECE CRUCIFORM PLAN SOULACE DIRECT ENTRY PLAN

DOUBLE DEPTH PLAN

SPA NDREL

DOUBLE PILE PLAN

E SHAPE PLAN

END HALL PLAN

END LOBBY ENTRY PLAN

GABLE ENTRY PLAN

H SHAPE PLAN

HALL AND CROSS WING PLAN

HEARTH PASSAGE PLAN

HEXAGONAL PLAN

L SHAPE PLAN

LOBBY ENTRY PLAN

OCTAGONAL PLAN

OPEN PLAN

PANOPTICON PLAN

PAVILION PLAN

QUATREFOIL PLAN

RECTANGULAR PLAN

SEXEOU PLAN

SIDE WALL FIREPLACE PLAN

SINGLE CELL PLAN

SYMMETRICAL PLAN

T SHAPE PLAN

THREE ROOM PLAN

THROUGH PASSAGE PLAN

TREFOIL PLAN

U SHAPE PLAN

STRUT

SN A member w hose purpose is to keep two other members apart, so acting in a state of compression.

CL STRUCTURAL COMPONENT

NT A STRUT

ANGLE STRUT

CROWN STRUT

KING STRUT

QUEEN STRUT

RAKING STRUT

V STRUT

STUB TIEBEAM

SN A block in the position of a tiebeam.

CL STRUCTURAL COMPONENT

BT TIEBEAM

STUD

SN A subsidiary member, usually vertical, in a framed wall or partition.

CL STRUCTURAL COMPONENT

NT CLOSE STUDDING

CRUCK STUD

HERRINGBONE STUDDING

STUDDED DOOR

SN A planked or battened door, with large nails or pegs with projecting heads keeping it intact.

CL STRUCTURAL COMPONENT

BT DOOR

STUDY

SN A room for private w ork, reading etc.

CL AREAS AND SPACES

BT ROOM

NT READING ROOM

SUN LOUNGE

SN A sitting room fitted w ith large w indows for the purpose of admitting the maximum amount of sunlight.

CL AREAS AND SPACES

BT SITTING ROOM

SUPERVISORY HUB

SN An area or wing of a hexagonal plan workhouse or prison from where the supervision of the inmates is carried out.

CL BUILDING COMPONENT

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

SWIMMING POOL

SN Man made structure, usually sub-terranean, built to contain w ater for the purpose of immersion of people for sport and leisure.

CL BUILDING COMPONENT

CL FIXTURES AND FITTINGS

NT INDOOR SWIMMING POOL

LEARNER POOL

MENS POOL

OUTDOOR SWIMMING POOL

SEA POOL

WOMENS POOL

SYMMETRICAL PLAN

SN A building plan in w hich the rooms are symmetrically placed.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

T SHAPE PLAN

SN A building or structural plan shaped like a T.

CL PLANS AND DIVISIONS

BT STRUCTURAL PLAN

TABERNACLE

SN A recess for holding the Holy Sacrament.

CL FIXTURES AND FITTINGS

TABLE ENGINE

SN A compact steam engine of moderate power in w hich the steam cylinder w as placed vertically on a table w ith the crosshead and guides mounted immediately above.

CL MACHINERY

BT STEAM ENGINE

TACK ROOM

SN A room for storing and maintaining the equipment used in riding, eg saddles, bridles, reins etc.

CL AREAS AND SPACES

BT STOREROOM

RT HARNESS ROOM

TAIL POLE

SN A pole projecting to the rear of a post mill to allow the sails to be moved into the w ind.

CL STRUCTURAL COMPONENT

TAIL RACE

SN A channel that returns water that has been used to turn a waterwheel back to the river or source from which it came.

CL STRUCTURAL COMPONENT

CL MACHINERY

RT HEAD RACE

TANDEM COMPOUND

- SN A horizontal, stationary steam engine with two cylinders in line, one behind the other, the steam passing through each cylinder in turn.
- CL MACHINERY
- BT STEAM ENGINE

TANK BED ENGINE

- SN A small self-contained rotative Beam Steam Engine.
- CL MACHINERY
- BT ROTATIVE BEAM ENGINE

Tas De Charge

USE SPRINGER

Tearoom

USE **DINING ROOM**

Telamone

USE ATLANTIS

TEMPLATE

- SN A timber placed horizontally in a cob or stone wall to support the foot of a post or cruck blade.
- CL STRUCTURAL COMPONENT
- RT PADSTONE

TENIA

- SN A small moulding on the top of the architrave in the Doric order.
- CL DECORATIVE FEATURES
- BT MOULDING

TENONED PURLIN

- UF Butt Purlin
- SN A purlin that is joined to a principal rafter by a tenon joint.
- CL STRUCTURAL COMPONENT
- BT PURLIN

TEPIDARIUM

- UF Warm Bath
- SN The warm room in a Roman baths.
- CL AREAS AND SPACES
- BT ROOM
- RT CALDARIUM

FRIGIDA RIUM

PALAESTRA

THATCHED ROOF

- SN A roof featuring a covering of straw, reeds, rushes etc. used extensively during the medieval period but also popular in rural or rustic architecture.
- CL STRUCTURAL COMPONENT
- BT ROOF

Therm

USE DIOCLETIAN WINDOW

Thermal Window

USE **DIOCLETIAN WINDOW**

THOMSON WATER TURBINE

- SN An inward radial-flow reaction turbine developed by James Thomson.
- CL MACHINERY
- BT WATER TURBINE

THREADED PURLIN

- SN A purlin that is threaded through a hole in the principal rafter.
- CL STRUCTURAL COMPONENT
- BT THROUGH PURLIN

THREE CENTRED ARCH

- SN A depressed arch formed around three arcs: two struck from the springing line with one centrally placed arc struck from below it.
- CL STRUCTURAL COMPONENT
- BT ARCH

THREE ROOM PLAN

- SN A building plan consisting of three rooms placed in a straight row.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

THRESHING MACHINE

- SN A machine for beating out or separating grain from corn.
- CL MACHINERY

THRESHOLD

- SN A w ooden, metal or stone strip attached to the floor betw een the door posts in a doorw ay covering the joint betw een tw o floor surfaces.
- CL STRUCTURAL COMPONENT
- RT SADDLE JOINT

THRONE ROOM

- SN A room containing one or more thrones.
- CL AREAS AND SPACES
- BT ROOM

THROSTLE FRAME

- SN An improved water frame spinning machine which differed from the water frame in mechanical details, being larger and operating at a much faster speed.
- CL MACHINERY
- BT WATER FRAME

THROUGH PASSAGE PLAN

- SN A building plan in w hich a passage crosses the axis of the building, often at one end of a hall, w ith an external door at each end.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

THROUGH PURLIN

- SN A purlin that passes a principal rafter
- CL STRUCTURAL COMPONENT
- BT PURLIN
- NT BACK PURLIN

CLASPED PURLIN

THREADED PURLIN

TRENCHED PURLIN

THROUGH TENON JOINT

- SN A joint in w hich the tenon passes completely through the receiving timber.
- CL STRUCTURAL COMPONENT
- BT JOINT

THROWING MACHINE

SN A machine used in the silk industry for applying the final twist to silk threads to make them suitable for weaving into a fabric. CL MA CHINERY

TIE

SN Any member that connects two bodies, such as the sloping sides of a roof, to prevent them pulling apart

CL STRUCTURAL COMPONENT

NT TIEBEAM

TIEBEAM

SN A major horizontal timber spanning a roof space to connect a pair of principal rafters and prevent them spreading.

CL STRUCTURAL COMPONENT

BT TIE

BEAM

NT DROPPED TIEBEAM INTERRUPTED TIEBEAM STUB TIEBEAM

TIERCERON

SN A secondary rib usually springing from the junction of two other ribs, or one that rises between a main diagonal and transverse rib, from the springing to the ridge rib.

CL STRUCTURAL COMPONENT

BT RIE

TILE HANGING

SN A vertical cladding consisting of tiles hung in overlapping rows.

CL STRUCTURAL COMPONENT

BT CLADDING

TILING

SN An area or series of tiles applied, usually to an interior floor or wall's surface, for practical or decorative effect.

CL STRUCTURAL COMPONENT

CL DECORATIVE FEATURES

TILT HAMMER

SN An early form of pow ered forging hammer, featuring a cast-iron hammer head fixed to a pivoted w ooden arm, introduced circa 1500 and used primarily in the iron industry.

CL MACHINERY

TOILET

SN A room containing a toilet, water closet etc..

CL AREAS AND SPACES

BT WASHING ROOM

TOMB

SN A grave or sepulchre enlosed or covered by a memorial.

CL BUILDING COMPONENT

RT AMBITUS

EASTER SEPULCHRE

TORUS

SN A large, convex moulding, sometimes ornamented, set at the base of a column and above its plinth.

CL DECORATIVE FEATURES

BT MOULDING

TOWER

SN A tall structure of any form, high in proportion to

its lateral dimensions, often rising in stages, freestanding or part of another building, often used in fortifications and churches.

CL BUILDING COMPONENT

NT ANGLE TOWER BELL TOWER CLOCK TOWER

CROSSING TOWER FOREBUILDING

STAIR TOWER

TURRET

TRACERIED HEAD WINDOW

SN A window which has its head beam decorated with elements of tracery.

CL STRUCTURAL COMPONENT

BT WINDOW

TRACERY

SN An arrangement by w hich panels, screens, vaults or w indows are divided into parts of different shapes or sizes by means of moulded stone bars or ribs, called form-pieces or forms in the Medieval period.

CL DECORATIVE FEATURES

NT CINQUEFOIL

TRACTION STEAM ENGINE

SN A small mobile steam engine.

CL MACHINERY

BT STEAM ENGINE

TRADING FLOOR

SN An open area w ithin an exchange building (e.g. cotton exchange, corn exchange, stock exchange) w here goods are traded.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

TRANSEPT

SN A large division of a building which lies across, and at right angles to, its main axis, such as the arms either side of the crossing in a cruciform church

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

CROSS TRANSEPT
DWARF TRANSEPT

TRANSOM

SN A horizontal member dividing a w indow into two or more lights.

CL STRUCTURAL COMPONENT

RT MULLION

TRANSVERSE BEAM

SN A beam that runs the width of a building.

CL STRUCTURAL COMPONENT

BT BEAM

TRANSVERSE RIB

SN A rib w hich spans a vault passing from springer to springer at right angles to the axis of the vault.

CL STRUCTURAL COMPONENT

BT RIB

Transyte

USE PASSAGE

TRAPDOOR

- SN A horizontal door w ithin, and usually flush w ith surface of, a floor, ceiling or roof.
- CL STRUCTURAL COMPONENT
- BT DOOR

TRAVELLING CRANE

- SN A crane, usually used in engineering workshops, that can be moved from place to place, often by means of rails.
- CL MACHINERY
- BT CRANE
- NT TRAVELLING ROOF CRANE

TRAVELLING ROOF CRANE

- SN A crane, usually used in engineering workshops that can be moved from place to place by means of overhead rails...
- CL MACHINERY
- BT TRAVELLING CRANE

TREAD

- SN The horizontal surface of a step or stair.
- CL STRUCTURAL COMPONENT
- BT STEPS
- RT RISER

TREADMILL

- UF Treadw heel
- SN A large w heel, often of timber construction, rotated by the w alking action of people or animals placed w ithin it usually to provide a pow er source for another machine or device.
- CL MACHINERY

TREADMILL CRANE

- UF Treadw heel Crane
- SN A crane operated by a treadmill turned by the walking action of men placed within it.
- CL MACHINERY
- BT CRANE

Treadw heel

USE TREADMILL

Treadw heel Crane

USE TREADMILL CRANE

TREFOIL PLAN

- SN A plan featuring three foils or lobes radiating outwards from a central point.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

TREFOIL WINDOW

- SN A window in the form of a three-leafed clover.
- CL STRUCTURAL COMPONENT
- BT WINDOW

TRENCHED PURLIN

- SN A purlin that sits in a trench cut in the back of a principal rafter.
- CL STRUCTURAL COMPONENT
- BT THROUGH PURLIN

TRIFORIUM

SN An arcaded upper aisle, w all passage or blind arcade, usually occurring in large Romanesque or Gothic churches, above the aisle and below the

- clerestory.
- CL AREAS AND SPACES
- BT PASSAGE
- RT BLIND ARCADE

TRIGLYPH

- SN A grooved block placed in series, alternating with the metopes, in a Doric frieze.
- CL ORDER
- BT DORIC ORDER
- CL STRUCTURAL COMPONENT
- BT FRIEZE

TRIMMER

- UF Trimmer Joist
- SN A short timber supporting end of joists or rafters to facilitate an opening, such as a door or dormer.
- CL STRUCTURAL COMPONENT

Trimmer Joist

USE TRIMMER

TRIPLE EXPANSION ENGINE

- SN A design of steam engine in w hich either three cylinders, in the case of vertical engines, or four cylinders on horizontal engines, permit steam to be expanded three times as it passes through the installation.
- CL MACHINERY
- BT STEAM ENGINE

TRUE MITRE

- SN The junction of two timbers at right angles which involves chamfers or mouldings meeting on a diagonal line and where the timbers meet on the 45 degree line of the chamfer or moulding junction.
- CL STRUCTURAL COMPONENT
- BT JOINT

TRUMEAU

- SN A vertical stone mullion or shaft situated in the centre of a wide doorw ay to support its lintel or tympanum.
- CL STRUCTURAL COMPONENT
- RT DOORWAY

TRUNK STEAM ENGINE

- SN A steam engine in w hich the pistons are long relative to their diameters, and there are no piston rods and crossheads.
- CL MA CHINERY
- BT STEAM ENGINE

TRUNKING

- SN A channel or casing containing and protecting wiring, piping etc.
- CL FIXTURES AND FITTINGS

TRUSS

- SN A combination of timbers to form a frame placed at intervals and carrying the purlins.
- CL STRUCTURAL COMPONENT
- NT AISLE TRUSS

BOWSTRING TRUSS

BOX FRAMED TRUSS

CLOSED TRUSS

COMMON RAFTER TRUSS

CRUCK

DOUBLE ARCH BRACED TRUSS

FALSE HAMMER BEAM TRUSS

HAMMER BEAM TRUSS

KERB PRINCIPAL TRUSS

OPEN TRUSS

POST AND RAFTER TRUSS

PRINCIPAL RAFTER TRUSS

QUEEN POST TRUSS

SAW TOOTH TRUSS

SCISSOR BRACED TRUSS

SECONDARY TRUSS

SPERE TRUSS

TUDOR FLOWER

SN Decorative ornamentation in the form of an upright, stalked trefoil used in Tudor architecture.

CL DECORATIVE FEATURES

BT FLORAL FEATURE

TUDOR ROSE

SN A decorative feature in the style of a formalized rose

CL DECORATIVE FEATURES

BT FLORAL FEATURE

TUN

SN A casement, usually wooden, in a mill enclosing the grindstones and preventing the loss of ground material before it is channelled into sacks.

CL STRUCTURAL COMPONENT

Tunnel Vault

USE BARREL VAULT

TURBINE

SN A motor in w hich rotary motion is produced by motive power, usually of water, steam or gas, impinging directly on a series of vanes upon the circumference of a revolving cylinder or disc.

CL MACHINERY

NT GAS TURBINE

REACTION TURBINE

STEAM TURBINE

WATER TURBINE

TURNED BALUSTER

SN A baluster, circular in plan, turned and cut on a lathe.

CL STRUCTURAL COMPONENT

BT BALUSTER

TURRET

SN A small tow er, usually round or polygonal and attached to a structure. When a separate building, treat as a monument.

CL BUILDING COMPONENT

BT TOWER

NT BARTIZAN

BELVEDERE

STAIR TURRET

TUSCAN ARCH

SN An arch of the Tuscan Order.

CL ORDER

BT TUSCAN ORDER

CL STRUCTURAL COMPONENT

BT ARCH

TUSCAN BASE

SN A base of the Tuscan Order, featuring a square plinth supporting a large torus with a fillet above.

CL STRUCTURAL COMPONENT

BT BASE

CL ORDER

BT TUSCAN ORDER

TUSCAN CAPITAL

SN A capital of the Tuscan Order featuring a square abacus.

CL ORDER

BT TUSCAN ORDER

CL STRUCTURAL COMPONENT

BT CAPITAL

TUSCAN COLUMN

SN A column of the Tuscan Order featuring a plain, unfluted shaft.

CL STRUCTURAL COMPONENT

BT COLUMN

CL ORDER

BT TUSCAN ORDER

TUSCAN ENTABLATURE

SN An entablature of the Tuscan Order consisting of a plain architrave, frieze and cornice without decoration or enrichments..

CL STRUCTURAL COMPONENT

BT ENTABLATURE

CL ORDER

BT TUSCAN ORDER

TUSCAN ORDER

UF Gigantic Order

SN A biggest and plainest of the classical architectural orders, based upon a simplified version of the Doric Order. Sometimes called the Gigantic order, though not to be confused with the Colossal or Giant Order.

CL ORDER

NT TUSCAN ARCH

TUSCAN BASE

TUSCAN CAPITAL

TUSCAN COLUMN

TUSCAN ENTABLATURE

TWIST BALUSTER

SN A spirally turned baluster.

CL STRUCTURAL COMPONENT

BT BALUSTER

Tw isted Column

USE SPIRAL COLUMN

TWO CENTRED ARCH

SN An arch formed around two arcs whose radii are each equal to the span of the arch.

CL STRUCTURAL COMPONENT

BT ARCH

TYMPANUM

SN The face within a pediment, as enclosed by the cornices, or the solid infill of an arch above an impost, sometimes embellished with sculptural or relief ornament.

CL STRUCTURAL COMPONENT

RT PEDIMENT

U SHAPE PLAN

- SN A building or structural plan with a U shape.
- CL PLANS AND DIVISIONS
- BT STRUCTURAL PLAN

UNASSIGNED

- SN This is the top term for the class. This class includes terms with very broad definitions which could be assigned to three or more classes. See UNASSIGNED Class List for narrow terms.
- CL UNASSIGNED
- NT BURIAL PIT

FEATURE

LAYER

UNDERCROFT

- SN An underground, or partially underground, vault or crypt beneath a church or other building.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

UNDERSHOT WHEEL

- SN A waterwheel where the inflow of water strikes the paddles, or floatboards, below the axis of the wheel.
- CL MACHINERY
- BT WATERWHEEL
- NT PONCELET WATERWHEEL

UNIFLOW STEAM ENGINE

- SN A steam engine in w hich steam flow s in one direction only at each stroke, as opposed to the commoner contra-flow engines.
- CL MACHINERY
- BT STEAM ENGINE

Uplong

USE WHIP

UPPER CRUCK

- SN A cruck w ith its feet sitting on a ceiling beam on the first floor.
- CL STRUCTURAL COMPONENT
- BT CRUCK

UPRIGHT SHAFT

- SN The main vertical axle running through the centre of a mill.
- CL STRUCTURAL COMPONENT

UPWARD BRACE

- SN A brace extending from a vertical to a higher horizontal timber.
- CL STRUCTURAL COMPONENT
- BT BRACE

UTILITY ROOM

- SN A room in w hich domestic appliances and facilities for cleaning are stored.
- CL AREAS AND SPACES
- BT ROOM
- RT LAUNDRY ROOM

V STRUT

- SN One of a pair of inclined struts that meet at the bottom to form a V shape.
- CL STRUCTURAL COMPONENT
- BT STRUT

Vacuum Engine

USE ATMOSPHERIC ENGINE

VAGRANTS WARD

- UF Casual Ward
- SN A ward in a workhouse for vagrants
- CL AREAS AND SPACES
- BT WARD

VALLEY RAFTER

- SN A rafter set diagonally where two sloping rooves
- CL STRUCTURAL COMPONENT
- BT RAFTER

VAT

- SN A large tank or cask for storing or holding goods, w hether liquid, such as chemicals or fermenting beer, or dry, often during a production process.
- CL FIXTURES AND FITTINGS
- RT YORKSHIRE SQUARE

VAULT

- SN A room or space with an arched ceiling or roof, the depth of which exceeds its span.
- CL STRUCTURAL COMPONENT
- NT ANNULAR VAULT
 BARREL VAULT
 CROSS VAULT
 RIBBED VAULT
- RT LIERNE WALL RIB

VAULT SPRINGER

- SN The impost, or point at w hich a vault rests upon its support, and from w hich it seems to spring. Hence the term describes the bottom stone of a vault, w hich lies on the impost.
- CL STRUCTURAL COMPONENT

VENETIAN WINDOW

- UF Palladian Window
 - Serliana
- SN A w indow w ith three openings, the central light being arched and w ider than those flanking it.
- CL STRUCTURAL COMPONENT
- BT WINDOW

Venison Larder

USE GAME LARDER

VENT

- SN A gap which allows air to circulate.
- CL STRUCTURAL COMPONENT

VENTILATION SHAFT

- UF Air Shaft
- SN A shaft constructed to allow the circulation of fresh air, into a mine, building etc.
- CL BUILDING COMPONENT

VERANDA

- UF Verandah
- SN An open balcony or gallery extending along the outside of a building, providing principal rooms with shade by means of a roof or canopy supported by posts or light columns.
- CL BUILDING COMPONENT

USE VERANDA

VERGE RAFTER

- SN A rafter set outside a gable to carry the roof beyond the w all face.
- CL STRUCTURAL COMPONENT
- BT RAFTER

VERTICAL STEAM ENGINE

- SN An engine in w hich a vertical piston rod supplies energy via a crankshaft directly to the flyw heel suspended above the cylinder.
- CL MACHINERY
- BT STEAM ENGINE
- NT HYPOCYCLOID STEAM ENGINE

Vestibule

USE LOBBY

VESTRY

- SN A room used in a church to store vestments and for the clergy to dress in.
- CL AREAS AND SPACES
- BT ROOM

VOLUTE

- UF Volute Cushion
- SN A decorative, spiral scroll form, thought to have been based upon the shape of a ram's horn, employed in consoles, modillions, the capitals of orders such as the lonic, Composite and Corinthian etc..
- CL DECORATIVE FEATURES

Volute Cushion

USE VOLUTE

VOUSSOIR

- SN A wedge shaped stone or brick forming part of an arch or vault, with its radiating sides coinciding with the radii of that arch.
- CL STRUCTURAL COMPONENT

WAGON ROOF

- UF Barrel Roof Cradle Roof
- SN A roof consisting of a series of rafters and arch braces set closely together to give the appearance of a continuous, uninterrupted arch or curved plate.
- CL STRUCTURAL COMPONENT
- BT ROOF

Wagon Vault

USE BARREL VAULT

WAINSCOT

- SN Wooden panelling, especially interior wall panelling that rises only to dado height.
- CL DECORATIVE FEATURES
- BT PANELLING

WAITING ROOM

SN A room provided for the use of people w aiting for a service, such as a train or bus service, or to see an individual such as a doctor or a dentist. When a dedicated structure, see Thesaurus of Monument Types.

- CL AREAS AND SPACES
- BT ROOM

WALKING SPACE

- SN A clear area in a church covered by the transepts and crossing.
- CL AREAS AND SPACES
- BT INTERNAL AREA OR SPACE

WALKWAY

- SN A pedestrian passagew ay, often elevated, connecting two buildings or sections within a building.
- CL AREAS AND SPACES
- BT PASSAGE
- CL STRUCTURAL COMPONENT

WALL

- UF Analemma
- SN A structure, usually of brick, stone or timber, that encloses or defines a space or room.
- CL STRUCTURAL COMPONENT
- NT CURTAIN WALL
 DADO (WALL)
 PARTITION WALL
 PLINTH (WALL)

Wall Arcade

USE BLIND ARCADE

WALL CRANE

- UF Jigger
- SN A wall mounted, hydraulically operated crane or winch, sometimes used to operate lifts.
- CL MACHINERY
- BT CRANE

WALL PAINTING

- SN A two dimensional image using paint applied to the surface of a w all.
- CL DECORATIVE FEATURES
- NT FRESCO
- RT CEILING PAINTING

WALL PASSAGE

- SN A passage constructed within the thickness of a wall.
- CL AREAS AND SPACES
- BT PASSAGE

WALL PLATE

- UF Wallplate
- SN A longitudinal timber set on top of a timber frame, brick or masonry w all on w hich roof-trusses or rafters rest.
- CL STRUCTURAL COMPONENT
- BT PLATE
- NT AISLE PLATE

WALL POST

- SN A post, usually carrying a tiebeam, which forms part of a wall in a timber framed building.
- CL STRUCTURAL COMPONENT
- BT POST

WALL RIB

SN An arched half-rib applied to the lateral wall surface in a vaulted bay, its function, rather than structural, being to complete the pattern of the

vault's main ribs.

CL STRUCTURAL COMPONENT

BT RIB

RT VAULT

WALL SAFE

SN A metal safe built in to wall

CL FIXTURES AND FITTINGS

WALLOWER

SN The first driven gearw heel on the vertical shaft within a corn mill which meshes with the brake wheel in a windmill, or the pit wheel in a watermill.

CL STRUCTURAL COMPONENT

WALLPAPER

SN Paper, often decorated with a printed pattern, painted or embossed design, and usually provided in rolls and used to line the interior walls of a building for decorative purposes.

CL DECORATIVE FEATURES

Wallplate

USE WALL PLATE

WARD

SN A room, usually in a hospital, in w hich a number of beds are located.

CL AREAS AND SPACES

BT DORMITORY

NT FEVER WARD

ISOLATION WARD

PROBATIONARY WARD

VAGRANTS WARD

WARDROBE

UF Garderobe (Wardrobe)

SN A room or cupboard usually used for the storage of garments.

CL STRUCTURAL COMPONENT

BT CUPBOARD

CL FIXTURES AND FITTINGS

BT CUPBOARD

CL AREAS AND SPACES

BT STOREROOM

Warm Bath

USE TEPIDARIUM

WARMING ROOM

UF Calefactory

SN A heated room within a monastery where monks could warm themselves.

CL AREAS AND SPACES

BT INTERNAL AREA OR SPACE

WASHING ROOM

SN A room intended for, and usually equipped to aid, the performance of ablutions.

CL AREAS AND SPACES

BT ROOM

NT BATHROOM

LAVATORY

PRIVY

TOILET

WATER BALANCE ENGINE

SN A device for hoisting, or operating pumps, using

w ater displacement as a lifting and balancing medium.

CL MACHINERY

WATER FILTRATION UNIT

SN A plant used to sterilize water for use in public bathing establishments, not to be confused with desaliation or purification units for drinking water.

CL MACHINERY

WATER FRAME

SN A machine used for spinning cotton powered by w ater.

CL MACHINERY

BT SPINNING MACHINE

NT THROSTLE FRAME

WATER LEAF CAPITAL

SN A late 12th Century capital featuring large, unribbed leaves grow ing outwards from each angle before curving up towards the abacus and turning inwards at the top.

CL STRUCTURAL COMPONENT

BT CAPITAL

WATER PUMP

SN A pump used to move water.

CL MACHINERY

BT PUMP

NT AQUA THRUSTER PUMP

WATER PURIFICATION UNIT

SN A machine used for the purification of water, usually for drinking purposes.

CL MACHINERY

WATER RETURNING ENGINE

SN A steam engine, often used in the 18th century, w hich drove a pump to return w ater back to a w aterw heel so that it could be used over and over again.

CL MACHINERY

BT STEAM ENGINE

WATER SPOUT

SN A pipe or channel to carry water outwards from a gutter or behind a parapet. If decorated with grotesque heads it is called a gargoyle.

CL STRUCTURAL COMPONENT

RT GUTTER

WATER TABLE

SN An inclined course on top of a projecting sill, cornice etc., designed to throw off rainwater.

CL STRUCTURAL COMPONENT

WATER TANK

SN A tank used for the storage of w ater, usually found as part of an institution like a w orkhouse or hospital complex

CL FIXTURES AND FITTINGS

WATER TURBINE

SN A prime mover in w hich a central w heel w ith curved vanes, enclosed in a chamber, receives w ater directed onto the curved vanes by a ring of fixed guide vanes, causing the w heel to rotate about its axis.

CL MACHINERY

BT TURBINE

NT FOURNEY RON WATER TURBINE

FRANCIS WATER TURBINE

JONVAL WATER TURBINE

PONCELET WATER TURBINE

THOMSON WATER TURBINE

WATERWHEEL

SN A wheel turned by water to generate mechanical power.

CL MACHINERY

NT BREASTSHOT WHEEL

OVERSHOT WHEEL

PITCHBACK WHEEL

UNDERSHOT WHEEL

WATERWHEEL SHAFT

UF King Pin

Mill Shaft

Wheel Shaft

SN The large main axle on w hich a w aterw heel, w hich turns the shaft, and a pitw heel are mounted

CL STRUCTURAL COMPONENT

WEATHERBOARD

SN A piece of cladding in the form of a length of timber fixed horizontally to the building.

CL STRUCTURAL COMPONENT

RT WEATHERBOARDING

WEATHERBOARDING

SN An external wall cladding consisting of overlapping horizontal boards.

CL STRUCTURAL COMPONENT

BT CLADDING

RT WEATHERBOARD

WEIGHBRIDGE

SN A platform scale set w ithin, and flush w ith the surface of, a roadw ay, for w eighing vehicles, cattle etc.

CL MACHINERY

BT WEIGHING MACHINE

WEIGHING MACHINE

SN A machine used for weighing objects.

CL MACHINERY

NT WEIGHBRIDGE

WESTWORK

SN The west end of a church made up of a tow er, entrance hall and upper room, usually with an altar.

CL BUILDING COMPONENT

Wheel Shaft

USE WATERWHEEL SHAFT

WHEEL WINDOW

SN A circular window with tracery or shafts radiating from the centre.

CL STRUCTURAL COMPONENT

BT WINDOW

WHIP

UF Sail Back Uplong SN The principal longitudinal member or spine of a windmill sail, extending from the stock and supporting the sailbars.

CL STRUCTURAL COMPONENT

WICKET

SN A small hinged opening within a large door.

CL STRUCTURAL COMPONENT

BT DOOR

WILLANS CENTRE VALVE STEAM ENGINE

UF Centre Valve Steam Engine

SN A high speed, single acting compound steam engine with centrally placed piston valves controlling the distribution of steam.

CL MACHINERY

BT COMPOUND STEAM ENGINE

WIND BRACE

SN A diagonal or arched member placed across rafters to stiffen and support a roof structure.

CL STRUCTURAL COMPONENT

WIND ENGINE

SN A simple, wind-driven water pump, also known as a windpump.

CL MACHINERY

WINDER STAIRCASE

SN A staircase that rises through only one storey and has treads and risers framed into square studs, one of them often on one side of a doorframe; it usually occupies a rectangular space.

CL BUILDING COMPONENT

BT STAIRCASE

WINDING ENGINE

SN An engine used for directly winding up coal from deep mines, dating from the 18th century.

CL MACHINERY

WINDOW

SN An opening in a wall, roof, door, etc to allow light to enter. Usually used to include all component parts.

CL STRUCTURAL COMPONENT

NT BAY WINDOW

BOW WINDOW

BULLSEYE WINDOW

CASEMENT WINDOW

CROSS WINDOW

DORMER WINDOW

FANLIGHT

FIRE WINDOW

LACED WINDOW

LANCET WINDOW

LOWSIDE WINDOW

LUCARNE

MULLIONED WINDOW

NORTH LIGHT

OCULUS

ORIEL WINDOW

PIERCED WINDOW

QUATREFOIL WINDOW

ROSE WINDOW

SASH WINDOW

TRACERIED HEAD WINDOW

TREFOIL WINDOW

VENETIAN WINDOW

WHEEL WINDOW

RT A EDICULE (FRAME)

APRON

CAME

GLAZING BAR

LIGHT

QUARRY

SADDLE BAR

STANCHION

WINDOW LINTEL

WINDOW LINTEL

SN A lintel over a window.

CL STRUCTURAL COMPONENT

BT LINTEL

RT WINDOW

WINDSHAFT

SN The main axle projecting through the front of a w indmill on w hich the sails are mounted.

CL STRUCTURAL COMPONENT

WING

SN A part of a building joined to the core of the structure and at an angle to it.

CL PLANS AND DIVISIONS

BT PLAN COMPONENT

NT CHAMBER BLOCK

CROSS WING

SERVICE WING

Winter Parlour

USE PARLOUR

WIPER LOOM

SN An early pow er loom in w hich the shedding actions of the machine w ere controlled by tappets, or w ipers, w hich received their motion from a rotating cam shaft positioned at one side of the loom.

CL MACHINERY

BT LOOM

WIRE MACHINE

SN A mechanical device, used in a corn mill, that separates bran from meal to produce a w hiter flour.

CL MACHINERY

BT SIFTER

Withdraw ing Chamber

USE DRAWING ROOM

Withdraw ing Room

USE DRAWING ROOM

WOMENS POOL

SN A sw imming pool restricted to the use of females only.

CL BUILDING COMPONENT

BT SWIMMING POOL

CL FIXTURES AND FITTINGS

BT SWIMMING POOL

WOOLF COMPOUND STEAM ENGINE

SN A beam steam engine, reciprocating or rotative, pow ered by two steam cylinders side by side.

CL MACHINERY

BT COMPOUND STEAM ENGINE

WORK ROOM

SN Room in a building or complex, such as a workhouse, in which work is carried out.

CL AREAS AND SPACES

BT ROOM

YOKE

SN A short timber linking two pieces of timber.

CL STRUCTURAL COMPONENT

YORKSHIRE SQUARE

SN Specialised fermenting vessel consisting of a two-storey system consisting of a shallow chamber approximately 2m high above which is a walled deck.

CL FIXTURES AND FITTINGS

RT VAT

Zigzag Moulding

USE CHEVRON MOULDING